मनहरी गाउँपालिका
गाउँ कार्यपालिका को कार्यालय
रजैया, मकवानपुर

गाउँपालिका दररेट आ . व.

२०८३ /०८४

नोट : गाउँपालिका दररेट जिल्ला दररेटमा आधारित भएको तथा केहि स्थानिय सामाग्रि मा संशोधन गरिएको छ।

Scanned with CamScanner

विषयसूचि

क.सं.	विवरण		
१	क) निर्माण कामदार को ज्याला दर भाउ	२	
२	ख) निर्माण सामाग्रीको दर भाउ	४	
२।१	ख.१ जनरल निर्माण सामाग्री	४	
२।२	ख.२ स्यानीटरी र पाईप सम्वन्धी निर्माण सामाग्री	१५	
२।३	ख.३ विद्यूतीय निर्माण सामाग्री	२२	
२।४	ख.४ ग्रामिण विद्यूतीकरण निर्माण सामाग्री	२८	
	ख.६ ढुवानी तथा हेभी इक्वीपमेन्ट ज्याला सम्वन्धि	३०	
३	ग) भु संरक्षण सम्वनधी	३४	
४	घ) वन कार्यालय र टि.सि.एन सम्वन्धी	३५	
५	ङ) वनस्पती सम्वन्धी	३८	
६	च) पसू शेवा सम्वन्धी	३९	

अनुसूची (१

मिति २०८३।०४।२२ गते बसेको पहिलो गाउँकार्यपालिका बैठकको निर्णय नं.२ संग सम्बन्धित

क) **निर्माण कामदारहरुको ज्यालादर आ.व. ०८३/०८४ कोलागि स्वीकृत दररेट**

सि.नं.	कामदारहरुको नाम	श्रेणी	ईकाई	दररेट	दररेट	दररेट	कैफियत
				०८१/०८२	०८२/०८३	०८३/०८४	
१	इन्जिनियर	रा.प.तृ. सरह	प्रतिदिन	नेपल सरकारको तलब स्केल बमोजिम	नेपल सरकारको तलब स्केल बमोजिम	नेपल सरकारको तलब स्केल बमोजिम	
२	बन बिज्ञ	रा.प.तृ. सरह	प्रतिदिन	नेपल सरकारको तलब स्केल बमोजिम	नेपल सरकारको तलब स्केल बमोजिम	नेपल सरकारको तलब स्केल बमोजिम	
३	सब इन्जिनियर, ड्राफ्ट म्यान	रा.प.अ.प्र.सरह	प्रतिदिन	नेपल सरकारको तलब स्केल बमोजिम	नेपल सरकारको तलब स्केल बमोजिम	नेपल सरकारको तलब स्केल बमोजिम	
४	रेन्जर	रा.प.अ.प्र.सरह	प्रतिदिन	नेपल सरकारको तलब स्केल बमोजिम	नेपल सरकारको तलब स्केल बमोजिम	नेपल सरकारको तलब स्केल बमोजिम	
५	अ.सब इन्जिनियर, तालिमप्राप्त सुपरभाईजर, खापासटे	रा.प.अ.द्वि.सरह	प्रतिदिन	नेपल सरकारको तलब स्केल बमोजिम	नेपल सरकारको तलब स्केल बमोजिम	नेपल सरकारको तलब स्केल बमोजिम	
६	साईट सुपर भाइजर		प्रतिदिन	९१८.००	९३६.००	१०००.००	
७	कम्प्युटर अपरेटर	ना.सु.प्रा. सरह	प्रतिदिन	नेपल सरकारको तलब स्केल बमोजिम	नेपल सरकारको तलब स्केल बमोजिम	नेपल सरकारको तलब स्केल बमोजिम	
		खरिदार सरह	प्रतिदिन	नेपल सरकारको तलब स्केल बमोजिम	नेपल सरकारको तलब स्केल बमोजिम	नेपल सरकारको तलब स्केल बमोजिम	
८	रेडियो अपरेटर/टेलिफोन अपरेटर	खरिदार सरह	प्रतिदिन	नेपल सरकारको तलब स्केल बमोजिम	नेपल सरकारको तलब स्केल बमोजिम	नेपल सरकारको तलब स्केल बमोजिम	
९	ल्याब असिस्टेन्ट	खरिदार सरह	प्रतिदिन	नेपल सरकारको तलब स्केल बमोजिम	नेपल सरकारको तलब स्केल बमोजिम	नेपल सरकारको तलब स्केल बमोजिम	
१०	ल्याब ब्वाय	पियन सरह	प्रतिदिन	नेपल सरकारको तलब स्केल बमोजिम	नेपल सरकारको तलब स्केल बमोजिम	नेपल सरकारको तलब स्केल बमोजिम	
११	इलेक्ट्रिसियन	सिनियर	प्रतिदिन	११५०.००	११७३.००	१२५४.००	
		जुनियर	प्रतिदिन	९६०.००	९७९.००	१०४६.००	
		हेल्पर	प्रतिदिन	८६०.००	८७७.००	९३७.००	
१२	ड्रिलर		प्रतिदिन	११५०.००	११७३.००	१२५४.००	
१३	ब्लाष्टर		प्रतिदिन	१७९०.००	१८२५.००	१९५१.००	
१४	ब्लाष्टर सहायक		प्रतिदिन	११५०.००	११७३.००	१२५४.००	
१५	फोरम्यान	खरिदार सरह	प्रतिदिन	११५०.००	११७३.००	१२५४.००	
१६	मेकानिक्स हेभि अपरेटर	सिनियर	प्रतिदिन	१२१५.००	१२३९.००	१३२४.००	
		जुनियर	प्रतिदिन	११२०.००	११४२.००	१२२०.००	
१७	अपरेटर (पाइल ड्राईभिङ्ग)		प्रतिदिन	११५०.००	११७३.००	१२५४.००	
१८	ड्राईभर	हेभी	प्रतिदिन	११५०.००	११७३.००	१२५४.००	
		लाइट	प्रतिदिन	१०८५.००	११०६.००	११८२.००	
१९	मेकानिकल हेल्पर (हेभी इक्विपमेन्ट)		प्रतिदिन	८४५.००	८६१.००	९२०.००	
२०	सर्भेयर	ना.सु. (प्रथम) सरह	प्रतिदिन	१२१५.००	१२३९.००	१३२४.००	
२१	सहायक सर्भेयर	खरिदार (दोश्रो)	प्रतिदिन	११५०.००	११७३.००	१२५४.००	
२२	चेन म्यान, फिता नापी तथा सर्भे हेल्पर		प्रतिदिन	७०३.००	७१७.००	७६६.००	
२३	क्याम्प वर्कर		प्रतिदिन	७०५.००	७१९.००	७६८.००	
२४	मेठ (कुल्लीहरुको)		प्रतिदिन	७६५.००	७८०.००	८३३.००	

अनुसूची । १

मिति २०८३।०४।२२ गते बसेको पहिलो गाउँकार्यपालिका बैठकको निर्णय नं.२ संग सम्बन्धित

सि.नं.	कामदारहरुको नाम	श्रेणी	ईकाई	दररेट	दररेट	दररेट	कैफियत
				०८१/०८२	०८२/०८३	०८३/०८४	
२५	ज्यामी नाईके		प्रतिदिन	९२०.००	९३८.००	१००२.००	
२६	पाले		प्रतिरात	७६५.००	७८०.००	८३३.००	
२७	स्वीपर		प्रतिदिन	७०५.००	७१९.००	७३८.००	
२८	माली		प्रतिदिन	७०५.००	७१९.००	७६८.००	
२९	रनर		प्रतिदिन	७०५.००	७१९.००	७६८.००	
३०	वर्कर	क) दक्ष	प्रतिदिन	११८५.००	१२००.००	१२८२.००	०.०१३
		ख) अदक्ष	प्रतिदिन	८८०.००	९००.००	९६२.००	०.०२३
३१	लेन्थ वर्कर			७९५.००	८१०.००	८६५.००	#REF!
३२	सिकर्मी, डकर्मी, प्लम्बर, नकर्मी, बढकर्मी, पेन्टर		प्रतिदिन	११४५.००	११६७.००	१२४७.००	#REF!
३३	सिमेन्टको काममा कटिङ्ग गर्ने र नेपाली कला, नक्सा, बुट्टा बनाउने)	क) सिनियर कालिगढ	प्रतिदिन	२४१५.००	२४६३.००	२६३३.००	#REF!
		ख) जुनियर कालिगढ	प्रतिदिन	१३१५.००	१३४१.००	१४३३.००	#REF!
३४	रेनफल रेकर्डर		प्रतिदिन	७२५.००	७३९.००	७९०.००	
३५	गेज रिडार		प्रतिदिन	७२५.००	७३९.००	७०.००	
३६	ट्रक/टेक्टरबाट ढुवानी						
३७	ट्रक/टेक्टरबाट पक्की सडकमा		प्रति कि.मि प्रति क्वीन्टल	२.००	२.००	२.००	
३८	ट्रक/टेक्टरबाट कच्ची सडकमा		प्रति कि.मि प्रति क्वीन्टल	२.००	२.००	२.००	

रञ्जन कालाखेती
अध्यक्ष

अनुसूची । १

मिति २०८३।०४।२२ गते बसेको पहिलो गाउँकार्यपालिका बैठकको निर्णय नं.२ संग सम्बन्धित

सि.नं.	कामदारहरुको नाम	श्रेणी	ईकाई	दररेट	दररेट	दररेट	कैफियत
				०८१/०८२	०८२/०८३	०८३/०८४	
३९	ट्रक, टेक्टरबाट बाट पोलिथिन पाईप, ह्यूम पाईप, विजुलीको पोल, दराज, जस्ता भार नपुग्ने सामान पक्की सडकमा		प्रति कि.मि प्रति क्वीन्टल	३.00	३.00	३.00	
४०	ट्रक, टेक्टरबाट बाट पोलिथिन पाईप, ह्यूम पाईप, विजुलीको पोल, दराज, जस्ता भार नपुग्न सामान कच्ची सडकमा		प्रति कि.मि प्रति क्वीन्टल	३.00	३.00	३.00	
४१	भरिया सजिलो भारी		प्रति के.जी. प्रति कोस	३.00	३.00	३.00	
४२	**भरिया असजिलो / जोखिमपूर्ण भारी** (असजिलो वा जोखिमपूर्ण सामान भन्नाले विभिन्न ठ्यासमा आउने पोलिथिन पाइप, जि.आई.पाईप, जस्तापाता, ग्याविएन बक्स, रुवा, विजुलीको पोल, काठ, कंक्रिट पोल, झोल औषधि, ड्रोट विरुवा, सिसा, झोलुङे पुलको सङ्ग एवं सामानहरु, स्यानिटरी सामानहरु सेरामिक्स, प्लास्टिकका सामानहरु, इलेक्ट्रोनिक्स तथा पेट्रोनिक्स तथा पेट्रोलियम इन्धन इत्यादि)		प्रति के.जी. प्रति कोस	६.00	६.00	६.00	ADD load/unload 20ps/kg
४३	यसमा समावेश नभएका सिलाई मेसिन, कम्प्युटर, सर्भेका सामानको हकमा प्रतिदिन ६ कोष हिड्ने गरी भरियाको लागि प्रतिदिन दिने (६ कोषमा यपघट भएमा कोषको आधारमा दामासाहीले दिने)		प्रति दिन	५३३.00	५४३.00	५८०.00	
४४	**ईनार खन्ने काम**						
४५	पहिलो ३ मिटर सम्मको गहिराई(३६ इन्च-४२ इन्च व्यास)		प्रति मिटर	८००.00	८१६.00	८७२.00	
४६	३ देखि ६ मिटर सम्मको गहिराई(३६ इन्च-४२ इन्च व्यास)		प्रति मिटर	१२७०.00	१२९५.00	१३८४.00	
४७	६ देखि ९ मिटर सम्मको गहिराई(३६ इन्च-४२ इन्च व्यास)		प्रति मिटर	१६६४.00	१६९७.00	१८१४.00	
४८	९ मिटर भन्दा वढि गहिराईको लागी प्रति १.५ मिटर गहिराई १.५ ले गुणण गर्ने	६ देखि ९ मिटर सम्मको गहिराई(३६ इन्च-४२ इन्च व्यास)					
४९	माथि उल्लेखित भएका वाहेक नेपाल सरकार सरह का पदहरुमाकाम लगाउन परेमा सो पदको शुरु स्केललाई २४ ले भाग गरी ज्याला निकाली काम लगाउन सकिनेछ।						

द्रष्टव्य: १. प्रतिदिन भन्नाले ८ कार्य घण्टा मानिने छ।

२. सामान ढुवानीमा लोड तथा अनलोडको प्रति किलो २० पैसा थप गर्न सकिनेछ।

ख) निर्माण सामांग्रीहरुको दर आ.व ०८३/०८४ को लागि

सि.नं		मालसामानको विवरण	इकाई	परिमाण	दरोट ०८१/०८२	दरोट ०८२/०८३	दरोट ०८३/०८४	कैफियत
ख.१		जनरल निर्माण सामाग्री						
A		**CEMENTING MATERIALS:**						
१	१	सिमेन्ट						
	१	सिमेन्ट (५० केजी)						
	१.१	पी.पी.सी. (नेपाली)(५० केजी)	बोरा	प्रति	५५०।००	५६५।००	५६५।००	
	१.२	ओ.पी.सी. (नेपाली)(५० केजी)	बोरा	प्रति	६५०।००	६६५।००	६६५।००	
	१.३	सेतो सिमेन्ट (४० के.जी.)	बोरा	प्रति	१३३०।००	१३३०।००	१३९२।५१	
	१.४	सिलिका सिमेन्ट Admixture	के.जी.	प्रति	३५०।००	३५०।००	३६६।४५	
		चुना						
२	2.1	साधारण	के.जी.	प्रति	२६।००	२६।००	२७।२२	
	2.2	राम्रो खाले (कल्ची)	के.जी	प्रति	३०।००	३०।००	३१।४१	
		माटो						
३	3.1	रातो (५ कि.मि.सम्म ढुवानी समेत)	घ.मी.	प्रति	४९५।००	४९५।००	५१८।२७	
	3.2	रामराज	के.जी.	प्रति	३७।००	३७।००	३८।७४	
		SAND-AGGREGATE-DUST						
४		पखालेको बालुवा	घ.मी.	प्रति	१६२५.००	१६२५.००	१७०१.००	
५		Gravel (River Bed Material)	घ.मी.	प्रति	९५०.००	९५०.००	९५०.००	
६		गिट्टी						
	6.1	फोरुवा 20mm Down	घ.मी.	प्रति	१६००.००	१६००.००	१६००.००	
		फोरुवा 40mm Down	घ.मी.	प्रति	१५००.००	१५००.००	१५००.००	
	6.2	राम्रो छानेको (20 mm down)	घ.मी.	प्रति	१०००.००	१०००.००	१०००.००	
	6.3	राम्रो मिक्स (40 mm down)	घ.मी.	प्रति	९००.००	९००.००	९००.००	
	6.4	राम्रो सिलकट गिट्टी	घ.मी.	प्रति	९००.००	९००.००	९००.००	
७		ढुङ्गाको धुलो (Stone Dust)	घ.मी.	प्रति	९९०.००	९९०.००	९९०.००	
		STONE-BRICKS						
८		ढुङ्गा						
	8.1	खानीको	घ.मी.	प्रति	१३९१.००	१३९१.००	१३९१.००	
	8.2	खोलाको गोलो	घ.मी.	प्रति	११००.००	११००.००	११००.००	
९		ईंटा						
	9.1	१ नं. ढुवानी समेत	गोटा	१०००	१५४००.००	१५४००.००	१६१२३.००	
	9.2	२ नं. ढुवानी समेत	गोटा	१०००	१३२००.००	१३२००.००	१३८२०.००	
	9.3	मेसिनबाट बनेको चाईनिज	गोटा	१०००	१८१५०.००	१८१५०.००	१९००३.००	
	9.4	CSEB Interlocking Brick (30*15*10cm)	गोटा	प्रति	५०.००	५०.००	५२.००	
	9.5	क्ले टायल (मेसिन मेड)	गोटा	प्रति	२०.९०	२०.००	२०.००	
	9.6	मुर्तिको सिमेन्टको रफ प्लाष्टर र बुट्टा डिजाइन प्लाष्टर सहित बर्ग मिटर	ब मी	प्रति		१५९२९.२०	१५९२९.२०	
		METALIC WORKS:						
		Reinforcement Works						
१०		फलामे डण्डी टोर स्टील विभिन्न साईज						
	10.1	६-८ मी.मी.	के.जी.	प्रति	९८.०	९८.०	१०२.०	
	10.2	१०-२५ मी.मी.	के.जी.	प्रति	९८.०	९८.०	१०२.०	
	10.3	२५ मी.मी. माथि	के.जी.	प्रति	९८.०	९८.०	१०२.०	
११		फलामे डण्डी T.M.T.						
	11.1	६-८ मी.मी	के.जी.	प्रति	९८.०	९८.०	१०२.०	
	11.2	१०-२५ मी.मी.	के.जी	प्रति	९८.०	९८.०	१०२.०	
	11.3	२५ मी.मी. भन्दा माथि	के.जी.	प्रति	९८.०	९८.०	१०२.०	
		Metal Item other than Rebars						
१२		Iron Black पाइप	के.जी.	प्रति	१००.०	१००.०	१०४.०	
१३		ब्ल्याक पाइपको तयारी टयुबुलर ट्रस ज्याला समेत	के.जी.	प्रति	१५०.०	१५०.०	१५७.०	
१४		आइरन एङ्गल (विभिन्न साइजको,च्यानल,आई बिम तथा पाता समेत)	के.जी.	प्रति	१००.०	१००.०	१०४.०	
१५		फलामे ग्रिल तयारी(फिटिङस सहित)	के.जी.	प्रति	१४०.०	१४०.०	१४६.०	
१६		फलामे स्टील प्लेट(फिटिङस सहित)	के.जी.	प्रति	१०४.०	१०४.०	१०८.०	
१७		कोलाप्सिबल गेट तयारी(फिटिङस सहित)	के.जी.	प्रति	१४०.०	१४०.०	१४६.०	

रञ्जन कालामोरी
अध्यक्ष

ख) निर्माण सामांग्रीहरुको दर आ.व ०८३/०८४ को लागि

सि.नं		मालसामानको विवरण	इकाई	परिमाण	दरोट ०८१/०८२	दरोट ०८२/०८३	दरोट ०८३/०८४	कैफियत
१८		रोलिङ सटर तयारी सेट	के.जी.	प्रति	१४५.०	१४५.०	१५१.०	
१९		Iron Spiral Staircase(From Medium black pipe 4"-6" dia post,1.25" dia Handrail and 3/4"*3/4" squar pipe including Fitting	र.मी.	प्रति	८२५०.०	८२५०.०	८६३७.०	
२०		जि आई काँडे तार	के.जी.	प्रति	१३२.०	१३२.०	१३८.०	
२१		हण्डी बाँधे तार	के.जी.	प्रति	१३०.०	१३०.०	१३६.०	
२२.०		Stainless steel						
	22.1	Stainless Steel pipe(3/4"dia,16 guage thick)	र.मी.	प्रति	१७०.०	१७०.०	१७७.०	
	22.2	Stainless Steel pipe(1"dia,16 guage thick)	र.मी.	प्रति	२३१.०	२३१.०	२४१.०	
	22.3	Stainless Steel pipe(1-1/4"dia,16 guage thick)	र.मी.	प्रति	२७५.०	२७५.०	२८७.०	
	22.4	Stainless Steel pipe(1-1/2"dia,16 guage thick)	र.मी.	प्रति	३८५.०	३८५.०	४०३.०	
	22.5	Stainless Steel pipe(2"dia,16 guage thick)	र.मी.	प्रति	४४०.०	४४०.०	४६०.०	
२३.०		स्टेनलेस स्टील पाइप रेलिङ						
	23.1	चार लाइन(माथिल्लो लाइन र पोष्ट २ इनच,तीनवटा १ इन्चको)	रनिङ फिट	प्रति	१४३०.०	१४३०.०	१४३०.०	
	23.2	तीन लाइन(माथिल्लो लाइन र पोष्ट २ इनच,दुई वटा १ इन्चको)	रनिङ फिट	प्रति	१२६५.०	१२६५.०	१२६५.०	
	23.3	दुई लाइन(माथिल्लो लाइन र पोष्ट २ इनच,एक वटा १ इन्चको)	रनिङ फिट	प्रति	११००.०	११००.०	११००.०	
	23.4	एक लाइन (पोष्ट र एक लाइन २ इनच)	रनिङ फिट	प्रति	६०५.०	६०५.०	६०५.०	
२४.०		बन आरमड तार						
	24.1	१० एम एम डबल कोर	रनिङ मिटर	प्रति	४९.०	४९.०	५१.०	
	24.2	६ एम एम डबल कोर	रनिङ मिटर	प्रति	३३.०	३३.०	३४.०	
२५		**SHEET METALS:**						
	25.1	1.2mm_187kg	बण्डल	प्रति	२५४१०.०	२५४१०.०	२६६०४.०	
	25.2	1.1mm_172kg	बण्डल	प्रति	२३१००.०	२३१००.०	२४१८५.०	
	25.3	0.9mm_141kg	बण्डल	प्रति	१८४८०.०	१८४८०.०	१९३४८.०	
	25.4	0.8mm_128kg	बण्डल	प्रति	१७३२५.०	१७३२५.०	१८१३९.०	
	25.5	0.75mm_118kg	बण्डल	प्रति	१६१७०.०	१६१७०.०	१६९२९.०	
	25.6	0.56mm_87kg	बण्डल	प्रति	११५५०.०	११५५०.०	१२०९२.०	
		CGI SHEET / PREFAB						
		कर्कट पाता						
		२४ गेज						
	26.1	24 gauge heavy, 83 kg/bdl (0.52 mm)	बण्डल	प्रति	११०००.०	११०००.०	११५१७.०	
		24 gauge medium, 79 kg/bdl (0.5 mm)	बण्डल	प्रति	१०२८५.०	१०२८५.०	१०७६८.०	
		24 gauge light, 72kg/bdl (0.45 mm)	बण्डल	प्रति	९५७०.०	९५७०.०	१००१९.०	
		२६ गेज						
	26.2	26 gauge heavy, 65kg/bdl (0.41 mm)	बण्डल	प्रति	८६९०.०	८६९०.०	९०९८.०	
		26 gauge medium,61 kg/bdl (0.38 mm)	बण्डल	प्रति	७९७५.०	७९७५.०	८३४९.०	
		26 gauge light, 56kg/bdl (0.35 mm)	बण्डल	प्रति	७५९०.०	७५९०.०	७९४६.०	
		२८ गेज						
२६	26.3	28 gauge heavy, 50 kg/bdl (0.31 mm)	बण्डल	प्रति	६८२०.०	६८२०.०	७१४०.०	
		28 gauge medium, 45 kg/bdl (0.28 mm)	बण्डल	प्रति	६३८०.०	६३८०.०	६६७९.०	
		28 gauge light, 42 kg/bdl (0.26 mm)	बण्डल	प्रति	६०५०.०	६०५०.०	६३३४.०	
		३० गेज						
	26.4	30 gauge heavy, 39 kg/bdl (0.24 mm)	बण्डल	प्रति	५६१०.०	५६१०.०	५८७३.०	
		30 gauge medium, 36 kg/bdl (0.22 mm)	बण्डल	प्रति	५००५.०	५००५.०	५२४०.०	
		30 gauge light, 33 kg/bdl (0.20 mm)	बण्डल	प्रति	५०६०.०	५०६०.०	५२९७.०	
		३२ गेज						
	26.5	32 gauge heavy, 30 kg/bdl (0.18 mm)	बण्डल	प्रति	४४००.०	४४००.०	४६०६.०	
		32 gauge medium, 26 kg/bdl (0.16 mm)	बण्डल	प्रति	३९०५.०	३९०५.०	४०८८.०	
		32 gauge light, 21 kg/bdl (0.12 mm)	बण्डल	प्रति	३४१०.०	३४१०.०	३५७०.०	
२७		COLOUR SHEET						

रत्जन कालङ्गी
अध्यक्ष

ख) निर्माण सामांग्रीहरुको दर आ.व ०८३/०८४ को लागि

सि.नं		मालसामानको विवरण	इकाई	परिमाण	दरोट ०८१/०८२	दरोट ०८२/०८३	दरोट ०८३/०८४	कैफियत
		२४ गेज रंगिन						
	27.1	24 gauge heavy,83kg/bdl (0.52 mm)	वण्डल	प्रति	१३५८५.०	१३५८५.०	१४२२३.०	
		24 gauge medium ,79kg/bdl(0.5 mm)	वण्डल	प्रति	१३२००.०	१३२००.०	१३८२०.	
		24 gauge light 72kg/bdl(0.45 mm)	वण्डल	प्रति	१२१००.०	१२१००.०	१२६६८.०	
		२६ गेज रंगिन						
	27.2	26 gauge heavy, 65 kg/bdl (0.41 mm)	वण्डल	प्रति	११०००.०	११०००.०	११५१७.०	
		26 gauge medium, 61 kg/bdl (0.38 mm)	वण्डल	प्रति	१०१२०.०	१०१२०.०	१०५९५.०	
		26 gauge light, 56 kg/bdl (0.35 mm)	वण्डल	प्रति	९५७०.०	९५७०.०	१००१९.०	
		२८ गेज रंगिन						
	27.3	28 gauge heavy, 50 kg/bdl (0.31 mm)	वण्डल	प्रति	८६९०.०	८६९०.०	९०९८.०	
		28 gauge medium, 45 kg/bdl (0.28 mm)	वण्डल	प्रति	७९२०.०	७९२०.०	८२९२.०	
		28 gauge light, 42 kg/bdl (0.26 mm)	वण्डल	प्रति	७४८०.०	७४८०.०	७८३१.०	
		३० गेज						
	27.4	30 gauge heavy, 39 kg/bdl (0.24 mm)	वण्डल	प्रति	७१५०.०	७१५०.०	७४८६.०	
		30 gauge medium, 36 kg/bdl (0.22 mm)	वण्डल	प्रति	६७१०.०	६७१०.०	७०२५.०	
		30 gauge hght, 33 kg/bdl (0.20 mm)	वण्डल	प्रति	६२७०.०	६२७०.०	६५६४.०	
		३२ गेज						
	27.5	32 gauge heavy, 30 kg/bdl (0.18 mm)	वण्डल	प्रति	५९४०.०	५९४०.०	६२१९.०	
२८		प्लेन सिट (4 feet wide)						
	28.1	२८ गेज	र.मि.	प्रति	३३०.०	३३०.०	३४५.०	
	28.2	२६ गेज	र.मि.	प्रति	४१२.०	४१२.०	४३१.०	
	28.3	२४ गेज	र.मि.	प्रति	५५०.०	५५०.०	५७५.०	
	28.4	२६ गेज रंगिन	र.मि.	प्रति	५२२.०	५२२.०	५४६.०	
२९		C.G.I. छाना छाउनको लागि नटबोल्ट, J–हुक आदि	के.जी.	प्रति	१५४.०	१५४.०	१६१.०	
३०		**Pre-Fabricated Sheet:**						
	30.1	Prefab Wall (50mm thickness) with all necessary fittings incluiding labour charge.	व.फि.	प्रति	३९०.०	३९०.०	४०८.०	
	30.2	Gypsum Board of 12mmThickness incluiding all necessary fittings and labour charges.	व.फि.	प्रति	१५०.०	१५०.०	१५७.०	
	30.3	Gypsum Board of 10mmThickness incluiding all necessary fittings and labour charges.	व.फि.	प्रति		१२०.०	१३०.०	
	30.4	Cement Board of 9mm Thickness incluiding all necessary fittings and labour charge.	व.फि.	प्रति	१५५.०	१५५.०	१६२.०	
	30.5	Cement Board of 6mm Thickness incluiding all necessary fittings and labour charge.	व.फि.	प्रति		१०२.०	१०८.०	
	30.6	MPL Gypsum Board incluiding all necessary fittings and labour charges.	व.फि.	प्रति	१७५.०	१७५.०	१८३.०	
		GABBION RELATED MATERIALS						
३१		ग्याबियन तार						
		१३ गेज कमर्सियल	के.जी.	प्रति	१०२.०	१०२.०	१०६.०	
	31.1	१३ गेज मिडियम	के.जी.	प्रति	१०८.०	१०८.०	११३.०	
		१३ गेज हेभी	के.जी.	प्रति	११३.०	११३.०	११८.०	
		१२ गेज कमर्सियल	के.जी.	प्रति	१०५.०	१०५.०	१०९.०	
	31.2	१२ गेज मिडियम	के.जी.	प्रति	१०८.०	१०८.०	११३.०	
		१२ गेज हेभी	के.जी.	प्रति	११३.०	११३.०	११८.०	
		११ गेज कमर्सियल	के.जी.	प्रति	१०५.०	१०५.०	१०९.०	
	31.3	११ गेज मिडियम	के.जी.	प्रति	१०५.०	१०५.०	१०९.०	
		११ गेज हेभी	के.जी.	प्रति	११३.०	११३.०	११८.०	
		१० गेज कमर्सियल	के.जी.	प्रति	१०५.०	१०५.०	१०९.०	
	31.4	१० गेज मिडियम	के.जी.	प्रति	११४.०	११४.०	११९.०	
		१० गेज हेभी	के.जी.	प्रति	१२५.०	१२५.०	१३०.०	
		९ गेज कमर्सियल	के.जी.	प्रति	१०५.०	१०५.०	१०९.०	

रञ्जन कालाखेती
अध्यक्ष

ख) निर्माण सामांग्रीहरुको दर आ.व ०८३/०८४ को लागि

सि.नं		मालसामानको विवरण	इकाई	परिमाण	दरेट ०८१/०८२	दरेट ०८२/०८३	दरेट ०८३/०८४	कैफियत
	31.5	९ गेज मिडियम	के.जी.	प्रति	११०.०	११०.०	११५.०	
		९ गेज हेभी	के.जी.	प्रति	११४.०	११४.०	११८.०	
		८ गेज कमर्सियल	के.जी.	प्रति	१०५.०	१०५.०	१०९.०	
	31.6	८ गेज मिडियम	के.जी.	प्रति	१०९.०	१०९.०	११४.०	
		८ गेज हेभी	के.जी.	प्रति	१२५.०	१२५.०	१३०.०	
		७ गेज मिडियम	के.जी.	प्रति	१०७.०	१०७.०	११२.०	
	31.7	७ गेज मिडियम	के.जी.	प्रति	११०.०	११०.०	११५.०	
		७ गेज मिडियम	के.जी.	प्रति	११६.०	११६.०	१२१.०	
	31.8	**Machine made** Gabbion Boxes of 100mm x 120 mm Hexagonal opening (3x1x1, 2x1x1, 1.5 x 1x0.5 and others')binding wire and <3% dimensional tollerence.(Nepal Standard Mark)	व.मि.	प्रति				
		Shelvage- 3.9mm, Mesh wire- 3mm & Lacingwire - 2.4 mm (Heavy Zink Coating)	व.मि.	प्रति	३१०.०	३१०.०	३२४.०	
		Shelvage- 3.4mm, Mesh wire- 2.7mm & Lacingwire - 2.2 mm (Heavy Zink Coating)	व.मि.	प्रति	२५५.०	२५५.०	२६६.०	
		Shelvage- 3.4mm, Mesh wire- 2.7mm & Lacingwire - 2.2 mm (Heavy Zink + PVC Coating)	व.मि.	प्रति	३१०.०	३१०.०	३२४.०	
३२		Geo-Textile	व.मि.	प्रति	१०५.०	१०५.०	१०९.०	
		Geo-bag (heavey quality 250GMS Gio-Textile	व.मि.	प्रति	४१५.०	४१५.०	४३४.०	
		Geo-bag (heavey quality 400GMS Gio-Textile	व.मि.	प्रति	५२०.०	५२०.०	५४४.०	
३३		पोलिथिन सिट ५०० गेज	के.जी.	प्रति	२६०.०	२६०.०	२७२.०	
३४		स्काइलाइट पाता (पेप्सी ग्लास) २ mm	व.फि.	प्रति	२०७.०	२०७.०	२१६.०	
	WOODEN MATERIALS:							
३५		काठ						
		क) अग्राख काठ (विभिन्न साइजको)	घ.फि.	प्रति	४८५०.०	४८५०.०	५०७७.०	
	35.1	ख) स्थानीय कडा काठ (अग्राख बाहेक)	घ.फि.	प्रति	१४३०.०	१४३०.०	१४९७.०	
		ग) Soft wood काठ (फर्माको लागी)	घ.फि.	प्रति	११२२.०	११२२.०	११७४.०	
		घ) सिसौ काठ	घ.फि.	प्रति	२४२०.०	२४२०.०	२५३३.०	
		प्लाईउड						
		क) ४ मि.मि.	व.फि.	प्रति	२३.०	२३.०	२४.०	
		ख) ६ मि.मि.	व.फि.	प्रति	३६.०	३६.०	३७.०	
		ग) ८ मि.मि.	व.फि.	प्रति	४०.०	४०.०	४१.०	
	35.2	घ) १० मि.मि.	व.फि.	प्रति	४६.०	४६.०	४८.०	
		ङ) १२ मि.मि.	व.फि.	प्रति	५७.०	५७.०	५९.०	
		च) १९ मि.मि.	व.फि.	प्रति	८०.०	८०.०	८३.०	
		छ) १० मि.मि (Water Proof)	व.फि.	प्रति	८२.०	८२.०	८५.०	
		ज) १२ मि.मि.(Water Proof)	व.फि.	प्रति	८८.०	८८.०	९२.०	
३४	**Aluminum Materials**							
		एल्मूनियमका झयाल तथा ढोका ,फाइवर झयाल तथा ढोका र Stainless Steel Pipe						
		एल्मूनियम(फिटिङ सहित)						
	34.1	Partation						
		1.)Almunium partation Nepal serise(3820,3821)Single Partation(75.5*38.5)(63.3*38.1),5 mm clear glass with all fittings	व.फि.	प्रति	६०५.०	६०५.०	६३३.०	
		2.)Almuniam partation with 8 mm clear glass	व.फि.	प्रति	७४८.०	७४८.०	७८३.०	
		3)Almunium partation partation 100 serise 10.16* 44.5 *88.44.5						
		5mm clear glass with all fittings	व.फि.	प्रति	८०३.०	८०३.०	८४०.०	
		8mm clear glass with all fittings	व.फि.	प्रति	७९७.०	७९७.०	८३४.०	
	34.2	Door						

ख) निर्माण सामांग्रीहरुको दर आ.व ०८३/०८४ को लागि

सि.नं		मालसामानको विवरण	इकाई	परिमाण	दरेट ०८१/०८२	दरेट ०८२/०८३	दरेट ०८३/०८४	कैफियत
		1.)100 series Door 44.45*47.62/44.5*47.8)5mm clear glass with all fittings handle/ kabja/Brass/lock etc	व.फि.	प्रति	७४८.०	७४८.०	७८३.०	
		2.)78series Door (64.5*32/29*63.5)5mm clear glass with all fittings handle/ kabja/Brass/lock etc	व.फि.	प्रति	७७०.०	७७०.०	८०६.०	
	34.3	**Sliding Window**						
		1) 100 series Sliding window Nepal serise(101.6*41.5) 5mm clear glass with fittings handle/ kabja/Brass/lock etc	व.फि.	प्रति	९७९.०	९७९.०	१०२५.०	
		2) 78 series Sliding window Nepal serise(78*26) 5mm clear glass with fittings handle/ kabja/Brass/lock etc	व.फि.	प्रति	८६९.०	८६९.०	९०९.०	
	34.4	**Stp**						
		1) Almunium Composite panell for extrior Application 4 mm Board	व.फि.	प्रति	५३९.०	५३९.०	५६४.०	
		2) Almunium Composite panell for extrior Application 3 mm Board	व.फि.	प्रति	४८४.०	४८४.०	५०६.०	
३५.०		**Structure Glazing**						
	35.1	Structure Glazing with colour glass 50*70mm	व.फि.	प्रति	८०३.०	८०३.०	८४०.०	
	35.2	Structure Glazing with colour glass 60*100mm	व.फि.	प्रति	९७९.०	९७९.०	१०२५.०	
	35.3	Structure Glazing with colour glass 60*50mm	व.फि.	प्रति	८३३.०	८३३.०	८७२.०	
३६.०		फाइवर						
	36.1	फाइवरका तयारी झ्याल तथा ढोका (सादा)	व.फि.	प्रति	७४८.०	७४८.०	७८३.०	
	36.2	फाइवरका तयारी झ्याल तथा ढोका (बुटे)	व.फि.	प्रति	९६८.०	९६८.०	१०१३.०	
	36.3	फाइवर सिट(०.८मीमी)	व.फि.	प्रति	१०३.०	१०३.०	१०७.०	
	36.4	फाइवर सिट(१.२ मीमी)	व.फि.	प्रति	१२१.०	१२१.०	१२६.०	
	36.5	फाइवर सिट(२ मीमी)	व.फि.	प्रति	१७०.०	१७०.०	१७७.०	
	36.6	फाइवर सिट(३ मीमी)	व.फि.	प्रति	२५३.०	२५३.०	२६४.०	
३७.०		**Bituminous Materials**						
	37.1	Bitumn (अमलेखगज कारखाना मुल्य)						
	37.1.1	अलकत्रा ८०/१०० (बिटुमिन)	के.जी.	प्रति				
	37.1.2	CRMB - DIGO 55	के.जी.	प्रति				
	37.2	CATION BITUMN EMULSION (HIMALSION)						
	37.2.1	Himalsion - R/1 Rapid Setting with 60% Bitumen	के.जी.	प्रति	नेपाल बिटुमिन ब्यारेल उद्योग, अमलेखगन्ज लगाएत अन्य अधिकारिक बिक्रेता/सप्लायर्सको दर रेट अनुसार			
	37.2.2	Himalsion - R/2 Rapid Setting with 65% Bitumen	के.जी.	प्रति				
	37.2.3	Himalsion - R/3 Rapid Setting with 70% Bitumen	के.जी.	प्रति				
	37.2.4	Himalsion - m/1Medium Setting with 60% Bitumen	के.जी.	प्रति				
	37.2.5	Himalsion - m/2Medium Setting with 65% Bitumen	के.जी.	प्रति				
	37.2.6	Himalsion - SS Slow Setting with 60% Bitumen	के.जी.	प्रति				
	37.2.7	Himalsion - S-S Slow Setting with 60% Bitumen	के.जी.	प्रति				
	37.3	AntiStripping agent	के.जी.	प्रति	३५०.०	३५०.०	३६६.०	
३८		**TILE - ROOFING/FLOORING MATERIALS:**						
	38.1	मार्वल -सिगमरमर विभिन्न क्वालिटीको	व.फि.	प्रति	१९२.०	१९२.०	२०१.०	
	38.2	ग्रेनाइट(१६ मीमी मोटाइ)	व.फि.	प्रति	३७१.०	३७१.०	३८८.०	
	38.3	मार्वल चिप्स	के.जी.	प्रति	२०.०	२०.०	२०.०	
	38.4	मार्वल पाउडर	के.जी.	प्रति	२७.०	२७.०	२८.०	
	38.5	कार्बोरेण्डम स्टोन (विभिन्न)	गोटा	प्रति	१२६.०	१२६.०	१३१.०	
	38.6	ग्लेज्ड टायल (Standard)	व.मि.	प्रति	८२५.०	८२५.०	८६३.०	
	38.7	फ्लोर टायल	व.मि.	प्रति	८८०.०	८८०.०	९२१.०	

रञ्जन कालङ्गिरी
अध्यक्ष

ख) निर्माण सामांग्रीहरुको दर आ.व ०८३/०८४ को लागि

सि.नं		मालसामानको विवरण	इकाई	परिमाण	दरोट ०८१/०८२	दरोट ०८२/०८३	दरोट ०८३/०८४	कैफियत
	38.8	भोज्याक टायल	व.मि.	प्रति	९२४.०	९२४.०	९६७.०	
	38.9	सिमेन्टको ननस्लिप (ननस्किड) टायल ६" x ६"	गोटा	प्रति	२९.०	२९.०	३०.०	
	38.10	सिमेन्ट स्फिड टायल (१८" x १२" x १")	थान	प्रति	५९.०	५९.०	६१.०	
	38.1	माटोको स्फिड टायल	थान	प्रति	२४.०	२४.०	२५.०	
	38.1	फल्याग स्टोन(५०-६२ मीमी)	व.मि.	प्रति	८०३.०	८०३.०	८४०.०	
	38.1	ल्यमाइका	व.फि.	प्रति	३१.०	३१.०	३२.०	
		प्लेन सिसा						
	39.1	क) ३ मी.मी.	व.फी.	प्रति	४९.०	४९.०	५१.०	
३९	39.2	ख) ४ मी.मी.	व.फी.	प्रति	५५.०	५५.०	५७.०	
	39.3	ग) ४ मी.मी. कालो	व.फी.	प्रति	७१.०	७१.०	७४.०	
	39.4	घ) ५ मी.मी	व.फी.	प्रति	७७.०	७७.०	८०.०	
	PRECAST CONCRETE MATERIALS:							
		कंक्रिट पोल						
		१ : १½ : ३ RCC कंक्रिट पोल (७ मी.मी. ४ गोटा मेनवार र ७ मी मी को रिङ १२" C/C फरकमा बनेको)						
४०	40.1	६" x ६" x ७ फिट	गोटा	प्रति	९४६.०	९४६.०	९९०.०	
	40.2	४" x ४" x ७ फिट	गोटा	प्रति	६६०.०	६६०.०	६९१.०	
	40.3	४ इन्च ४इन्च ६फिट	गोटा	प्रति	७७०.०	७७०.०	८०६.०	
	40.4	४ इन्च ४ इन्च ७ फिट	गोटा	प्रति	८२५.०	८२५.०	८६३.०	
	40.5	४ इन्च ४ इन्च २ फिट	गोटा	प्रति	७४.०	७४.०	७७.०	
	41.6	Readymade Rcc Door &Window Frame 4"*2.75" with Concrete Design 1:1:1 Proportion and 2 nos of 7 mm diameter rebar including arrangement of necessary hole 7Safety plate all Complete	र फि	प्रति	२७५.०	२७५.०	२८७.०	
	41.7	Readymade Rcc Ventilation Frame 4"*2.75" with Concrete Design 1:1:1 Proportion and 2 nos of 7 mm diameter rebar including arrangement of necessary hole 7Safety plate all Complete	र फि	प्रति	२७५.०	२७५.०	२८७.०	
	41.8	Readymade Rcc Arc Frame Frame 4"*2.75" with Concrete Design 1:1:1 Proportion and 2 nos of 7 mm diameter rebar including arrangement of necessary hole 7Safety plate all Complete	र फि	प्रति	२७५.०	२७५.०	२८७.०	
		कंक्रिट ब्लक	गोटा	प्रति				
	41.1	१०" x ८" x १६"	गोटा	प्रति	६९.०	६९.०	७२.०	
४१	41.2	८" x ८" x १६"	गोटा	प्रति	४६.०	४६.०	४८.०	
	41.3	६" x ८" x १६"	गोटा	प्रति	३४.०	३४.०	३५.०	
	41.4	४" x ८" x १६"	गोटा	प्रति	२८.०	२८.०	२९.०	
	INTERLOCKING BLOCKS:							
	42.1	इन्टरलकिङ कंक्रिट ब्लक(६० मीमी मोटाई)	व.मी.	प्रति	७२.०	६८.०	७१.०	
	42.2	इन्टरलकिङ कंक्रिट ब्लक(५० मीमी मोटाई)(६ पाटे)	व.फी.	प्रति	५६.०	५६.०	५८.०	
४२	42.3	इन्टरलकिङ कंक्रिट ब्लक(६० मीमी मोटाई))(६ पाटे)	व.फी.	प्रति	६१.०	६१.०	६३.०	
	42.4	इन्टरलकिङ कंक्रिट ब्लक(५० मीमी मोटाई)(आई सेप)	व.फी.	प्रति	७०.०	७०.०	७३.०	
	42.5	इन्टरलकिङ कंक्रिट ब्लक(६० मीमी मोटाई)(आई सेप)	व.फी.	प्रति	७५.०	७५.०	७८.०	
	42.6	इन्टरलकिङ कंक्रिट ब्लक(५० मीमी मोटाई)(जिगज्याग)	व.फी.	प्रति	७८.०	७८.०	८१.०	
	42.7	इन्टरलकिङ कंक्रिट ब्लक(६० मीमी मोटाई)(जिगज्याग)	व.फी.	प्रति	८०.०	८०.०	८३.०	
		स्टोन रेलिङ						
	43.1	१२"	गोटा	प्रति	४६.०	४६.०	४८.०	
४३	43.2	१५"	गोटा	प्रति	५१.०	५१.०	५३.०	
	43.3	१८"	गोटा	प्रति	५६.०	५६.०	५८.०	
	43.4	२४"	गोटा	प्रति	७७.०	७७.०	८०.०	
		सिमेन्ट रेलिङ (डबल)						
	44.1	१२"	गोटा	प्रति	४६.०	४६.०	४८.०	
४४	44.2	१८"	गोटा	प्रति	६२.०	६२.०	६४.०	
	44.3	२४"	गोटा	प्रति	७७.०	७७.०	८०.०	
	44.4	३०"	गोटा	प्रति	८१.०	८१.०	८४.०	
		सिमेन्ट रेलिङ (सिगल)						
४५	45.1	१८"	गोटा	प्रति	६४.०	६४.०	६७.०	
	45.2	२४"	गोटा	प्रति	७५.०	७५.०	७८.०	
		सिमेन्टको जाली						
४६	46.1	३०" x १२"	गोटा	प्रति	१४५.०	१४५.०	१५१.०	

रञ्जन कालासेती
अध्यक्ष

ख) निर्माण सामांग्रीहरुको दर आ.व ०८३/०८४ को लागि

सि.नं		मालसामानको विवरण	इकाई	परिमाण	दरेट ०८१/०८२	दरेट ०८२/०८३	दरेट ०८३/०८४	कैफियत
	46.2	१८" x १२"	गोटा	प्रति	१०२.०	१०२.०	१०[illegible]	
	46.3	१२" x १२"	गोटा	प्रति	६९.०	६९.०	७२.०	
		Cement Concrete Ring 1 ft						
	47.1	४२" ø	गोटा	प्रति	६६१.०	६६१.०	६९२.०	
४७	47.2	३६" ø	गोटा	प्रति	३३०.०	३३०.०	३४५.०	
	47.3	३२" ø	गोटा	प्रति	५४७.०	५४७.०	५७२.०	
	47.4	२८" ø	गोटा	प्रति	५५७.०	५५७.०	५८३.०	
४८		Cover for Ring						
	48.1	४२" ø	गोटा	प्रति	८०२.०	८०२.०	८३९.०	
	48.2	३६" ø	गोटा	प्रति	६५१.०	६५१.०	६८१.०	
	48.3	३२" ø	गोटा	प्रति	६३२.०	६३२.०	६६१.०	
	48.4	२८" ø	गोटा	प्रति	६०४.०	६०४.०	६३२.०	
४९		Ventilation	व.फी.	प्रति	१३६.०	१३६.०	१४२.०	
	HUME PIPE							
५०	50.1	R.C.C. Light Duty (**N.P.-2**) Non-Pressure Pipe						
	50.1.1	१०० मी.मी. ø	र.मी.	प्रति	४०९.०	४०९.०	४२८.०	
	50.1.2	१५० मी.मी. ø	र.मी.	प्रति	६२३.०	६२३.०	६५२.०	
	50.1.3	२०० मी.मी. ø	र.मी.	प्रति	७७९.०	७७९.०	८१५.०	
	50.1.4	२५० मी.मी. ø	र.मी.	प्रति	९८७.०	९८७.०	१०३३.०	
	50.1.5	३०० मी.मी.ø	र.मी.	प्रति	१३५०.०	१३५०.०	१४१३.०	
	50.1.6	४०० मी.मी ø	र.मी.	प्रति	१८७०.०	१८७०.०	१९५७.०	
	50.1.7	४५० मी.मी ø	र.मी.	प्रति	२०२५.०	२०२५.०	२१२०.०	
	50.1.8	५०० मी.मी ø	र.मी.	प्रति	२२८५.०	२२८५.०	२३९२.०	
	50.1.9	६०० मी.मी ø	र.मी.	प्रति	२०७७.०	२०७७.०	२१७४.०	
	50.1.10	७०० मी.मी ø	र.मी.	प्रति	३८४४.०	३८४४.०	४०२४.०	
	50.1.11	७५० मी.मी ø	र.मी.	प्रति	४१५५.०	४१५५.०	४३५०.०	
	50.1.12	८०० मी.मी ø	र.मी.	प्रति	४६७५.०	४६७५.०	४८९४.०	
५०	50.1.13	९०० मी.मी ø	र.मी.	प्रति	६२३३.०	६२३३.०	६५२५.०	
	50.1.14	१००० मी.मी ø	र.मी.	प्रति	७२७२.०	७२७२.०	७६१३.०	
	50.1.15	१२०० मी.मी ø	र.मी.	प्रति	८८३१.०	८८३१.०	९२४६.०	
	50.1.16	१५०० मी.मी ø			१८७०१.०	१८७०१.०	१९५६९.०	
	50.2	R.C.C. Heavy Duty (**N.P-3**) Non-pressure Pipe						
	50.2.1	१५० मी.मी. ø	र.मी.	प्रति	१३८९.०	१३८९.०	१४५४.०	
	50.2.2	२०० मी.मी. ø	र.मी.	प्रति	१८५४.०	१८५४.०	१९४१.०	
	50.2.3	२५० मी.मी. ø	र.मी.	प्रति	२१८१.०	२१८१.०	२२८३.०	
	50.2.4	३०० मी.मी. ø	र.मी.	प्रति	३२७२.०	३२७२.०	३४२५.०	
	50.2.5	४०० मी.मी ø	र.मी.	प्रति	४०३५.०	४०३५.०	४२२४.०	
	50.2.6	४५० मी.मी ø	र.मी.	प्रति	४७९९.०	४७९९.०	५०२४.०	
	50.2.7	५०० मी.मी ø	र.मी.	प्रति	५३४४.०	५३४४.०	५५९५.०	
	50.2.8	६०० मी.मी ø	र.मी.	प्रति	६६५४.०	६६५४.०	६९६६.०	
	50.2.9	७०० मी.मी ø	र.मी.	प्रति	७८५४.०	७८५४.०	८२२३.०	
	50.2.10	७५० मी.मी ø	र.मी.	प्रति	९१६३.०	९१६३.०	९५९३.०	
	50.2.11	८०० मी.मी ø	र.मी.	प्रति	९८१८.०	९८१८.०	१०२७९.०	
	50.2.12	९०० मी.मी ø	र.मी.	प्रति	१२५४४.०	१२५४४.०	१३१३३.०	
	50.2.13	१००० मी.मी ø	र.मी.	प्रति	१४१८१.०	१४१८१.०	१४८४७.०	
	50.2.14	१२०० मी.मी ø	र.मी.	प्रति	१६३६३.०	१६३६३.०	१७१३२.०	
	50.2.15	१५०० मी.मी ø	र.मी.	प्रति	२५०९०.०	२५०९०.०	२६२६९.०	
	PAINTING MATERIALS: WALL/WOOD/METAL							
५१		मेन्सन (मैन) पालिस	के.जी.	प्रति	५५०.०	५५०.०	५७५.०	
५२		तारपिन तेल	लिटर	प्रति	१६५.०	१६५.०	१७२.०	
५३		वाटर प्रुफ सिमेन्ट पेन्ट	के.जी.	प्रति	११०.०	११०.०	११५.०	
		इनामेल रंग						
५४	54.1	साधारण	लिटर	प्रति	५५०.०	५५०.०	५७५.०	

रत्नन कलाकिती
अध्यक्ष

ख) निर्माण सामांग्रीहरुको दर आ.व ०८३/०८४ को लागि

सि.नं		मालसामानको विवरण	इकाई	परिमाण	दरोट ०८१/०८२	दरोट ०८२/०८३	दरोट ०८३/०८४	कैफियत
	54.2	सिन्थेटिक	लिटर	प्रति	६०५.०	६०५.०	६३३.०	
		प्राइमर						
५५	55.1	उड	लिटर	प्रति	४२९.०	४२९.०	४४९.०	
	55.2	मेटल	लिटर	प्रति	३८५.०	३८५.०	४०३.०	
५६		थिनर T १०१	लिटर	प्रति	२४७.०	२४७.०	२५८.०	
५७		डिस्टेम्पर (Washable)	के.जी.	प्रति	२६४.०	२६४.०	२७६.०	
५८		चप्पा पालिस	के.जी.	प्रति	१२३७.०	१२३७.०	१२९५.०	
५९		स्प्रीट	लिटर	प्रति	११०.०	११०.०	११५.०	
६०		आल्मुनियम पेन्ट	लिटर	प्रति	६६०.०	६६०.०	६९१.०	
		वार्निस पेन्ट,वाल पुटी,प्लास्टर अफ पेरिस						
	61.1	साधारण वार्निस पेन्ट	लिटर	प्रति	३६३.०	३६३.०	३८०.०	
	61.2	स्ट्याण्डर्ड वार्निस पेन्ट	लिटर	प्रति	४८४.०	४८४.०	५०६.०	
	61.3	वाल पुटी	व.फी.	प्रति	७७.०	७७.०	८०.०	
६१	61.4	प्लास्टर अफ पेरिस	के.जी.	प्रति	२२.०	२२.०	२३.०	
	61.5	वासएवल डिस्टेम्पर	के.जी.	प्रति	२७५.०	२७५.०	२८७.०	
	61.6	एक्सटेरियर इमल्सन पेन्ट	लिटर	प्रति	११००.०	११००.०	११५१.०	
	61.7	सिमेन्ट प्राइमर(भित्र)	लिटर	प्रति	३४१.०	३४१.०	३५७.०	
	61.8	सिमेन्ट प्राइमर(बाहिर)	लिटर	प्रति	४९५.०	४९५.०	५१८.०	
६२		प्लाष्टिक इमल्सन	लिटर	प्रति	७४२.०	७४२.०	७७६.०	
		Road Marking Paint						
	63.1	Road Marking Paint water Base	२० लि	प्रति	११५५०.०	११५५०.०	१२०९२.०	
६३	63.2	Road Marking Paint Solvent Base	२० लि	प्रति	१४०२५.०	१४०२५.०	१४६८४.०	
	63.3	Lettering (KM post,Board etc)(With Material)	व.फी.	प्रति	४७.०	४७.०	४९.०	
	63.4	Lettering (KM post,Board etc)(Only labour)	व.फी.	प्रति	२९.०	२९.०	३०.०	
	DOOR WINDOW : FITTINGS							
		कब्जा	ईन्च	प्रति	७.०	७.०	७.०	
६४	64.1	कब्जा हेभी	ईन्च	प्रति	७.०	७.०	७.०	
	64.2	कब्जा लाइट	ईन्च	प्रति	६.०	६.०	६.०	
		छेस्किनी						
६५	65.1	जि.आई.	ईन्च	प्रति	१३.०	१३.०	१३.०	
	65.2	आल्मुनियम	ईन्च	प्रति	१६.०	१६.०	१६.०	
		हयान्डिल						
६६	66.1	फलामको	थान	प्रति	४४.०	४४.०	४६.०	
	66.2	आल्मुनियम साधारण	थान	प्रति	३३.०	३३.०	३४.०	
६७		Loking Mirror १२" x १८"	गोटा	प्रति	६०५.०	६०५.०	६३३.०	
		लकिङ्ग सेट						
६८	68.1	राम्रो	थान	प्रति	८२५.०	८२५.०	८६३.०	
	68.2	साधारण	थान	प्रति	६०५.०	६०५.०	६३३.०	
६९	69.1	अलड्राप - १०" लामो	थान	प्रति	१९२.०	१९२.०	२०१.०	
	69.2	अलड्राप - ६" लामो	थान	प्रति	१५४.०	१५४.०	१६१.०	
७०		मोर्टिस लक	थान	प्रति	८८०.०	८८०.०	९२१.०	
७१		किला	के.जी.	प्रति	९९.०	९९.०	१०३.०	
७२		तार किल्ला	के.जी.	प्रति	११०.०	११०.०	११५.०	
७३	73.1	मस्क्वीटो प्रुफ जाली	व.फि.	प्रति	२७.०	२७.०	२८.०	
	73.2	वर्फी जाली	व.फि.	प्रति	१३.०	१३.०	१३.०	
	73.3	चिकन वायर मेस(३ फिट चौडाई भएको)	र.फी.	प्रति	१७.०	१७.०	१७.०	
७४		स्प्रीङ्ग लक ६"	थान	प्रति	१९८.०	१९८.०	२०७.०	
७५		गेट स्प्रीङ्ग (हाइड्रोलिक) G.P. Brand	थान	प्रति	१४८५.०	१४८५.०	१५५४.०	
		खाक्सी						
७६	76.1	फलामे दाना	थान	प्रति	१५.०	१५.०	१५.०	
	76.2	साधारण	थान	प्रति	५.०	५.०	५.०	
		वाटर प्रुफ कम्पाउण्ड						
७७	77.1	ए.सी.सी. पाउडर	के.जी.	प्रति	११५.०	११५.०	१२०.०	
	77.2	स्कट नं. १ (१०० ग्राम)	पोका	प्रति	६३.०	६३.०	६५.०	
	77.3	सिलिका	के.जी.	प्रति	३६३.०	३६३.०	३८०.०	

रञ्जन कालखेरी
अध्यक्ष

ख) निर्माण सामांग्रीहरुको दर आ.व ०८३/०८४को लागि

सि.नं		मालसामानको विवरण	इकाई	परिमाण	दररेट ०८१/०८२	दररेट ०८२/०८३	०८३/०८४	कैफियत
ख.२		स्यानेटरी र पाइप						
		सिंक ३६" x १८" x १०"						
१		क) किचेन स्टील सेट(राम्रो)	सेट	प्रति	४,९६१.००	४,९६१.००	५,०८३.००	
		ख) किचेन अल्मुनियम	सेट	प्रति	३,६३०.००	३,६३०.००	३,७१९.००	
		ग) ल्याबोरेटोरी स्टील सेट	सेट	प्रति	६,०५०.००	६,०५०.००	६,१९९.००	
		घ) ल्याबोरेटोरी अल्मुनियम	सेट	प्रति	४,८४०.००	४,८४०.००	४,९५९.००	
२		किचेन सिंक २४" x १८" x १०"						
		क) स्टील	गोटा	प्रति	३,६३०.००	३,६३०.००	३,७१९.००	
		ख) अल्मुनियम	गोटा	प्रति	३,०२५.००	३,०२५.००	३,०९९.००	
३		क)H.D.P. पाईप NS-४०	के.जी.	प्रति	३००.००	२६०.००	२७०.००	
४		ख) L.D.P. पाईप	के.जी.	प्रति	१५७.००	१५७.००	१६०.००	
५		१६" x २०" वास बेसिन (हिन्दु बेस)	सेट	प्रति	१,९३६.००	१,९३६.००	१,९८३.००	
६		१२.५० लि. लो लेवल सिष्टर्न	सेट	प्रति	२,७२२.००	२,७२२.००	२,७८९.००	
७		१८" x २०" ग्लेज्ड पेनसेट	सेट	प्रति	२,९०४.००	२,९०४.००	२,९७५.००	
८		कमोड सेट लो लेवल सिष्टर्न सहित NS	सेट	प्रति	७,२६०.००	७,२६०.००	७,४३९.००	
९		युरिनल प्यान						
		क) लेडीज	सेट	प्रति	१,२१०.००	१,२१०.००	१,२३९.००	
		ख) जेन्ट्स	सेट	प्रति	१,३३१.००	१,३३१.००	१,३६३.००	
१०		लोकल प्यान	सेट	प्रति	६९५.००	६९५.००	७१२.००	
		१८" x २०" उडिसा ग्लेज्ड प्यान	सेट	प्रति	२,७२२.००	२,७२२.००	२,७८९.००	
		१८" x २०" उडिसा प्यान रंगिन	सेट	प्रति	४,०५३.००	४,०५३.००	४,१५३.००	
		४" ø सि.पी. ग्रेटिङ्ग साधारण	गोटा	प्रति	१०२.००	१०२.००	१०४.००	
११		सावर						
		क) साधारण	गोटा	प्रति	६०५.००	६०५.००	६१९.००	
		ख) फेन्सी टाइप	गोटा	प्रति	१,२१०.००	१,२१०.००	१,२३९.००	
१२		धारा पित्तल						
		क) लाइट	गोटा	प्रति	२९०.००	२९०.००	२९७.००	
		ख) हेभी	गोटा	प्रति	४९६.००	४९६.००	५०८.००	
१३		फेन्सी टाइप धारा लङ्ग बडी	गोटा	प्रति	१,०१०.००	१,०१०.००	१,०३४.००	
		फेन्सी टाइप धारा सर्ट बडी	गोटा	प्रति	९०७.००	९०७.००	९२९.००	
		½" ø ब्रास बिब कर्क (हेभी)	गोटा	प्रति	६७७.००	६७७.००	६९३.००	
		½" ø एगल कर्क	गोटा	प्रति	९३७.००	९३७.००	९६०.००	
१४		पिलर कर्क (प्रिति NS)	गोटा	प्रति	९३७.००	९३७.००	९६०.००	
१५		Hot and Cold Water Mixer	गोटा	प्रति	६,६५५.००	६,६५५.००	६,८१९.००	
१६		१८" सी.पी. टावल रड राम्रो	गोटा	प्रति	६६५.००	६६५.००	६८१.००	
१७		½" ø फलामे धारा	गोटा	प्रति	१९९.००	१९९.००	२०३.००	
१८		ग्लास सेल्फ						
		क) अल्मुनियम	गोटा	प्रति	५१४.००	५१४.००	५२६.००	
		ख) स्टील	गोटा	प्रति	६३५.००	६३५.००	६५०.००	
१९		सोप डिस						
		क) साधारण	गोटा	प्रति	२७२.००	२७२.००	२७८.००	
		ख) राम्रो	गोटा	प्रति	३१४.००	३१४.००	३२१.००	
२०		ट्वाइलेट पेपर होल्डर						
		क) ग्लेज्ड	गोटा	प्रति	७८६.००	७८६.००	८०५.००	
		ख) साधारण	गोटा	प्रति	३३२.००	३३२.००	३४०.००	
२१		लिड सिसा	के.जी.	प्रति	२२३.००	२२३.००	२२८.००	
		हेण्ड पम्प मेसिन						

रञ्जन कालाछेती
अध्यक्ष

ख) निर्माण सामांग्रीहरुको दर आ.व ०८३/०८४को लागि								
सि.नं		मालसामानको विवरण	इकाई	परिमाण	दररेट ०८१/०८२	दररेट ०८२/०८३	०८३/०८४	कैफियत
२२		क) लाइट् क्वालिटी २० के.जी.	सेट	प्रति	३,७५०.००	३,७५०.००	३,७१९.००	
		ख) मिडियम क्वालिटी २२ के.जी.	सेट	प्रति	४,३५०.००	४,३५०.००	४,३५०.००	
		ग) हेभी क्वालिटी ३५ के.जी.	सेट	प्रति	५,६५०.००	५,६५०.००	४,९५९.००	
२३		½" Ø फ्लेक्जिबल पाईप	के.जी.	प्रति	२१७.००	२१७.००	२२२.००	
		पोलिथिन टी						
२३		क) २" Ø	गोटा	प्रति	५४.००	५४.००	५५.००	
		ख) ३" Ø	गोटा	प्रति	७८.००	७८.००	७९.००	
		ग) ४" Ø	गोटा	प्रति	१२१.००	१२१.००	१२३.००	
		पोलिथिन बेण्ड						
२४		क) २" Ø	गोटा	प्रति	५४.००	५४.००	५५.००	
		ख) ३" Ø	गोटा	प्रति	७८.००	७८.००	- ७९.००	
		ग) ४" Ø	गोटा	प्रति	९६.००	९६.००	९८.००	
		पोलिथिन सकेट						
२५		क) २" Ø	गोटा	प्रति	४२.००	४२.००	४३.००	
		ख) ३" Ø	गोटा	प्रति	५४.००	५४.००	५५.००	
		ग) ४" Ø	गोटा	प्रति	६६.००	६६.००	६७.००	
		पोलिथिन कावेल						
२६		क) ३" Ø	गोटा	प्रति	६६.००	६६.००	६७.००	
		ख) ४" Ø	गोटा	प्रति	६६.००	६६.००	६७.००	
		सिङ्गल सकेटेड P.V.C. पाइप ३ मी. (४ kg/cm^2)						
२७		क) ७५".मी.मि. ISI	र.मी.	प्रति	२०८.००	२०८.००	२१३.००	
		ख) ९० मी.मी. ISI	र.मी.	प्रति	२७८.००	२७८.००	२८४.००	
		ग) ११० मी.मी. ISI	र.मी.	प्रति	४०५.००	४०५.००	४१५.००	
		डवल सकेटेड P.V.C. Pipe ३ मी. (४ kg/cm^2)						
२८		क) ७५ .मी.मी. ISI	र.मी.	प्रति	२२३.००	२२३.००	२२८.००	
		ख) ९० मी.मी. ISI	र.मी.	प्रति	३२०.००	३२०.००	३२७.००	
		ग) ११० मी.मी. ISI	र.मी.	प्रति	४५९.००	४५९.००	४७०.००	
		कप्लर P.V.C.						
२९		क) ७५ .मी.मि.	गोटा	प्रति	१०८.००	१०८.००	११०.००	
		ख) ९० मी.मी.	गोटा	प्रति	१२७.००	१२७.००	१३०.००	
		ग) ११० मी.मी.	गोटा	प्रति	१५७.००	१५७.००	१६०.००	
		P.V.C. बेण्ड ८६.५°						
३०		क) ७५ .मी.मी.	गोटा	प्रति	१३९.००	१३९.००	१४२.००	
		ख) ९० मी.मी.	गोटा	प्रति	२४२.००	२४२.००	२४७.००	
		ग) ११० मी.मी.	गोटा	प्रति	३३२.००	३३२.००	३४०.००	
३१		P.V.C. बेण्ड ४५°						
		क) ७५ .मी.मी.	गोटा	प्रति	१८१.००	१८१.००	१८५.००	
		ख) ९० मी.मी.	गोटा	प्रति	२४२.००	२४२.००	२४७.००	
		ग) ११० मी.मी	गोटा	प्रति	२७८.००	२७८.००	२८४.००	
		P.V.C. बेण्ड ८७° (Door)						
३२		क) ७५ .मी.मी.	गोटा	प्रति	२४२.००	२४२.००	२४७.००	
		ख) ९० मी.मी.	गोटा	प्रति	३०२.००	३०२.००	३०९.००	
		ग) ११० मी.मी.	गोटा	प्रति	३७५.००	३७५.००	३८४.००	
		P.V.C. सिगल टी						

ख) निर्माण सामांग्रीहरुको दर आ.व ०८३/०८४को लागि

सि.नं		मालसामानको विवरण	इकाई	परिमाण	दरेट ०८१/०८२	दरेट ०८२/०८३	०८३/०८४	कैफियत
३३		क) ७५ .मी.मी.	गोटा	प्रति	२४२.००	२४२.००	२४७.००	
		ख) ९० मी.मी.	गोटा	प्रति	३१४.००	३१४.००	३२१.००	
		ग) ११० मी.मी.	गोटा	प्रति	५४४.००	५४४.००	५५७.००	
३४		P.V.C. सिंगल टी (Door)						
		क) ७५ .मी.मी.	गोटा	प्रति	२९६.००	२९६.००	३०३.००	
		ख) ९० मी.मी.	गोटा	प्रति	४५३.००	४५३.००	४६४.००	
		ग) ११० मी.मी.	गोटा	प्रति	४८४.००	४८४.००	४९५.००	
३५		P.V.C. डबल टी						
		क) ७५ .मी.मी.	गोटा	प्रति	४२३.००	४२३.००	४३३.००	
		ख) ९० मी.मी.	गोटा	प्रति	४९६.००	४९६.००	५०८.००	
		ग) ११० मी.मी.	गोटा	प्रति	७०७.००	७०७.००	७२४.००	
३६		P.V.C. डबल टी (Door)						
		क) ७५ .मी.मी.	गोटा	प्रति	५४४.००	५४४.००	५५७.००	
		ख) ९० मी.मी.	गोटा	प्रति	६९५.००	६९५.००	७१२.००	
		ग) ११० मी.मी.	गोटा	प्रति	८४७.००	८४७.००	८६७.००	
३७		P.V.C. सिंगल "Y"						
		क) ७५ .मी.मी.	गोटा	प्रति	२१७.००	२१७.००	२२२.००	
		ख) ९० मी.मी.	गोटा	प्रति	२७२.००	२७२.००	२७८.००	
		ग) ११० मी.मी.	गोटा	प्रति	४११.००	४११.००	४२१.००	
३८		P.V.C. सिंगल "Y" (Door)						
		क) ७५ .मी.मी.	गोटा	प्रति	२८३.००	२८३.००	२८९.००	
		ख) ९० मी.मी.	गोटा	प्रति	४३५.००	४३५.००	४४५.००	
		ग) ११० मी.मी.	गोटा	प्रति	५३८.००	५३८.००	५५१.००	
३९		P.V.C. डबल "Y"						
		क) ७५ .मी.मी.	गोटा	प्रति	३०२.००	३०२.००	३०९.००	
		ख) ९० मी.मी.	गोटा	प्रति	४६५.००	४६५.००	४७६.००	
		ग) ११० मी.मी.	गोटा	प्रति	५६२.००	५६२.००	५७५.००	
४०		P.V.C. डबल "Y" (Door)						
		क) ७५ .मी.मी.	गोटा	प्रति	४२९.००	४२९.००	४३९.००	
		ख) ९० मी.मी.	गोटा	प्रति	५५६.००	५५६.००	५६९.००	
		ग) ११० मी.मी.	गोटा	प्रति	६५९.००	६५९.००	६७५.००	
४१		P.V.C. पी. ट्याप ११० मी.मी.	गोटा	प्रति	६५९.००	६५९.००	६७५.००	
४२		P.V.C. वि.एम. ट्याप ११० मी.मी. x ७५ मी.मी.	गोटा	प्रति	३८१.००	३८१.००	३९०.००	
४३		P.V.C. वि.एम. ट्याप ४" x २½" (७५ मी.मी.)	गोटा	प्रति	५५०.००	५५०.००	५६३.००	
४४		P.V.C. मल्टी फ्लोर ट्याप ७" हाईट ११० मी.मी.	गोटा	प्रति	४८४.००	४८४.००	४९५.००	
४५		P.V.C. Nahani Trap 110 mm	गोटा	प्रति	३३२.००	३३२.००	३४०.००	
४६		P.V.C. Mini Trap 110 mm	गोटा	प्रति	१२१.००	१२१.००	१२३.००	
४७		पाइप क्लिप						
		क) ७५ .मी.मी.	गोटा	प्रति	२९.००	२९.००	२९.००	
		ख) ९० मी.मी.	गोटा	प्रति	३७.००	३७.००	३७.००	
		ग) ११० मी.मी.	गोटा	प्रति	३८.००	३८.००	३८.००	
४८		रेड्यूसर कप्लर						
		क) ७५ .मी.मी.	गोटा	प्रति	१२१.००	१२१.००	१२३.००	
		ख) ९० मी.मी.	गोटा	प्रति	१३३.००	१३३.००	१३६.००	
		ग) ११० मी.मी.	गोटा	प्रति	१७६.००	१७६.००	१८०.००	
४९		रिपेयर सकेट						
		क) ७५ .मी.मी.	गोटा	प्रति	११६.००	११६.००	११८.००	

ख) निर्माण सामांग्रीहरुको दर आ.व ०८३/०८४को लागि

सि.नं		मालसामानको विवरण	इकाई	परिमाण	दररेट ०८१/०८२	दररेट ०८२/०८३	०८३/०८४	कैफियत
		ख) ९० मी.मी.	गोटा	प्रति	१५७.००	१५७.००	१६०.००	
		ग) ११० मी.मी.	गोटा	प्रति	१८७.००	१८७.००	१९१.००	
		सकेट प्लग						
५०		क) ७५ .मी.मी.	गोटा	प्रति	११७.००	११७.००	११९.००	
		ख) ९० मी.मी.	गोटा	प्रति	१२१.००	१२१.००	१२३.००	
		ग) ११० मी.मी.	गोटा	प्रति	१६३.००	१६३.००	१६७.००	
		सकेट जेल						
५१		क) ४" राउण्ड (७५ mm)	गोटा	प्रति	५५.००	५५.००	५६.००	
		ख) ६" Square Hole and strip (90 and 110 ञ	गोटा	प्रति	१३९.००	१३९.००	१४२.००	
		P.V.C. Vent Cowl						
५२		क) ७५ .मी.मी.	गोटा	प्रति	६६.००	६६.००	६७.००	
		ख) ९० मी.मी.	गोटा	प्रति	८९.००	८९.००	९१.००	
		ग) ११० मी.मी.	गोटा	प्रति	१०८.००	१०८.००	११०.००	
		P.V.C. Clearing Pipe						
५३		क) ७५ .मी.मी.	गोटा	प्रति	१६३.००	१६३.००	१६७.००	
		ख) ९० मी.मी.	गोटा	प्रति	१८१.००	१८१.००	१८५.००	
		ग) ११० मी.मी.	गोटा	प्रति	२२३.००	२२३.००	२२८.००	
५४		P.V.C. Pipe Connector (Straight type with lipring 110 mm)	गोटा	प्रति	१८१.००	१८१.००	१८५.००	
		P.V.C. Pipe Connector (Bend type with lipring 110 mm)	गोटा	प्रति	१९३.००	१९३.००	१९७.००	
		Lubricant						
५५		क) १०० ml (७५ .मी.मी.)	गोटा	प्रति	३६.००	३६.००	३६.००	
		ख) २५० ml (९० मी.मी.)	गोटा	प्रति	७२.००	७२.००	७३.००	
		ग) ५०० ml (११० मी.मी.)	गोटा	प्रति	१५७.००	१५७.००	१६०.००	
५६		P.V.C. Connector	गोटा	प्रति	१३३.००	१३३.००	१३६.००	
५७		पानी टङ्की पोलिथिन **NS standard**	लिटर	प्रति	१२.००	१२.००	१२.००	
५८		ट्यूबेल गाड्ने १०० फिट सम्म	फिट	प्रति	७८.००	७८.००	७९.००	
५९		Stainless steel water tank 500 ltr.	गोटा	प्रति		११,५००.००	११,७८४.००	
६०		Stainless steel water tank 1000 ltr.	गोटा	प्रति		२३,०००.००	२३,५६८.००	
६१		Stainless steel water tank 2000 ltr.	गोटा	प्रति		४६,०००.००	४७,१३६.००	
६२		ट्यूबेल गाड्ने १०० फिट भन्दा बढी	फिट	प्रति	७८.००	७८.००	७९.००	
६३		३ इन्च जि.आई. पाइप वोल्डिग (खानपानीको लागी मात्र)	र.मी.	प्रति	२४२.००	२४२.००	२४७.००	

रञ्जन कालाथेती
अध्यक्ष

FITTINNGS :

S.N.	Work	Unit		Rate (081-082)	Rate (082-083)	Rate (083-084)	Remark	
1	Welding Work (3 inch or less GI Pipe)	m		178	178	178		
2	Welding Work (3 inch or more GI Pipe)	m		249	249	249		

GI Pipe (NRs. per Running Meter)

Rate	Diameter	Light	Medium	Heavy
081/082	1/2"	200.37	235.22	261.36
082/083		200.37	235.22	261.36
083/084		201.37	236.22	262.36
081/082	3/4"	272.25	298.38	350.65
082/083		272.25	298.38	350.65
083/084		272.25	298.38	350.65
081/082	1"	383.32	450.85	529.25
082/083		383.32	450.85	529.25
083/084		383.32	450.85	529.25
081/082	1 1/4"	490.05	588.06	677.16
082/083		490.05	588.06	677.16
083/084		490.05	588.06	677.16
081/082	1 1/2"	609.84	677.35	784.08
082/083		609.84	677.35	784.08
083/084		609.84	677.35	784.08
081/082	2"	771.01	930.01	1149.12
082/083		771.01	930.01	1149.12
083/084		771.01	930.01	1149.12
081/082	2 1/2"	1060.69	1189.19	1435.30
082/083		1060.69	1189.19	1435.30
083/084		1060.69	1189.19	1435.30
081/082	3"	1263.24	1502.82	1698.84
082/083		1263.24	1502.82	1698.84
083/084		1263.24	1502.82	1698.84
081/082	4"	1807.74	2178.00	2613.60
082/083		1807.74	2178.00	2613.60
083/084		1807.74	2178.00	2613.60
081/082	5"	2970.41	3139.45	3535.92
082/083		2970.41	3139.45	3535.92
083/084		2970.41	3139.45	3535.92
081/082	6"	3525.85	3798.39	4001.40
082/083		3525.85	3798.39	4001.40
083/084		3525.85	3798.39	4001.40

"H" Brand Malleable Cast Iron G.I. Pipe Fittings (NRs. per Piece)

SN	Items	1/2" 15 mm	3/4" 20 mm	1" 25 mm	1 1/4" 32 mm	1 1/2" 40 mm	2" 50 mm	2 1/2" 65 mm		3" 80 mm	4" 100 mm
082/083	Elbow	48.60	76.68	122.04	190.08	261.36	397.44	691.20		1056.24	1893.24
083/084		48.60	76.68	122.04	190.08	261.36	397.44	691.20		1056.24	1893.24
082/083	Tee	75.60	119.88	160.92	260.28	317.52	496.80	788.40		1304.64	2333.88
083/084		75.60	119.88	160.92	260.28	317.52	496.80	788.40		1304.64	2333.88
082/083	Socket	44.28	69.12	88.56	139.32	186.84	289.44	388.80		648.00	1024.92
083/084		44.28	69.12	88.56	139.32	186.84	289.44	388.80		648.00	1024.92
082/083	Union	133.92	186.84	248.40	371.52	491.40	683.64	1140.48		1815.48	2490.48
083/084		106.00	173.00	228.00	380.00	524.00	784.00	2758.00		3995.00	5392.00
082/083	Cross	114.48	186.84	246.24	410.40	565.92	846.72	2978.64		4314.60	5823.36
083/084		114.48	186.84	246.24	410.40	565.92	846.72	2978.64		4314.60	5823.36

रन्जन कोलाखेती
अध्यक्ष

	082/083	Hex Nipple	54.00	81.00	108.00	194.00	216.00	270.00	1337.04		1728.00	2647.08
	083/084		54.00	81.00	108.00	194.00	216.00	270.00	1337.04		1728.00	2647.08
	082/083	R-Elbow		83.16	129.60	206.28	277.56	429.84	1752.84		955.76	1778.76
	083/084			83.16	129.60	206.28	277.56	429.84	1752.84		955.76	1778.76
	082/083	R-Tee	129.60	162.00	216.00	270.00	351.00	540.00	1080.00		1340.28	2185.92
	083/084		129.60	162.00	216.00	270.00	351.00	540.00	1080.00		1340.28	2185.92
	082/083	R-Socket		69.12	93.96	144.72	181.44	302.40	486.00		664.20	1077.84
	083/084			69.12	93.96	144.72	181.44	302.40	486.00		664.20	1077.84
	082/083	Tank Nipple (M)	97.20	200.88	216.00	859.68	1090.80	1765.80	3397.68		4523.04	6001.56
	083/084		97.20	200.88	216.00	859.68	1090.80	1765.80	3397.68		4523.04	6001.56
	082/083	Check nut	32.40	54.00	64.80	75.60	140.40	194.40	657.72		895.32	1365.12
	083/084		32.40	54.00	64.80	75.60	140.40	194.40	657.72		895.32	1365.12
101	082/083	Brass Union	216.00	432.00	486.00	702.00	1080.00	1620.00	4896.72		7336.44	11187.72
	083/084		216.00	432.00	486.00	702.00	1080.00	1620.00	4896.72		7336.44	11187.72
102	082/083	Check Valve	378.00	432.00	741.96	1060.56	1465.56	2302.56	4933.44		9663.84	18306.00
	083/084		378.00	432.00	741.96	1060.56	1465.56	2302.56	4933.44		9663.84	18306.00
103	082/083	Gate Valve	864.00	1188.00	1883.52	2833.92	3852.36	5400.00	11880.00		17280.00	30240.00
	083/084		864.00	1188.00	1883.52	2833.92	3852.36	5400.00	11880.00		17280.00	30240.00
104	082/083	HDP Schedule				64.80	81.00	97.20	124.20		172.80	270.00
	083/084					64.80	81.00	97.20	124.20		172.80	270.00
105	082/083	HDP Flange Set				508.68	764.64	984.96	1386.72		1576.80	2390.04
	083/084					508.68	764.64	984.96	1386.72		1576.80	2390.04

"A" Class G.I. Nipple (NRs. per Piece)

	Rate	Length	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"		3"	4"
106	082/083	2" Long	27.76	38.45	53.89	59.40	75.60	97.20	129.60		162.00	216.00
	083/084		27.76	38.45	53.89	59.40	75.60	97.20	129.60		162.00	216.00
	082/083	3" Long	41.69	57.67	80.78	103.68	118.8	140.4	216		237.6	322.60
	083/084		41.69	57.67	80.78	103.68	118.8	140.4	216		237.6	322.60
	082/083	4" Long	55.51	76.9	107.78	138.24	172.8	218.48	303.7		356.83	430.06
	083/084		55.51	76.9	107.78	138.24	172.8	218.48	303.7		356.83	430.06
	082/083	5" Long	69.34	96.12	134.68	172.69	216.11	273.13	379.62		446.04	537.52
	083/084		69.34	96.12	134.68	172.69	216.11	273.13	379.62		446.04	537.52
	082/083	6" Long	83.27	115.24	161.57	207.25	259.31	327.67	455.44		495.29	645.08
	083/084		83.27	115.24	161.57	207.25	259.31	327.67	455.44		495.29	645.08
	082/083	8" Long	124.85	172.91	242.35	310.82	388.91	491.51	683.21		802.87	860.00
	083/084		124.85	172.91	242.35	310.82	388.91	491.51	683.21		802.87	860.00
	082/083	9" Long	131.76	182.41	255.85	328.1	410.55	518.83	721.17		847.48	967.52
	083/084		131.76	182.41	255.85	328.1	410.55	518.83	721.17		847.48	967.52
	082/083	10" Long	138.67	191.92	269.35	345.38	432.19	546.46	759.13		892.08	1075.03
	083/084		138.67	191.92	269.35	345.38	432.19	546.46	759.13		892.08	1075.03
	082/083	12" Long	166.43	230.47	323.14	414.5	518.51	655.34	910.87		1070.5	1290.06
	083/084		166.43	230.47	323.14	414.5	518.51	655.34	910.87		1070.5	1290.06
	082/083	18" Long	249.59	345.71	484.71	621.86	777.71	983.02	1366.31		1551.74	1935.04
	083/084		249.59	345.71	484.71	621.86	777.71	983.02	1366.31		1551.74	1935.04

CPVC PIPES & FITTINGS

	1/2" (15mm)	3/4" (20mm)	1" (25mm)	1-1/4" (32mm)	1-1/2" (40mm)	2" (50 mm)	3/4"x1/2"	1"x1/2"		1"x3/4"	
Pipes SDR 11 (m)											
082/083	659.47	946.08	1414.80	1892.16	2847.96	4349.16					
083/084	659.47	946.08	1414.80	1892.16	2847.96	4349.16					
Elbow											
082/083	31.32	59.40	112.32	222.48	344.52	731.16	70.20				
083/084	31.32	59.40	112.32	222.48	344.52	731.16	70.20				
Coupler Socket											
082/083	18.36	37.80	65.88	132.84	216.00	461.16					
083/084	18.36	37.80	65.88	132.84	216.00	461.16					

रन्जनी कालाखेती
अध्यक्ष

Union											
082/083	227 88	448 20	554 04	798 12	1087 56	1892 16					
083/084	227 88	448 20	554 04	798 12	1087 56	1892 16					
Tank Nipple											
082/083		305 64	439 56	706 32	743 04	841 32					
083/084		305 64	439 56	706 32	743 04	841 32					
Male Adapter											
082/083	28 08	51 84	77 76	157 68	214 92	401 76					
083/084	28 08	51 84	77 76	157 68	214 92	401 76					
Pipes SDR 13 5 (m)											
082/083	579 96	832 68	1244 16	1665 36	2505 60	3826 44					
083/084	579 96	832 68	1244 16	1665 36	2505 60	3826 44					
Straight Tee											
082/083	35 40	77 76	145 80	276 48	409 32	893 16					
083/084		77 76	145 80	276 48	409 32	893 16					
End Cap											
082/083	17 28		62 64	85 32	132 84	252 72					
083/084	17 28		62 64	85 32	132 84	252 72					
Ball Valve											
082/083	953 64	1166 40	1667 52	2920 32	3896 64	5887 08					
083/084	953 64	1166 40	1667 52	2920 32	3896 64	5887 08					
Ball Valve (Indian)											
082/083	953 64	1166 40	1667 52	2920 32	3896 64	5887 08					
083/084	953 64	1166 40	1667 52	2920 32	3896 64	5887 08					
Female Adapter Plastic threaded											
082/083	515 15	755 04	1181 31								
083/084	515 15	755 04	1181 31								
Step Over Bend											
082/083	277 56	324 00									
083/084	277 56	324 00									
Female Tee Brass Threaded											
082/083	195 48						220 32	374 76			
083/084	195 48						220 32	374 76			
Pipe Clamp											
082/083	9 72	15 12	18 36	20 52	36 72	43 20					
083/084	9 72	15 12	18 36	20 52	36 72	43 20					
Elbow 45 Degree											
082/083	22 68	57 24									
083/084	22 68	57 24									
Cross Tee											
082/083	88 56	180 36									
083/084	88 56	180 36									
Female Elbow Brass Threaded											
082/083	169 56	272 16	1575 72				173 88	340 20			
083/084	169 56	272 16	1575 72				173 88	340 20			
Female Adapter Brass Threaded											
082/083	285 12	442 80	650 16	1892 16	2380 32	3831 04	218 16	237 60			
083/084	285 12	442 80	650 16	1892 16	2380.32	3831 04	218 16	237.60			
End Plug Thread											
082/083	29										
083/084	29 16										
Solvent Cement	**59ml**	**118ml**	**237ml**	**473ml**	**946ml**						
082/083	464 40	786 24	1142 64	1973 16	2828 52						
083/084	464 40	786 24	1142 64	1973 16	2828 52						
Reducer Tee	**3/4x1/2'**	**1x1/2'**	**1x3/4'**	**1-1/2x1'**	**1-1/2x1-1/4'**	**2x1"**					
082/083	85 32	129 60	145 80	348 84	329 40	487 08					
083/084	85 32	129 60	145 80	348 84	329 40	487 08					
Reducer Bush	**3/4x1/2"**	**1x1/2"**	**1x3/4"**	**1-1/4x1/2"**	**1-1/4x3/4"**	**1-1/4x1"**	**1-1/2x3/4"**	**1-1/2x1"**		**1-1/2x1-1/4"**	**2x3/4"**

रञ्जन कालाखेती
अध्यक्ष

Reducing Bush											
082/083	43.01	58.30	62.12	133.81	151.96	156.74	215.04	215.04		215.04	381.35
083/084	43.01	58.30	62.12	133.81	151.96	156.74	215.04	215.04		215.04	381.35
Reducing Bush	**2x1"**	**2x1-12/4"**	**2x1-1/2"**								
082/083	343.44	384.48	406.08								
083/084	343.44	384.48	406.08								
Reducer Coupler	**3/4x1/2"**	**1x1/2"**	**1x3/4"**	**1-1/4x1/2"**	**1-1/4x3/4"**	**1-1/4x1"**	**1-1/2x3/4"**	**1-1/2x1"**		**1-1/2x1-1/4"**	**2x3/4"**
082/083	19.12	42.05	45.88	98.44	79.33	74.55	90.80	99.40		86.02	181.59
083/084	19.12	42.05	45.88	98.44	79.33	74.55	90.80	99.40		86.02	181.59
Reducer Coupler	**2x1"**	**2x1-12/4"**	**2x1-1/2"**								
082/083	175.86	175.86	258.05								
083/084	175.86	175.86	258.05								

uPVC Pipes manufactured as per NS 256/046

Diameter (mm)	Size in Inch	Preasure - 2.5 kgf/cm2 082/083	Preasure - 2.5 kgf/cm2 083/084	Preasure - 4 kgf/cm2 082/083	Preasure - 4 kgf/cm2 083/084	Preasure - 6 kgf/cm2 082/083	Preasure - 6 kgf/cm2 083/084	Preasure - 10 kgf/cm2 082/083	Preasure - 10 kgf/cm2 083/084	Remarks
20	1/2"							36.00	36.00	
25	3/4"							74.00	74.00	
32	1"							92.00	92.00	
40	1-1/4"					103.00	103.19	140.00	140.00	
50	1-1/2"					156.00	155.75	221.00	221.00	
63	2"			126.55	139.20	249.00	249.20	351.00	351.00	
75	2-1/2"			242.39	266.63	344.00	343.63	501.00	501.00	
90	3"	220.97	243.07	344.60	379.06	502.00	502.30	713.00	713.00	
110	4"	328.05	360.86	473.10	520.41	726.00	726.19	1060.00	1060.00	
125	4-1/2"	417.61	459.37	652.21	717.43	968.00	967.61	1357.00	1357.00	
140	5"	415.93	567.62	831.33	914.46	1204.00	1204.16	1712.00	1712.00	
160	6"	674.60	742.06	1072.74	1180.02	1543.00	1542.92	2203.00	2203.00	
180	7"	833.45	949.80	1378.41	1516.25	1967.00	1967.35	2808.00	2808.00	
200	8"	1054.25	1159.67	1671.42	1838.56	2410.00	2410.27	3473.00	3473.00	

SWR uPVC Pipes Manufactured as per IS 13592

S.N	Diameter in mm	Size in Inch	Description	Type A (Per Meter) 083/084	Type A (Per Meter)082/083		Type B (Per Meter) 083/84	Type B (Per Meter)082/083
1	50	1-1/2"	Plain Socket (3m Long)	110.62	122.00		262.00	262.00
2	75	2-1/2"	Plain Socket (6m Long)	176.11	194.00		402.00	402.00
3	90	3"	Plain Socket (3m Long)	309.73	341.00		456.00	456.00
4	110	4"	Plain Socket (6m Long)	389.38	428.00		596.00	596.00
5	75	2-1/2"	Single Socket with ring (3m Long)	191.15	210.00		419.00	419.00
6	75	2-1/2"	Double Socket with ring (3m Long)	209.73	231.00		439.00	439.00
7	110	4"	Single Socket with ring (3m Long)	407.08	448.00		617.00	617.00
8	110	4"	Double Socket with ring (3m Long)	428.32	471.00		640.00	640.00
9	160	6"	Single Socket with ring (3m Long)	766.37	843.00		1105.00	1105.00
10	160	6"	Double Socket with ring (3m Long)	900.88	991.00		1144.00	1144.00

रञ्जन कालाखेती
अध्यक्ष

Scanned with CamScanner

७ख) निर्माण सामांग्रीहरुको दर आ.व ०८३/०८४ को लागि

सि.नं	मालसामानको विवरण	इकाई	परिमाण	दरेट ०८१/०८२	दरेट ०८२/०८३	दरेट ०८३/०८४	कैफियत
ख.३							
	वाटर पम्प						
१	क) चाईनिज ½ H.P.	गोटा	प्रति	२,३९०.००	२,३९०.००	२,४२७.००	
	ख) चाईनिज १ H.P.	गोटा	प्रति	५,०५०.००	५,०५०.००	५,१२८.००	
	वाटर पम्प						
२	क) इन्डियन ½ H.P.(ISO)	गोटा	प्रति	६,३२०.००	६,३२०.००	६,४१७.००	
	ख) इन्डियन १ H.P.(ISO)	गोटा	प्रति	१०,९५०.००	१०,९५०.००	११,११९.००	
३	½" काठको लिप्टिक (१०० र फि.)	बण्डल	प्रति	२७०.००	२७०.००	२६४.००	
	१" काठको लिप्टिक (१०० र फि.)	बण्डल	प्रति	४५०.००	४५०.००	४५६.००	
	प्लाष्टिक लिप्टिक						
४	क) ½"	र फि.	प्रति	७.००	७.००	७.००	
	ख) ¾"	र फि.	प्रति	९.००	९.००	९.००	
	ग) १"	र फि.	प्रति	१३.००	१३.००	१३.००	
	P.V.C. तार सिंगल कोटेड ७/२२	क्वाईल	प्रति	२,६५०.००	२,६५०.००	२,६७६.००	१ कोइल =९०मीटर
	P.V.C. तार सिंगल कोटेड ३/२०	क्वाईल	प्रति	१,९३०.००	१,९३०.००	१,९१२.००	
	P.V.C. तार सिंगल कोटेड ३/२२	क्वाईल	प्रति	१,२००.००	१,२००.००	१,२१८.००	
५	P.V.C. तार डबल कोटेड ७/२०	क्वाईल	प्रति	४,८४०.००	४,८४०.००	४,९१५.००	
	P.V.C. तार डबल कोटेड ७/२२	क्वाईल	प्रति	२,६५०.००	२,६५०.००	२,६९१.००	
	P.V.C. तार डबल कोटेड ३/२०	क्वाईल	प्रति	२,०५०.००	२,०५०.००	२,०८१.००	
	P.V.C. तार डबल कोटेड ३/२२	क्वाईल	प्रति	१,३३०.००	१,३३०.००	१,३५०.००	
६	टु पिन प्लग	गोटा	प्रति	२७.००	२७.००	२७.००	
७	थ्रि पिन	गोटा	प्रति	५४.००	५४.००	५४.००	
	काठको बाकस						
	क) १०" X १२"	गोटा	प्रति	६०.००	६०.००	६०.००	
	ख) ८" X १२"	गोटा	प्रति	४५.००	४५.००	४५.००	
८	ग) ८" X १०"	गोटा	प्रति	४५.००	४५.००	४५.००	
	घ) ६" X ८"	गोटा	प्रति	४०.००	४०.००	४०.००	
	ङ) ४" X ६"	गोटा	प्रति	४०.००	४०.००	४०.००	
	च) ४" X ४"	गोटा	प्रति	३५.००	३५.००	३५.००	
	प्लाष्टिक बाकस						
	क) ८" X १०"	गोटा	प्रति	१२०.००	१२०.००	६९.००	
९	ख) ८" X ६"	गोटा	प्रति	१००.००	१००.००	४८.००	
	ग) ४" X ७"	गोटा	प्रति	५०.००	५०.००	३२.००	
	घ) ४" X ४"	गोटा	प्रति	३५.००	३५.००	३०.००	
	मेन स्वीच						
१०	क) १६ Amp मेटल	गोटा	प्रति	६४०.००	६४०.००	६४९.००	
	ख) ३२ Amp मेटल	गोटा	प्रति	१,४५०.००	१,४५०.००	१,४७२.००	
	ग) ६० Amp मेटल	गोटा	प्रति	४,८४०.००	४,८४०.००	४,९१५.००	
	घ) साधारण प्लाष्टिकको	गोटा	प्रति	१२०.००	१२०.००	१२१.००	
	किट कयाट						
११	क) ३२ Amp	गोटा	प्रति	१८०.००	१८०.००	१८२.००	
	ख) १६ Amp	गोटा	प्रति	८०.००	८०.००	८१.००	
	डि बी बक्सस जि आई (हेभी)	गोटा	प्रति				
१२	क) ३" ह ३"	गोटा	प्रति	५०.००	५०.००	५०.००	
	ख) ३" ह ५"	गोटा	प्रति	७५.००	७५.००	७६.००	
	ग) MCB Box साधारण	गोटा	प्रति	४०.००	४०.००	४०.००	
१३	डेकोरेटिभ लाइट	गोटा	प्रति	७७०.००	७७०.००	७८१.००	
	डीम लाइट						
१४	क) ६"	गोटा	प्रति	३३०.००	३३०.००	३३५.००	
	ख) ८"	गोटा	प्रति	४२०.००	४२०.००	४२६.००	
१५	४ फिट लामो ट्युबलाइट सेट	सेट	प्रति	६९०.००	६९०.००	७००.००	

रञ्जन कालाडेती
अध्यक्ष

७ख) निर्माण सामांग्रीहरुको दर आ.व ०८३/०८४ को लागि

सि.नं	मालसामानको विवरण	इकाई	परिमाण	दरेट ०८१/०८२	दरेट ०८२/०८३	दरेट ०८३/०८४	कैफियत
१६	सिलिङ फ्यान						
	क) ४८" बजाज सोसरह	गोटा	प्रति	३,१२०.००	३,१२०.००	२,१५१.००	
	ख) ४२" साधारण	गोटा	प्रति	२,९९०.००	२,९९०.००	२,३६६.००	
१७	एक्सहस्ट फ्यान	गोटा	प्रति				
	क) १२"	गोटा	प्रति	१,९९०.००	१,९९०.००	२,०२०.००	
	ख) ९"	गोटा	प्रति	१,५९०.००	१,५९०.००	१,६१४.००	
१८	कलवेल साधारण	गोटा	प्रति	१८०.००	१८०.००	१८२.००	
१९	स्वीच ५ Amp	गोटा	प्रति	३५.००	३५.००	३५.००	
२०	एइल होल्डर	गोटा	प्रति	३०.००	३०.००	३०.००	
२१	होल्डर	गोटा	प्रति	३०.००	३०.००	३०.००	
२२	फ्यूज						
	क) ५ Amp.	गोटा	प्रति	४८.००	४८.००	४८.००	
	ख) १० Amp.	गोटा	प्रति	५८.००	५८.००	५८.००	
	ग) १५ Amp.	गोटा	प्रति	६६.००	६६.००	६७.००	
२३	सिलिङ रोज	गोटा	प्रति	४२.००	४२.००	३५.००	
२४	वेदर प्रुफ बाकेट होल्डर	गोटा	प्रति	५०८.००	५०८.००	५१५.००	
२५	बोर्ड इन्डिकेटर	गोटा	प्रति	२६.००	२६.००	२६.००	
२६	क्लिप	प्याकेट	प्रति	७२.००	७२.००	७३.००	
२७	प्लाष्टिक प्लग	प्याकेट	प्रति	७८.००	७८.००	७९.००	
२८	P.V.C. टेप	रोल	प्रति	२०.००	२०.००	२०.००	
२९	स्वीच सकेट १५ Amp	गोटा	प्रति	२११.००	२११.००	२१४.००	
३०	भ्यापर लाइट -बल्व)	गोटा	प्रति	२,६६२.००	२,६६२.००	२,७०३.००	
३१	भ्यापर लाइट चोक सेट (मर्कुरी)	गोटा	प्रति	३,३६३.००	३,३६३.००	३,४१५.००	
३२	भ्यापर लाइट सेट (मर्कुरी)	गोटा	प्रति	९,६८०.००	९,६८०.००	९,८३०.००	
३३	Five pin socket single	गोटा	प्रति	१९३.००	१९३.००	१९५.००	
३४	अर्थिङ तार १/१८	मिटर	प्रति	१५.००	१५.००	१५.००	
३५	बिजुली बल्व						
	क) ० वाट	गोटा	प्रति	२६.००	२६.००	२६.००	
	ख) २५ वाट	गोटा	प्रति	२७.००	२७.००	२७.००	
	ग) ४० वाट	गोटा	प्रति	२९.००	२९.००	२९.००	
	घ) ६० वाट	गोटा	प्रति	३०.००	३०.००	३०.००	
	ङ) १०० वाट	गोटा	प्रति	३१.००	३१.००	३१.००	
३६	Electric wiring labour charge						
	Concealed	point	Per	१०८.००	१०८.००	१०९.००	
	Surface	point	Per	८४.००	८४.००	८५.००	
३७	**Electrification (Main Switch Panel Board)**						
	a) 200 Amp 400 volt T.P. MCB	Set	Per	२१,१७५.००	२१,१७५.००	२१,५०३.००	
	b) 100 Amp 400 volt T.P. MCB	Set	Per	११,४९५.००	११,४९५.००	११,६७३.००	
	c) 60 Amp 400 volt T.P. MCB	Set	Per	९,६८०.००	९,६८०.००	९,८३०.००	
	d) 40 Amp 400 volt T.P. MCB	Set	Per	९,६८०.००	९,६८०.००	९,८६०.००	
	e) 0-500 Amp volt meter with selector switch	Set	Per	१,०८९.००	१,०८९.००	१,१०५.००	
	f) 0-200 Amp volt meter with selector switch	Set	Per	१,३३१.००	१,३३१.००	१,३५१.००	
	g) Current Transformer 200/5A	Set	Per	९६८.००	९६८.००	९८३.००	
	h) Phase indicator R.Y.B.	Set	Per	३६३.००	३६३.००	३६८.००	
	i) Hylen Insulator 5 K.V.	Set	Per	६०५.००	६०५.००	६१४.००	
	j) 400 Amp TP.N cu bus bar (Size 40 x 5mm)	Set	Per	४,४७७.००	४,४७७.००	४,५४६.००	
	k) Transparent sheet for covering of bus bar (Size 450 x 400 x 5mm)	Set	Per	१,९३६.००	१,९३६.००	१,९६६.००	
	l) 14 SWG CRC metal box structure dust and vermin proof with suitable colour (Size 1235 x 600 x 225)	Set	Per	१५,७३०.००	१५,७३०.००	१५,९७३.००	

रन्जन कालाखेती
अध्यक्ष

७ख) निर्माण सामांग्रीहरुको दर आ.व ०८३/०८४ को लागि

सि.नं		मालसामानको विवरण	इकाई	परिमाण	दररेट ०८१/०८२	दररेट ०८२/०८३	दररेट ०८३/०८४	कैफियत
		Distribution panel Board						
		a) 25 Amp 230 volt DP MCB	Piece	per	१,१४९.००	१,१४९.००	१,१६६.००	
		b) 16 Amp 230 volt DP MCB	Piece	per	१,१४९.००	१,१४९.००	१,१६६.००	
		c) 10 Amp 230 volt DP MCB	Piece	per	१,१४९.००	१,१४९.००	१,१६६.००	
		d) 0-100 Amp meter with selector switch.	Piece	per	१,४५२.००	१,४५२.००	१,४७४.००	
		e) Current Transformer 100/5A	Piece	per	८४७.००	८४७.००	८६०.००	
३८		f) 300 Amp TPN cu bus bar structure dust and vermin proof with suitable colour (Size 550 x 1000 x 150mm)	Piece	per	११,४९५.००	११,४९५.००	११,६७३.००	
		g) 60 Amps 400 volts TP MCB with steel enclosure	Piece	per	३,६३०.००	३,६३०.००	३,६८६.००	
		h) DB (Steel encloser size 250 x 400 x 80 mm)	Piece	per	२,६६२.००	२,६६२.००	२,७०३.००	
		1 WAY	Piece	per	९६.००	९६.००	९७.००	
		2 WAY	Piece	per	१०८.००	१०८.००	१०९.००	
३९		BELL PUSH	Piece	per	१२१.००	१२१.००	१२२.००	
		2 GANG SWITCH 3"*3"						
		1 SWITCH 2 WAY	Piece	per	१२१.००	१२१.००	१२२.००	
४०		FULL 2 WAY	Piece	per	१४५.००	१४५.००	१४७.००	
		WITH 1 BELL PUSH	Piece	per	१८१.००	१८१.००	१८३.००	
		WITH 2 BELL PUSH	Piece	per	१८१.००	१८१.००	१८३.००	
		3 GANG SWITCH 3"*3"						
		WITH : 1 SWITCH 2 WAY	Piece	per	१८१.००	१८१.००	१८३.००	
४१		FULL 2 WAY			१९३.००	१९३.००	१९५.००	
		WITH 1 BELL PUSH	Piece	per	२२९.००	२२९.००	२३२.००	
		WITH 2 BELL PUSH ,	Piece	per	२२९.००	२२९.००	२३२.००	
		WITH 3 BELL PUSH	Piece	per	१९९.००	१९९.००	२०२.००	
		4 GANG SWITCH 3"*3"						
		WITH : 2 SWITCH 2 WAY (3" X 3")	Piece	per	२०५.००	२०५.००	२०८.००	
४२		WITH : FULL 2 WAY	Piece	per	२०५.००	२०५.००	२०८.००	
		WITH : 1 BELL PUSH	Piece	per	२२९.००	२२९.००	२३२.००	
		WITH : 4 BELL PUSH	Piece	per	२२९.००	२२९.००	२३२.००	
		2 SWITCH - 2 WAY WITH 1 BELL PUSH	Piece	per	२४२.००	२४२.००	२४५.००	
		6 GANG SWITCH 3"*5"						
		2 SWITCH 2 WAY (3" X 5")	Piece	per	४११.००	४११.००	४१७.००	
४३		FULL - 2 WAY	Piece	per	३६३.००	३६३.००	३६८.००	
		2 SWITCH 2 WAY WITH 1 BELL PUSH	Piece	per	३६३.००	३६३.००	३६८.००	
		8 GANG SWITCH						
४४		4 SWITCH 2 WAY	Piece	per	३३.००	३३.००	३३.००	
		FULL 2 WAY	Piece	per	३९३.००	३९३.००	३९९.००	
		12 GANG SWITCH						
४५		4 SWITCH 2 WAY	Piece	per	४८४.००	४८४.००	४९१.००	
		FULL 2 WAY	Piece	per	४८४.००	४८४.००	४९१.००	
४६		INTERMEDIATE SWITCH	Piece	per	३०२.००	३०२.००	३०६.००	
४७		6A 2/3 PIN MULTI SWITCH SOCKET SHUTTERED WITH INDICATOR	Piece	per	२४२.००	२४२.००	२४५.००	
४८		6A 2/3 PIN MULTI DUAL SWITCH SOCKET SHUTTERED WITH INDICATOR	Piece	per	५४४.००	५४४.००	५५२.००	
४९		6A/16A 3 PIN SWITCH SOCKET SHUTTERED WITH INDICATOR	Piece	per	३०८.००	३०८.००	३१२.००	
५०		6A/16A 3 PIN DUAL SWITCH SOCKET SHUTTERED WITH INDICATOR	Piece	per	६०५.००	६०५.००	६१४.००	

रञ्जन कालाखेती
अध्यक्ष

७ख) निर्माण सामांग्रीहरुको दर आ.व ०८३/०८४ को लागि

सि.नं		मालसामानको विवरण	इकाई	परिमाण	दरेट ०८१/०८२	दरेट ०८२/०८३	दरेट ०८३/०८४	कैफियत
५१		6A 2/3 PIN UNIVERSAL SWITCH SOCKET UNSHUTTERED	Piece	per	२००.००	२००.००	२०३.००	
५२		6A 3 PIN DUAL UNIVERSAL SWITCH SOCKET SHUTTERED INDICATOR 2/3 PIN	Piece	per	४२३.००	४२३.००	४२९.००	
५३		6A /16A SWITCH SOCKET 2/3 PIN UNSHUTTERED AND INDICATOR	Piece	per	२४२.००	२४२.००	२४५.००	
५४		6A 2/3 PIN MULTY SWITCH SOCKET UNSHUTTERED	Piece	per	१९९.००	१९९.००	२०२.००	
५५		**2 SWITCH WITH 3 PIN UNIVERSAL SOCKET SHUTTERED**						
		1 SWITCH 2 WAY	Piece	per	२२९.००	२२९.००	२३२.००	
		FULL 2 WAY			२२९.००	२२९.००	२३२.००	
५६		1 GANG SWITCH WITH REGULATOR	Piece	per	४९६.००	४९६.००	५०३.००	
५७		**3 GANG SWITCH WITH REGULATOR**						
		1 SWITCH 2 WAY	Piece	per	४२३.००	४२३.००	४२९.००	
		FULL 2 WAY	Piece	per	४२३.००	४२३.००	४२९.००	
५८		**3 GANG WITH 2/3 PIN UNIVERSAL SOCKET**						
		1 SWITCH 2 WAY	Piece	per	३१४.००	३१४.००	३१८.००	
		FULL 2 WAY	Piece	per	३३२.००	३३२.००	३३७.००	
५९		**3 GANG WITH 2/3 PIN UNIVERSAL SOCKET WITH INDICATOR**						
		1 SWITCH 2 WAY	Piece	per	२७८.००	२७८.००	२८२.००	
		FULL 2 WAY	Piece	per	२९०.००	२९०.००	२९४.००	
६०		**4 GANG SWITCH REGULATOR WITH 3 PIN UNIVERSAL SOCKET SHUTTERED WITH INDICATOR**						
		2 SWITCH 2 WAY	Piece	per	६९५.००	६९५.००	७०५.००	
		FULL 2 WAY	Piece	per	६६५.००	६६५.००	६७५.००	
६१		**4 GANG SWITCH WITH 1 REGULATOR**						
		1 SWITCH 2 WAY	Piece	per	५९२.००	५९२.००	६०१.००	
		FULL 2 WAY	Piece	per	५९२.००	५९२.००	६०१.००	
६२		**6 GANG SWITCH WITH 1 REGULATOR**						
		2 SWITCH 2 WAY	Piece	per	१,०२८.००	१,०२८.००	६१७.००	
		FULL 2 WAY	Piece	per	१,०२८.००	१,०२८.००	६१७.००	
६३		**6 GANG SWITCH WITH 2 REGULATOR**						
		2 SWITCH 2 WAY	Piece	per	१,०२८.००	१,०२८.००	६१७.००	
		FULL 2 WAY	Piece	per	१,०५८.००	१,०५८.००	६१७.००	
६४		**6 GANG SWITCH REGULATOR WITH 3 PIN UNIVERSAL SOCKET SHUTTERED WITH INDICATOR**						
		2 SWITCH 2 WAY	Piece	per	९०७.००	९०७.००	९२१.००	
		FULL 2 WAY	Piece	per	९०७.००	९०७.००	९२१.००	
६५		**4 GANG SWITCH WITH 2/3 PIN UNIVERSAL SOCKET AND INDICATOR**						
		2 SWITCH 2 WAY	Piece	per	३९३.००	३९३.००	३९९.००	
		FULL 2 WAY	Piece	per	३९३.००	३९३.००	३९९.००	
६६		**6 GANG SWITCH REGULATOR WITH 2/3 PIN UNIVERSAL SOCKET FUSE & INDICATOR**						
		2 SWITCH 2 WAY	Piece	per	१,१४९.००	१,१४९.००	१,१६६.००	
		FULL 2 WAY	Piece	per	१,१४९.००	१,१४९.००	१,१६६.००	
६७		**9 GANG SWITCH WITH 1 REGULATOR 2/3 PIN UNIVERSAL SOCKET AND FUSE**						
		3 SWITCH 2 WAY	Piece	per	१,४५२.००	१,४५२.००	१,४७४.००	
६८		FULL 2 WAY	Piece	per	१,४५२.००	१,४५२.००	१,४७४.००	

रञ्जन कालासेती,
अध्यक्ष

(ख) निर्माण सामांग्रीहरुको दर आ.व ०८३/०८४ को लागि

सि.नं		मालसामानको विवरण	इकाई	परिमाण	दरेट ०८१/०८२	दरेट ०८२/०८३	दरेट ०८३/०८४	कैफियत
६९		16A DOUBLE POLE SWITCH SOCKET SHUTTERED WITH INDICATOR	Piece	per	४२३.00	४२३.00	४२९.00	
७०		6A/16A DOUBLE POLE SWITCH SOCKET SHUTTERED WITH INDICATOR	Piece	per	४२३.00	४२३.00	४२९.00	
७१		6A/16A DOUBLE POLE SWITCH SOCKET SHUTTERED WITH FUSE AND INDICATOR	Piece	per	४५३.00	४५३.00	४६०.00	
७२		**6 GANG SWITCH WITH 2/3 PIN UNIVERSAL SOCKET AND INDICATOR**						
		2 SWITCH 2 WAY	Piece	per	४५९.00	४५९.00	४६६.00	
		FULL 2 WAY	Piece	per	४५९.00	४५९.00	४६६.00	
७३		6 GANG SWITCH WITH 2/3 PIN SHUTTERED SOCKET & 2 NOS. HUMMING FREE 5 STEPS FAN REGULATORS WITH INDICATOR 86mm x 220mm	Piece	per	२,५४१.00	२,५४१.00	२,५८०.00	
७४		6A 2/3 PIN SWITCH SOCKET SHUTTERED & 6A /16A SWITCH SHUTTERED SOCKET & IND.	Piece	per	५४४.00	५४४.00	५५२.00	
७५		**16A SINGLE POLE SWITCH**						
		WITH INDICATOR	Piece	per	१९९.00	१९९.00	२०२.00	
		2 WAY WITH INDICATOR	Piece	per	१९९.00	१९९.00	२०२.00	
७६		**20A DOUBLE POLE SWITCH**						
		WITH INDICATOR	Piece	per	२५४.00	२५४.00	२५७.00	
		2 WAY WITH INDICATOR	Piece	per	२५४.00	२५४.00	२५७.00	
७७		32A DOUBLE POLE SWITCH WITH INDICATOR	Piece	per	२८४.00	२८४.00	२८८.00	
७८		20A DOUBLE POLE ENERGY SAVING KEY SWITCH	Piece	per	६२९.00	६२९.00	६३८.00	
७९		20A DOUBLE POLE ENERG7 SAVING KEY SWITCH WITH TIME DELAY	Piece	per	१,१२५.00	१,१२५.00	१,१४२.00	
८०		6A/16A SOCKET SHUTTERED WITH INDICATOR	Piece	per	२७८.00	२७८.00	२८२.00	
८१		BUZZER 240V AC	Piece	per	१८१.00	१८१.00	१८३.00	
८२		CORD OUTLET SINGLE	Piece	per	१०२.00	१०२.00	१०३.00	
८३		CORD OUTLET TWIN	Piece	per	१०२.00	१०२.00	१०३.00	
८४		TV ANTENNA SINGLE SOCKET	Piece	per	१३३.00	१३३.00	१३५.00	
८५		TV ANTENNA TWIN SOCKET	Piece	per	१८१.00	१८१.00	१८३.00	
८६		SINGLE TELEPHONE SOCKET WITH PLUG	Piece	per	१४५.00	१४५.00	१४७.00	
८७		TWIN TELEPHONE SOCKET WITH PLUG	Piece	per	२११.00	२११.00	२१४.00	
८८		SINGLE JACK TYPE TELEPHONE SOCKET	Piece	per	१६९.00	१६९.00	१७१.00	
८९		TWIN JACK TYPE TELEPHONE SOCKET	Piece	per	१९३.00	१९३.00	१९५.00	
९०		TV ANTENNA SOCKET & JACK SOCKET	Piece	per	२२९.00	२२९.00	२३२.00	
९१		TV ANTENNA SOCKET & TELEPHONE SOCKET WITH PLUG	Piece	per	२०५.00	२०५.00	२०८.00	
९२		TELEPHONE PLUG	Piece	per	३२.00	३२.00	३२.00	
९३		40 mm DEEP SQUARE CO-BOX	Piece	per	६०.00	६०.00	६०.00	
९४		40 mm DEEP RECTANGLE CO-BOX	Piece	per	१०८.00	१०८.00	१०९.00	
९५		50 mm DEEP SQUARE CO-BOX	Piece	per	९६.00	९६.00	९७.00	
९६		50 mm DEEP RECTANGLE CO-BOX	Piece	per	११४.00	११४.00	११५.00	
९७		35 mm DEEP SQUARE CO-BOX (UNBREAKABLE)	Piece	per	६०.00	६०.00	६०.00	
९८		35 mm DEEP RECTANGLE CO-BOX (UNBREAKABLE)	Piece	per	८४.00	८४.00	८५.00	
९९		50 mm DEEP SQUARE CO-BOX PVC (CONCEALED)	Piece	per	४२.00	४२.00	४२.00	

रञ्जन कालाखेती
लेखापाल

(ञ) निर्माण सामांग्रीहरुको दर आ.व ०८३/०८४ को लागि

सि.नं		मालसामानको विवरण	इकाई	परिमाण	दरेट ०८१/०८२	दरेट ०८२/०८३	दरेट ०८३/०८४	कैफियत
१००		50 mm DEEP RECTANGLE CO-BOX PVC (CONCEALED)	Piece	per	५४.00	५४.00	५४.00	
१०१		50 mm DEEP HIP SQUARE BOX	Piece	per	१४५.00	१४५.00	१४७.00	
१०२		BLANK PLATE SQUARE	Piece	per	६0.00	६0.00	६0.00	
१०३		BLANK PLATE RECTANGLE	Piece	per	९0.00	९0.00	९१.00	
१०४		50 mm DEEP CO-BOX (UNBREAKABLE) 146 mm x 146 mm	Piece	per	१५७.00	१५७.00	१५९.00	
१०५		50 mm DEEP DRAWN CONCEALED METAL BOX FOR 86mm x 86mm	Piece	per	१०२.00	१०२.00	१०३.00	
१०६		50 mm DEEP DRAWN CONCEALED METAL BOX FOR 86mm x 146mm	Piece	per	७५.00	७५.00	७६.00	
१०७		9 PIN D TYPE COMPUTER SOCKET	Piece	per	१६९.00	१६९.00	१७१.00	
१०८		25 PIN D TYPE COMPUTER SOCKET	Piece	per	२२९.00	२२९.00	२३२.00	
१०९		RJ 45 COMPUTER SOCKET FOR MODEM	Piece	per	२४२.00	२४२.00	२४५.00	
११०		110V/240V SHAVER SOCKET	Piece	per	७३८.00	७३८.00	७४९.00	
१११		FAN REGULATOR 300 WATTS	Piece	per	४२३.00	४२३.00	४२९.00	
११२		FAN REGULATOR 750 WATTS	Piece	per	५०८.00	५०८.00	५१५.00	
११३		5 STEPS HUMMING FREE FAN REGULATOR	Piece	per	८४७.00	८४७.00	८६०.00	
११४		5 STEPS HUMMING FREE FAN REGULATOR WITHOUT PLATE FOR COMBINATION	Piece	per	४५९.00	४५९.00	४६६.00	
११५		4 STEPS HUMMING FREE FAN REGULATOR	Piece	per	५९२.00	५९२.00	६०१.00	
११६		4 STEPS HUMMING FREE FAN REGULATOR WITHOUT PLATE FOR COMBINATION	Piece	per	४५९.00	४५९.00	४६६.00	
११७		ANGLE LAMP HOLDER	Piece	per	५२.00	५२.00	५२.00	
		BATTEN LAMP HOLDER	Piece	per	५४.00	५४.00	५४.00	
		PENDENT LAMP HOLDER	Piece	per	५४.00	५४.00	५४.00	
११८		CEILING ROSE 3 PLATE	Piece	per	४२.00	४२.00	४२.00	
		CEILING ROSE 2 PLATE	Piece	per	५४.00	५४.00	५४.00	
११९		JUMBO CEILING ROSE 2 PLATE	Piece	per	७२.00	७२.00	७३.00	
		JUMBO CEILING ROSE 3 PLATE	Piece	per	७२.00	७२.00	७३.00	
१२०		6A 3 PIN PLUG TOP	Piece	per	६६.00	६६.00	६७.00	
१२१		16A 3 PIN PLUG TOP	Piece	per	९0.00	९0.00	९१.00	
१२३		13A 3 FLAT PIN SWITCH SOCKET SHUTTERED WITH INDICATOR	Piece	per	२७२.00	२७२.00	२७६.00	
१२४		13A 3 FLAT PIN PLUG TOP WITH FUSE	Piece	per	१६९.00	१६९.00	१७१.00	
१२५		13A 3 FLAT PIN TWIN SWITCH SOCKET SHUTTERED WITH INDICATOR	Piece	per	३०२.00	३०२.00	३०६.00	
१२६		13A 3 FLAT PIN & 16A 3PIN SWITCH SOCKET SHUTTERED WITH INDICATOR	Piece	per	३३८.00	३३८.00	३४३.00	
१२७								
ख.४		**Rural Electrification सम्बन्धि**						
१		0.03 ACSR Conductor Wire (weassel)	KM	PER	४४,७७०.00	४४,७७०.00	४५,४६३.00	
		0.05 ACSR Conductor Wire (rabbit)	KM	PER	६०,५००.00	६०,५००.00	६१,४३७.00	
२		D-IRON shackle insulator with nut bolt set	SET	PER	१९३.00	१९३.00	१९५.00	
३		Stay complete set with stay Plate,trunk bluck,Thimble,Insulator	SET	PER	१,८१५.00	१,८१५.00	१,८४३.00	
४		Stay wire 7/22 swg	KG	PER	१८१.00	१८१.00	१८३.00	
		4' Iron channel	NO	PER	२,२९९.00	२,२९९.00	२,३३४.00	
		5' Iron channel	NO	PER	२,९०४.00	२,९०४.00	२,९४९.00	
५		6' Iron channel	NO	PER	३,१४६.00	३,१४६.00	३,१९४.00	

रन्जन कालाखेती
अध्यक्ष

७ख) निर्माण सामांग्रीहरुको दर आ.व ०८३/०८४ को लागि

सि.नं		मालसामानको विवरण	इकाई	परिमाण	दरेट ०८१/०८२	दरेट ०८२/०८३	दरेट ०८३/०८४	कैफियत
		7' Iron channel	NO	PER	३,५०९.00	३,५०९.00	३,५६३.00	
		8' Iron channel	NO	PER	३,८११.00	३,८११.00	३,८७०.00	
६		Cable luck up 150	NO	PER	१८७.00	१८७.00	१८९.00	
		Cable luck up 50	NO	PER	१४८.00	१४८.00	१५०.00	
७		Kit kat fuse 300 A	NO	PER	१,४५२.00	१,४५२.00	१,४७४.00	
		Kit kat fuse 400 A	NO	PER	१,६३३.00	१,६३३.00	१,६५८.00	
८		Kit kat fuse 500 A	NO	PER	१,६९४.00	१,६९४.00	१,७२०.00	
९		11 KV disc insulator with grammet set	SET	PER	१,९९६.00	१,९९६.00	२,०२६.00	
१०		11 KV pin insulator with middle set	SET	PER	५७४.00	५७४.00	५८२.00	
११		120 PVC jumper wire	KG	PER	२२९.00	२२९.00	२३२.00	
१२		Earthing galvanised complete set	SET	PER	१०,२८५.00	१०,२८५.00	१०,४४४.00	
१३		Earthing cupper complete set	SET	PER	१८,१५०.00	१८,१५०.00	१८,४३१.00	
१४		Single pole channel with angle cross arm set	SET	PER	२,९०४.00	२,९०४.00	२,९४९.00	
१५		Transformer base channel	NO	PER	३,९९३.00	३,९९३.00	४,०५४.00	
१६		9 KV lightening arrestor	NO	PER	५,२०३.00	५,२०३.00	५,२८३.00	
१७		DO fuse	NO	PER	१०,०३६.00	१०,०३६.00	१०,१९१.00	
		Nut bolt 6"	KG	PER	२२९.00	२२९.00	२३२.00	
		Nut bolt 7"	KG	PER	२२९.00	२२९.00	२३२.00	
१८		Nut bolt 8"	KG	PER	२२९.00	२२९.00	२३२.00	
		Nut bolt 9"	KG	PER	२२९.00	२२९.00	२३२.00	
		Nut bolt 10"	KG	PER	२२९.00	२२९.00	२३२.00	
१९		Salt	KG	PER	२०.00	२०.00	२०.00	
२०		Coal	KG	PER	१०८.00	१०८.00	१०९.00	
२१		**Transformers:**						
		Transformer 15 KVA_1 Phage 50Hz	NO	PER	१८१,५००.00	१८१,५००.00	१८१,५००.00	
		Transformer 25 KVA_1 Phage 50Hz	NO	PER	२५४,१००.00	२५४,१००.00	२५४,१००.00	
		Transformer 15 KVA_3 Phage 50 Hz	NO	PER	१९३,६००.00	१९३,६००.00	१९३,६००.00	
		Transformer 25 KVA_3Phage 50Hz	NO	PER	३३८,८००.00	३३८,८००.00	३३८,८००.00	
		Transformer 50 KVA_3Phage 50Hz	NO	PER	४८४,०००.00	४८४,०००.00	४८४,०००.00	
		Transformer 100 KVA_3Phage 50Hz	NO	PER	६४९,०००.00	६४९,०००.00	६४९,०००.00	
		Transformer 150 KVA_3Phage 50Hz	NO	PER	९६८,०००.00	९६८,०००.00	९६८,०००.00	
		Transformer 100 KVA_3Phage 50Hz	NO	PER	१,२३८,९१९.00	१,२३८,९१९.00	१,२३८,९१९.00	
२२		**Electric Poles**						
२२		Wooden Poles						
		8 m chemically treated wooden (masala) pole	NO	PER	४,२३५.00	४,२३५.00	४,३००.00	
		9 m chemically treated wooden (masala) pole	NO	46	४,५९८.00	४,५९८.00	४,६६९.00	
		10 m chemically treated wooden (masala) pole	NO	PER	५,३२४.00	५,३२४.00	५,४०६.00	
		11 m chemically treated wooden (masala) pole	NO	PER	७,१३९.00	७,१३९.00	७,२४९.00	
२२		Tubular Metalic Pole						
		Height 8m	NO	PER	१८,७५५.00	१८,७५५.00	१९,०४५.00	
		Height 9m	NO	PER	२६,०१५.00	२६,०१५.00	२६,४१८.00	
		Height 10m	NO	PER	२७,८३०.00	२७,८३०.00	२८,२६१.00	

७ख) निर्माण सामांग्रीहरुको दर आ.व ०८३/०८४ को लागि

सि.नं		मालसामानको विवरण	इकाई	परिमाण	दरोट ०८१/०८२	दरोट ०८२/०८३	दरोट ०८३/०८४	कैफियत
		Height 11m	NO	PER	३०,८५५.00	३०,८५५.00	३१,३३३.00	
२२		PSC Concrete Pole						
		Height 8m			७,२६०.00	७,२६०.00	७,३७२.00	
		Height 9m			७,९८६.00	७,९८६.00	८,१०९.00	
२३		Low Voltage distribution Board	NO	PER	३,८७२.00	३,८७२.00	३,९३२.00	
		Low Voltage 4 core cable of required ratiindistribution Board	NO	PER	५,९२९.00	५,९२९.00	६,०२०.00	
		Xlpe Cable	Mtr	PER	२४२.00	२४२.00	२४५.00	
२४		Steel Tubular Pole (size 11m)	Nos	PER	३४,४५०.00	२०,४१९.00	२०,४१९.00	
२५		Steel Tubular Pole (size 10m)	Nos	PER	३१,२००.00	१८,९७८.00	१८,९७८.00	
२६		Steel Tubular Pole (size 9m)	Nos	PER	२८,५००.00	१६,९३६.00	१६,९३६.00	
२७		Steel Tubular Pole (size 8m)	Nos	PER	२२,०००.00	१२,१३१.00	१२,१३१.00	
२८		0.05 sq inch ACSR Conductor wire	Per.m	PER	८४.०७	८४.00	८५.00	
२९		0.03 sq inch ACSR Conductor wire	Per.m	PER	४७.00	४७.00	४७.00	
३०		Gay Insulator /Stay Insulator	Nos	PER	१६५.00	१६५.00	१६७.00	
३१		Disc Insulator with grapher set (Voltage 11kv)	Nos	PER	२,०५०.00	२,०५०.00	२,०८१.00	
३२		Pin insulator with spindle set (Voltage 11kv)	Nos	PER	७५०.00	७५०.00	७६१.00	
३३		D- iron shakle insulator with nut bolt set	Nos	PER	३५०.00	३५०.00	३५५.00	
३४		Lightening Arrester (Voltage 11kv)	Nos	PER	६,४००.00	६,४००.00	६,४९९.00	
३५		Drop out fuse set (Voltage 11kv)	Nos	PER	१०,०५०.00	१०,०५०.00	१०,२०५.00	
३६		Earthing copper complete set	Set	PER	१८,९००.00	१८,९००.00	१९,१९२.00	
३७		stay wire	Kg	PER	३१०.00	३१०.00	३१४.00	
३८		Stay set with complete accessories	Set	PER	४,३२०.00	४,३२०.00	४,३८६.00	
३९		Nut & Bolts different sizes	Kg	PER	३८५.00	३८५.00	३९०.00	
४०		Cross arm channel (size 300mm)	Nos	PER	९४०.00	९४०.00	९५४.00	
४१		Cross arm channel (size1200mm)	Nos	PER	३,२००.00	३,२००.00	३,२४९.00	
४२		M.S chanel (size75x40x6)500mm long	Nos	PER	१,४६०.00	१,४६०.00	१,४८२.00	
४३		M.S Chanel(size100x50x6)2390mm long	Nos	PER	४,५५०.00	४,५५०.00	४,६२०.00	
४४		Pole Clamp	Set	PER	६०५.00	६०५.00	६१४.00	
४५		Flat Braching 720mm	Nos	PER	६८०.00	६८०.00	६९०.00	
४६		25 sq.mm 4 core ABC cable	Per.m	PER	४२०.00	४२०.00	४२६.00	
४७		50 sq mm 4 core ABC cable	Per.m	PER	६५०.00	६५०.00	६६०.00	
४८		95 sq.mm 4 core ABC cable	Per.m	PER	९८०.00	९८०.00	९९५.00	
४९		25 mm cable shoe	Nos	PER	११०.00	११०.00	१११.00	
५०		50 mm cable shoe	Nos	PER	१४०.00	१४०.00	१४२.00	
५१		70 mm cable shoe	Nos	PER	१६५.00	१६५.00	१६७.00	
५२		95 mm cable shoe	Nos	PER	२१०.00	२१०.00	२१३.00	
५३		150 mm cable shoe	Nos	PER	३२०.00	३२०.00	३२४.00	

रञ्जन कालाबेती
अध्यक्ष

Equipment Hiring Rate of Department of Road. - 2083/084

यान्त्रिक उपकरणहरुको नयाँ भाडा दर रेट (ईन्धन बाहेक)

Equipment Name	Identification	Capacity/ Category	DoR Code	Hire Rate Per Hour Rs.	Hire Rate Per Shift Rs.
1	2	3	4	5	6 = 7*(5)
Asphalt Plant*	Universal Spot Mix : Wylie	Up to 10 Ton	001 -	400	2800
Asphalt Plant*	Bram Millar	Up to 10 Ton	001 -	500	3500
Ashalt Paver	Blow Knox BK 165		002 -	1400	9800
Ashalt Mixer	Bel Mix		003 -	1000	7000
Broom Road	Towed		009 -	260	1820
Boring Rig	TONE		011 -	1200	8400
Air Compressor	Kirloskar , WR 250, SC 0707C,	150 To 275cfm	017 -	250	1750
Air Compressor	Holman, D250CFM, 175 MK 11		017 -	250	1750
Air Compressor	Maruma ES3		017 -	250	1750
Crane Mobile	Tadano TS 100L	5+ To 10 Ton	021 -	3100	21700
Crane Mobile	Tadano TS 150L	10+ To 15 Ton	021 -	3500	24500
Cutter Concrete	Weber SM 182R		024 -	250	1750
Cutter Concrete	Mikasa MCD 218 DX		024 -	250	1750
Dozer Wheel	Hanomag D66C, D66D	181 To 230 HP	030 -	2100	14700
Dozer Wheel	CAT 814	181 To 230 HP	030 -	2100	14700
Dozer Track	Komatsu D85ESS	181 To 230 HP	031 -	3000	21000
Dozer Track	CAT D7G	181 To 230 HP	031 -	3000	21000
Dozer Track	Shangdong TY 220	181 To 230 HP	031 -	3000	21000
Dozer Track	Hanomag D700C, D700D	181 To 230 HP	031 -	2000	14000
Dozer Track	Komatsu D85	181 To 230 HP	031 -	2000	14000
Dozer Track	Yishan TY 160	126 To 180 HP	031 -	1800	12600
Dozer Track	BEML D65E8	126 To 180 HP	031 -	1800	12600
Dozer Track	CAT D6H	126 To 180 HP	031 -	1800	12600
Dozer Track	Komatsu D53A-17; D50A	80 To 125 HP	031 -	1800	12600
Dozer Track	Komatsu D 50A - 17	80 To 125 HP	031 -	1800	12600
Dozer Track	CAT D3B	0 To 79 HP	031 -	1000	7000
Bitumin Distributor	Bedford TJ 1090	4 To 6 KL	032 -	1300	9100
Bitumin Distributor	ETNYRE/4700; ETNTYRE/M4148	4 To 6 KL	032 -	1300	9100
Bitumin Distributor	Isuzu/Hanta; Hanta/Hino FF173 K	4 To 6 KL	032 -	1300	9100
Rock Drill(Paeum)			034 -	130	910
Mini Dumper	Pengyuan FC 15	1 To 4 Cu. M.	035 -	250	1750
Mini Dumper	Changai FC 1	1 To 4 Cu. M.	035 -	250	1750
Mini Dumper	Jiangsu F 15	1 To 4 Cu. M.	035 -	250	1750
Mini Dumper	Stott & Pitt SD 011	1 To 4 Cu. M.	035 -	250	1750
Mini Dumper	Thawaties	1 To 4 Cu. M.	035 -	550	3850
Excavator Track	Daewoo Solar 130LC - V	1 To 110 HP	042 -	1200	8400
Excavator Track	Kobelco SK 115 SR-1E	1 To 110 HP	042 -	1200	8400
Excavator Track	Daewoo SL 220	111 To 150 HP	042 -	1800	12600
Excavator Track	Komatsu PC 150-5A	111 To 150 HP	042 -	1800	12600
Excavator Track	Hitachi EX 200 - 3	111 To 150 HP	042 -	1800	12600
Excavator Track	JCB - 820 Super; JCB - 820	111 To 150 HP	042 -	1800	12600
Excavator+ Breaker	Daewoo SL220 With SOOSAN 20	111 To 150 HP	042 -	2100	14700
Forklift Truck	Mitsubishi	< 2.5 Ton	049 -	400	2800
Generator*	Kubota ASK-R 350	Up to 10 KVA	054 -	150	1050
Generator*	Denyo DBF-3Y; DBF 7.5Y	Up to 10 KVA	054 -	150	1050

रञ्जन कार्की
अध्यक्ष

Equipment Hiring Rate of Department of Road. - 2083/084

यान्त्रिक उपकरणहरुको नयाँ भाडा दर रेट (ईन्धन बाहेक)

Equipment Name	Identification	Capacity/ Category	DoR Code	Hire Rate Per Hour Rs.	Hire Rate Per Shift Rs.
1	2	3	4	5	6 = 7*(5)
Generator*	Robin	Up to 10 KVA	054 -	150	1050
Generator*	Caterpillar	Up to 10 KVA	054 -	150	1050
Generator*	Kirloskar RB 33	Up to 10 KVA	054 -	150	1050
Generator*	Osaka/Seimeitsu SAS - 130Y	10 To 30 KVA	054 -	150	1050
Generator*	Kirloskar	30+ To 50 KVA	054 -	350	2450
Grader Motor	Komatsu GD 511R - 1	135 HP	055 -	1600	11200
Grader Motor	Chapion 710 ; 710R	135 HP	055 -	1600	11200
Grader Motor	CAT 120G	125 HP	055 -	1600	11200
Grader Motor	Mitubishi MG 350R	135 HP	055 -	1600	11200
Grader Motor	BEML BG605 - 6216	145 HP	055 -	1600	11200
Grader Motor	Aveling Barford ASG 12G; TG 011	135 HP	055 -	1200	8400
Grader Motor	Niigata N530 PSA	135 HP	055 -	1200	8400
Grader Motor	Komatsu 405A - 1	90 HP	055 -	1200	8400
Chips Spreader	Phoenix/Tail Gate Mounted		057 -	300	2100
Bitumin Heater	Span Eng.	Up to 2 KL	062 -	180	1260
Loader Wheel	JCB 425	1.75 Cu M	068 -	1000	7000
Loader Wheel	Aveling Barford	1.75 Cu M	068 -	1000	7000
Loader Wheel	EJCB - 430	1.7 Cu M	068 -	1000	7000
Loader Wheel	Komatsu WA 100 - 1	1.2 Cu M	068 -	1000	7000
Loader Wheel	Komatsu WA 180 - 3	1.8 Cu M	068 -	1200	8400
Loader Wheel	Furukawa FL 200; FL 230 - I	1.9 - 2.3 Cu M	068 -	1200	8400
Loader Wheel	Furukawa FL 200 - I	1.9 - 2.3 Cu M	068 -	1200	8400
Loader Wheel	Kawasaki KSS 70; KLD 70	1.9 - 2.2 Cu M	068 -	1200	8400
Loader Wheel	CAT 950	> 1.8 Cu M	068 -	1200	8400
Loader Wheel	Michigan Clark 75 - IIIA	> 1.8 Cu M	068 -	1200	8400
Loader Wheel	Hyuandai HL 757 - 7	2.5 Cu M	068 -	1500	10500
Loader Wheel	Kawasaki 70ZIV - 2	2.2 Cu M	068 -	1500	10500
Loader Wheel	Kawasaki 70ZIV; WL03 - 70Z	2.2 Cu M	068 -	1500	10500
Loader Wheel	Kawasaki 70Z - IV Hino	2.2 Cu M	068 -	1500	10500
Back Hoe Loader	JCB 3CX - 4	< 90 HP	070 -	1000	7000
Water Pump (Engine)	Sykes Univac	Up To 4"	085 -	150	1050
Water Pump (Engine)	Yanmar/ YKS - 3DW	Up To 4"	085 -	150	1050
Water Pump (Engine)	Sykes Univac	4 To 6 "	085 -	200	1400
Water Pump (Engine)	Yanmar/ YKS - 6DFA	4 To 6"	085 -	200	1400
Water Pump (Elect.)		5 HP	085 -	150	1050
Water Pump (Elect.)		7.5 HP	085 -	150	1050
Pile Driver*		10 Ton	086 -	3000	21000
Roller 3 Wheel	Aveling Barford DC 011	Up to 12 Ton	094 -	500	3500
Roller 3 Wheel	Johs Moller Rambo	Up to 12 Ton	094 -	500	3500
Roller 3 Wheel	Speedcraft DRR 10 - S	Up to 12 Ton	094 -	500	3500
Roller 3 Wheel	Luoyang 3Y8 / 10	Up to 12 Ton	094 -	500	3500
Roller 3 Wheel	Aveling Barford DC 012	Up to 12 Ton	094 -	500	3500
Roller 3 Wheel	Albaret TR - 10	Up to 12 Ton	094 -	500	3500
Roller 3 Wheel	Kawasaki KMRH - 12	Up to 12 Ton	094 -	500	3500
Roller 3 Wheel	Sakai 7608	Up to 12 Ton	094 -	500	3500

कालाखेती
अध्यक्ष

Equipment Hiring Rates are subjected to Change as per rule/revision of Department of Road.

Equipment Hiring Rate of Department of Road. - 2083/084

यान्त्रिक उपकरणहरुको नयाँ भाडा दर रेट (ईन्धन बाहेक)

Equipment Name	Identification	Capacity/ Category	DoR Code	Hire Rate Per Hour Rs.	Hire Rate Per Shift Rs.
1	2	3	4	5	6 = 7*(5)
Roller Pneumatic	Dynapac CP 15	Up to 20 Ton	096 -	1200	8400
Roller Pneumatic	Hamm GRW - 10	Up to 20 Ton	096 -	1200	8400
Roller Pneumatic	Stavostroj VP 200	Up to 20 Ton	096 -	1200	8400
Roller Pneumatic	Dynapac CP 20	Up to 20 Ton	096 -	1200	8400
Roller Pneumatic	Sakai TS7409	Up to 20 Ton	096 -	1000	7000
Roller Vib. Pedestrain	Bomag BW 71E - 2	Up to 0.5 Ton	098 -	400	2800
Roller Vib. Pedestrain	Bomag BW 71E	Up to 0.5 Ton	098 -	400	2800
Roller Vib. Pedestrain	Benford 1 - 71L / 2 - 75B	Up to 0.5 Ton	098 -	300	2100
Roller Vib. Pedestrain	Holman / Com CS 71	Up to 0.5 Ton	098 -	300	2100
Roller Vib. Pedestrain	Mortimor CPM/71	Up to 0.5 Ton	098 -	300	2100
Roller Vib. Pedestrain	Bomag BW 55E	Up to 0.5 Ton	098 -	300	2100
Roller Vib. Pedestrain	Benford 1 - 71EEP/ 1 - 71 B	Up to 0.5 Ton	098 -	300	2100
Roller Vib. Pedestrain	Benford	Up to 0.5 Ton	098 -	300	2100
Roller Vib. Pedestrain	Benford 1 - 71BPL	Up to 0.5 Ton	098 -	300	2100
Roller Vib. Sheepfoot	Tampo	Up to 10 Ton	099 -	700	4900
Roller Vib. Self Prop.	Johs Moller VT 13 / VT 21	Up to 3 Ton	101 -	550	3850
Roller Vib. Self Prop.	Sakai SG 500	3 + Upto 6 Ton	101 -	800	5600
Roller Vib. Self Prop.	Larsen & Turbo W1104	3 + Upto 6 Ton	101 -	800	5600
Roller Vib. Self Prop.	Bomag BG 605	3 + Upto 6 Ton	101 -	800	5600
Roller Vib. Self Prop.	Bomag BW 172D - 2	6.3 Ton	101 -	900	6300
Roller Vib. Self Prop.	Bomag	6.3 Ton	101 -	900	6300
Roller Vib. Self Prop.	Kawasaki KVR 7	6 Ton	101 -	700	4900
Spreader Chip S/P	Phoenix MK 4		109 -	1500	10500
Spayer Emulsion	Hotta ESC - 10 E	Up to 1 KL	112 -	260	1820
Truck Flatbed/Crane	Dong Feng/AEDLUS	Up to 7 Ton	114 -	800	5600
Truck Flatbed/Crane	Tata SE 1210/42	Up to 7 Ton	114 -	800	5600
Truck Flatbed/Crane	Tata Usha 1210B/42	Up to 7 Ton	114 -	800	5600
Truck Flatbed/Crane	Isuzu HTR	Up to 7 Ton	114 -	800	5600
Truck Flatbed	Ashok Leyland CS 42	Up to 150 HP	115 -	450	3150
Truck Flatbed	Hino FF 173KA	Up to 150 HP	115 -	450	3150
Truck Flatbed	Isuzu HTR 114-03	Up to 150 HP	115 -	450	3150
Truck Flatbed	Isuzu TXD 50	Up to 150 HP	115 -	450	3150
Truck Tipper	Tata SK 1210/36	Up to 150 HP	116 -	450	3150
Truck Tipper	A/Leyland Commet 3/15;	Up to 150 HP	116 -	450	3150
Truck Tipper	Tata SE 1210 /36	Up to 150 HP	116 -	450	3150
Truck Tipper	A/ Leyland Commet 3/21	Up to 150 HP	116 -	450	3150
Truck Tipper	A/ Leyland Commet	Up to 150 HP	116 -	450	3150
Truck Tipper	A/Leyland Commet	Up to 150 HP	116 -	450	3150
Truck Tipper	Isuzu HTR 113-03	Up to 150 HP	116 -	450	3150
Truck Tipper	Hino KR 120 E	Up to 150 HP	116 -	450	3150
Truck Tipper	Isuzu SBR 322; TXD 40	Up to 150 HP	116 -	450	3150
Truck Tipper	Nissan CPC 14E	From 150+ HP	116 -	1100	7700
Truck Tipper	Isuzu TDJ	From 150+ HP	116 -	1100	7700
Truck Tipper	Nissan CKB 450EDN	From 150+ HP	116 -	1100	7700

रञ्जन कालाखेती
अध्यक्ष

www.dor.gov.np/Equipment/Hiring Rates for latest update can be reviewed.

Scanned with CamScanner

Equipment Hiring Rates are subjected to Change as per rule/revision of Department of Road.

Equipment Hiring Rate of Department of Road. - 2083/084

यान्त्रिक उपकरणहरुको नयाँ भाडा दर रेट (ईन्धन बाहेक)

Equipment Name	Identification	Capacity/ Category	DoR Code	Hire Rate Per Hour Rs.	Hire Rate Per Shift Rs.
1	2	3	4	5	6 = 7*(5)
Mini Truck	Mah & Mah Cab 576		117 -	300	2100
Mini Truck	Tata 407		117 -	300	2100
Mini Truck	Mah. Nis. Allw. Cab 576		117 -	300	2100
Mini Truck	Mits. Can. Eich./ FE444		117 -	300	2100
Mini Truck	Mitsu. Eicher EE 44EXR		117 -	300	2100
Trailer Tractor	Isuzu CXZ81Q	10 + to 25 Ton	118 -	2200	15400
Trailer Tractor	Foden 5106T	10 + to 25 Ton	118 -	2200	15400
Trailer Tractor	Hino HE 335	10 + to 25 Ton	118 -	2200	15400
Trailer Tractor	Hino HE 335	10 + to 25 Ton	118 -	2200	15400
Trailer Tractor	Mitsubishi FV 515 HRR	10 + to 25 Ton	118 -	2200	15400
Trailer Tractor	Nissan CW - 50 GTN	10 + to 25 Ton	118 -	2200	15400
Trailer Tractor	Mitsubishi FV 515 HRR	From 25 +Ton	118 -	2700	18900
Water Tanker	AL/ Commet; ALCO- 3/15	Up to 8 KL	119 -	550	3850
Water Tanker	Tata/SE 1210/48	Up to 8 KL	119 -	550	3850
Water Tanker	A/ Leyland Commet CS 42	Up to 8 KL	119 -	550	3850
Water Tanker	Hino	Up to 8 KL	119 -	550	3850
Water Tanker	Isuzu HTR	Up to 8 KL	119 -	550	3850
Water Tanker	Isuzu SBR 312; TXD 50	Up to 8 KL	119 -	550	3850
Trailer	MAECO / Nepal		122 -	140	980
Tractor	HMT 4511	Up to 85 HP	123 -	300	2100
Tractor	International Sona. DI 745 III	Up to 85 HP	123 -	300	2100
Tractor	Tractor & Farm MF 245 DI-J	Up to 85 HP	123 -	300	2100
Tractor	Hindustan G 453 - DI	Up to 85 HP	123 -	300	2100
Tractor	Escort E 355 N	Up to 85 HP	123 -	300	2100
Tractor	Mahendra 545	Up to 85 HP	123 -	300	2100
Tractor	Ford 3610	Up to 85 HP	123 -	300	2100
Tractor	Kubota	Up to 85 HP	123 -	300	2100
Tractor	Ford New Holland	Up to 85 HP	123 -	300	2100
Tractor with trailer	Ford 6610	Up to 85 HP	123 -	440	3080
Tractor with trailer	Massey Ferguson MF 20B	Up to 85 HP	123 -	440	3080
Vibrator Engine	Mikasa; Mikasa MV1-GE		136 -	120	840
Vibrator Needle	BP 25; BP 35		136 -	100	700
Vibrator Needle					
Compactor H/Towed		Up to 450 KG	138 -	130	
Compactor H/Towed	**MIKASA MVC -110D**	**Up to 450 KG**	**138 -**	**130** **1150**	**910** **8050**
*EXCLUDING COST OF ERECTION/ COMISSIONING/ DISMANTLING AND MECHANICAL CREW.					

कालावती
अध्यक्ष

www.dor.gov.np/Equipment/Hiring Rates for latest update can be reviewed.

Scanned with CamScanner

ग)	भू संरक्षणसंग सम्बन्धित					
	बिरुवाको खरिद मूल्य	इकाई	परिमाण	दरेट		
				०८१/०८२	०८२/०८३	०८३/०८४
क	बासको राईजोम बिरुवा	NO	PER	२०२.१३	२२२.००	२२२.००
ख	बासको कलमी बिरुवा	NO	PER	१४४.३८	१५८.००	१५८.००
ग	बासको ३ वर्षे बिरुवा	NO	PER	१२१.२८	१३३.००	१३३.००
घ	बासको पोलिथिन ब्यागमा रहेको बिरुवा	NO	PER	४०.४३	४४.००	४४.००
ङ	सजिवनको बिरुवा (उन्नत)	NO	PER	१०.४०	११.००	११.००
च	सजिवनको बिरुवा (स्थानीय)	NO	PER	६.३५	६.००	६.००
छ	केतुकी बिरुवा	NO	PER	२०.३३	२२.००	२२.००
ज	अमिसो राइजोम	NO	PER	८.०९	८.००	८.००
झ	उन्नत घासको कटिङ सेट, स्लिप	NO	PER	२.३१	२.००	२.००
ञ	बाबियो प्रति स्लिप	NO	PER	१.७३	१.००	१.००
ट	मेंडोला घाँस को बिउं	KG	PER	३४६.५०	३८१.००	३८१.००
ट	भुजेत्रोको बिउं	KG	PER	५७७.५०	६३५.००	६३५.००

रञ्जन कालान्द्रेती
अध्यक्ष

प्रियंका वस्त्र व्यवसाय र ट्रेडिङ एन.भन.मा सम्पादित प्रसाधन

मकवानपुर जिल्लाको जी व २०८३।०५ साउ महिना १५ गते भारपट्टी गाबिस जगती टस्ट्रे (धौरे घर भित्र)

क्र.सं.	क्षेत्र	खस कटान मुद्रांकन गर्ने र	सोडेर खर्च गर्ने	लोड अनलोड खर्च र	बाकस सिद्धर्न /रिङ काट्ने खर्च र	पाइलिङ खर्च र	नगदरिङ खर्च र	भरुवा खर्च र	
								०८१/०८२	०८३/०८४
१	मनहरी, बसामाडी, हरिदत्त रुपियाडी पुरेशमाडे हरेडा उ.म.ग.पा.	४९।८८	३५।९३	४९।९	२३।२१	१।७४	४।८६	१५३५।२	१८३५।३
२	छोरिया, राजबराड, मोरबगड मिसपोटी, भोर	७।८४	३१।२९	४९।९	२३।२१	१।७४	४।८६	१६४।७०	१९।८८४
३	शिवबाटपुर, नेहुवाटोर,आमभन्याङ, मकवानपुरगढी	७।८४	३१।२९	५४।७६	२३।२१	१।७४	४।८६	१९६।००	२०३।००
४	बाबई गा.वि.म.हरु	७८।५९	३१।२९	६०।९८	२३।२१	१।७४	४।८६	१८०।००	२९६।८७
५	सिलगढी मध्य क्षेत्रका खस क्षेत्रमा खस दुर्गान खर्च दुर्गि खर्च र	०						४०।००	४५।०५

क्र.सं.	क्षेत्र	खस कटान मुद्रांकन गर्ने र	सोडेर खर्च र	लोड अनलोड खर्च र	बाकस सिद्धर्न /रिङ काट्ने खर्च र	पाइलिङ खर्च र	नगदरिङ खर्च र	भरुवा खर्च र	
	बाउ कुरानी गफ								
क्र.सं.	दुरी (किलमी.)	दर र (प्रति क्यु.फिट.)				दुरी (किलमी.)		दर र (प्रति क्यु.फिट.)	
		०८१/०८२	०८२/०८३	०८३/०८४				०८१/०८२	०८२/०८३	०८३/०८४
१	५	४।८०	७०।००	७०।००		१	०।५	४८३।८००	४८१५।००
२	४।५१।१०	७४।००	८१।००	८१।००		२	५।१।१०	५४८४।७००	५८८४।७००
३	१०।१।१५	८८।००	९।९००	९।९००		३	१०।१।१५	५९९।४००	६५३६।००
४	१५।१।२०	१०३।००	१२३।००	१२३।००		४	१५।१।२०	६५६९।००	७०२५।००
५	२०।१।२५	१२६।००	१२६।००	१२६।००		५	२०।१।२५	७१०।००	७९।४।००
६	२५।१।३०	१६६।००	१३८।००	१३८।००		६	२५।१।३०	७९५।००	८७१।४००
७	३०।१।३५	१३८।००	१५१।००	१५१।००		७	३०।१।३५	८८५।१००	९५१६।००
८	३५।१।४०	१५१।००	१६३।००	१६३।००		८	३५।१।४०	९३०८।००	१०३१५।००
९	४० भन्दा माथि प्रति १ कि.मि.	४।००	४।००	४।००		९	४० भन्दा माथि प्रति १ कि.मि.	२२१।००	२५४।००

क्र.सं.	क्षेत्र	खस कटान मुद्रांकन गर्ने र	सोडेर खर्च र	लोड अनलोड खर्च र	बाकस सिद्धर्न /रिङ काट्ने खर्च र	पाइलिङ खर्च र	नगदरिङ खर्च र	भरुवा खर्च र	
								०८१/०८२	०८३/०८४
१	मनहरी, बसामाडी, हरिदत्त रुपियाडी पुरेशमाडे हरेडा उ.म.ग.पा.	४९।८८	३५।९३	४९।९	२३।२१	१।७४	४।८६	१५३५।२	१८३५।३
२	छोरिया, राजबराड, मोरबगड मिसपोटी, भोर	७।८४	३१।२९	४९।९	२३।२१	१।७४	४।८६	१६४।७०	१९।८८४
३	शिवबाटपुर, नेहुवाटोर,आमभन्याङ, मकवानपुरगढी	७।८४	३१।२९	५४।७६	२३।२१	१।७४	४।८६	१९६।००	२०३।००
४	बाबई गा.वि.म.हरु	७८।५९	३१।२९	६०।९८	२३।२१	१।७४	४।८६	१८०।००	२९६।८७
५	सिलगढी मध्य क्षेत्रका खस क्षेत्रमा खस दुर्गान खर्च दुर्गि खर्च र	०						४०।००	४५।०५
	उत्तरतर्फ विस्तार खर्चिए मध्यपूर्वी दरबेट								
क्र.सं.	पूर्वाधारको नाम	०८१/०८२	०८२/०८३	०८३/०८४		पूर्वाधारको नाम	०८२/०८३		०८३/०८४
१	बोटाङ पाम	५५०	७१०	१०५०	५५०	७१०	९०५०		
२	नेपमाग	५५	७५	१५५	५५	७५	५७		
३	अयाक	१६५	१४०	५७०	१६०	१४०	५७०		
४	मिमा अयाक	२१०	१३५	५७५	२१०	१३५	५७५		
५	रुक्ष फरन	३१०	३५५	०	३१०	३५५	०		
६	हरिया	१७०	२१०	६८०	१७०	२१०	६८०		
७	कोल्हुपुरन	११०	२१०	४७०	११०	२१०	७००		
८	अपर	११०	२६०	४७०	११०	२६०	७००		
९	पिपरिन पाम	४५०	६६०		४५०	६६०			
१०	पाइनी पाम	२८५	४४०		२८५	४४०			
११	किनमाम फारट	३४०	८४०	१५५०	३४०	८४०	१५५०		
१२	गुरिका फारट	११०	८४०	१५५०	११०	८४०	१५५०		

Scanned with CamScanner

घ) टि.सि.एन. संग सम्बन्धीत प्रस्तावित

पोल ट्रटिमेन्ट तर्फ

सि.नं.	विवरण	ईकाइ	दर(रु)		
			२०८१/०८२	२०८२/०८३	२०८३/०८४
१	पोल लोड ज्याला	प्रति पोल	६८.००	६८.००	६८.००
२	पोल अनलोड ज्याला	प्रति पोल	३४.००	३४.००	३४.००
३	पोल पायलिङ्ग ज्याला	प्रति पोल	९.००	९.००	९.००
४	पोल ड्रील ज्याला	प्रति पोल	१८.००	१८.००	१८.००
५	पोल ट्रिटमेन्ट लेवर ज्याला	प्रति पोल	८३.००	८३.००	८३.००
६	पोल ट्रिटमेन्टका लागी टेक्नीसियन र हेल्पर ज्याला लेवर ज्याला	प्रति पोल	४८.००	४८.००	४८.००
७	पोल डेकवाट अन्यत्र सारी पायलिङ्ग गर्ने	प्रति पोल	६७.००	६७.००	६७.००
८	पोल कटानी ज्याला	प्रति पोल	९६.००	९६.००	९६.००
९	कटानी भएका पोलका बाक्रा झिक्न कार्य	प्रति पोल	४६.००	४६.००	४६.००
१०	पोल ढुवानी ज्याला				
	० देखि ५ कि.मी सम्म	प्रति पोल	१५.००	१५.००	१५.००
	५ देखि १०कि.मी सम्म	प्रति पोल	२३.००	२३.००	२३.००

चिरान तर्फ

सि.नं.	विवरण	ईकाइ	दर		
			२०८१/०८२	२०८२/०८३	२०८३/०८४
१	चिरान उत्पादन (वाकल कटपिस भूस फाल्ने र क्रस कटिङ्ग समेत)	घ.फू	७५.००	७५.००	७५.००
२	चिरान लोड	घ.फू	२२.००	२२.००	२२.००
३	वाकल लोड	क्वीन्टल	४२.००	४२.००	४२.००
४	वाकल अनलोड	क्वीन्टल	११.००	११.००	११.००
५	चिरान पायलिङ्ग	घ.फू	१०.००	१०.००	१०.००
६	मिल सिफमेन्टको लागी गोलिया लोडिङ्ग	घ.फू	४२.००	४२.००	४२.००
७	चिरान अनलोड	घ.फू	१०.००	१०.००	१०.००
८	मिल सिफमेन्टको लागी गोलिया अनलोडिङ्ग	घ.फू	१०.००	१०.००	१०.००
९	१०० मिटर टाढाबाट डेक सम्म गोलिया बेलेर ल्याउनेर	घ.फू	१३.००	१३.००	१३.००
१०	ससमिल बाट बिक्री डिपो सम्म चिरान सिपमेंट	घ.फू	१०.००	१०.००	१०.००
११	भाडाको सःमिलबाट गोलिया चिरान ज्याला	घ.फू	११८.००	११८.००	११८.००

ङ) बनस्पति कार्यालय सम्बन्धि स्थानिय दर रेट प्रस्तावित

सि.नं	बनस्पतिजन्य बिउहरु तथा अन्य	परिमाण	२०८२/०८३	२०८३/०८४
१	कुरिलो	१ के.जी	३८५८।००	४०२७।००
२	सर्पगन्धा	" "	३८५८।००	४०२७।००
३	अमला	" "	३८५८।००	४०२७।००
४	हर्रोको	" "	५५१।००	५७५।००
५	बेल	" "	५५१।००	५७५।००
६	बर्रो	" "	५५१।००	५७५।००
७	चिराइतो	" "	१७४६०।००	१८४१४।००
८	चाप	" "	५५१२।००	५७५३।००
९	अश्वगन्धा	" "	३५२८।००	३६८२।००
१०	टिक	" "		
११	बास	" "		
१२	रक्तचन्दन	" "	२७५६।००	२८७६।००
१३	सतिसाल	" "	१६५३।००	१७२५।००
१४	खयर	" "		
१५	टाकी	" "	७३५।००	
१६	तेजपात	" "	१३२३।००	१३८१।००
१७	रुद्राक्ष	" "	५५१।००	५७५।००
१८	अशोक	" "	५५१।००	५७५।००
१९	श्रीखण्ड	" "	४२००।००	४३८४।००
२०	अदुवा	" "	१७५।००	१७५।००

इन्जि. कालाखेती
अध्यक्ष

च) पशु सेवा सम्बन्धि स्थानिय दर रेट

सि.न.	विवरण	एकाई	०८१/०८२	०८२/०८३	०८३/०८४
१	घांसका बिउ सम्बन्धि				
क	सबै प्रकारका घांसका बिउहरु मानिसद्धारा ढुवानी गराउदा	प्रति के.जी.प्रति कोष	३।००	३।००	३।००
ख	सबै प्रकारका घांसका बिउहरु गाडीद्धारा ढुवानी गराउदा	प्रति के.जी.प्रति कि.मि	०।४३	०।४३	०।४३
२	घांसको बेर्ना तथा बिरुवा (विभिन्न जात सबै प्रकारका)				
क	घांसका बिरुवा पोलिप्याग समेतको मानिस द्वारा ढुवानि	प्रति बोट प्रति कोष	२।००	२।००	२।००
ख	पोलिप्याग बाहेको बेर्ना/बिरुवा मानिस द्वारा ढुवानी	प्रति बोट प्रति कोष	२।००	२।००	१।००
ग	पोलिप्याग समेतको बेर्ना/बिरुवा गाडीद्धारा ढुवानी ५० कि.मि.सम्म	गोटा १००	६९८।००	६९८।००	६९८।००
घ	पोलिप्याग बाहेकको बेर्ना/बिरुवा गाडीद्धारा ढुवानी ५० कि.मि.सम्म	गोटा १००	३४५।००	३४५।००	३४५।००
ङ.	कलमि बिरुवा खुल्ला मानिसद्धारा ढुवानी	प्रतिबोट प्रति कोष	१।००	१।००	१।००
च	कलमि बिरुवा थैलामा राखेको मानिसद्धरा ढुवानी	प्रतिबोट प्रति कोष	२।००	२।००	२।००
छ	कलमि बिरुवा खुल्ला गाडीबाट ढुवानी ५० कि.मि.सम्म	गोटा १००	३४४।००	३४४।००	३४४।००
ज	कलमि बिरुवा थैलामा राखेको गाडीबाट ढुवानी ५० कि.मि.सम	गोटा १००	६९८।००	६९८।००	६९८।००
३	चल्ला ढुवानि				
क	मानिसद्धारा १ दिने चल्ला ढुवानी	प्रति चल्ला प्रतिकोष	१६५।००	१६५।००	१६५।००
ख	मानिसद्धारा ५ हप्ते चल्ला ढुवानी	प्रति चल्ला प्रतिकोष	४।००	४।००	४।००
ग	गाडिद्धारा १ दिने चल्ला ढुवानी ५० कि.मि. सम्म	प्रति चल्ला	१।००	१।००	१।००
घ	मानिसद्धारा ५ हप्ते चल्ला ढुवानी ५० कि.मि.सम्म	प्रति चल्ला	७।००	७।००	७।००
४	बोका बाखा,भेडा,भुमा आदी जस्ता अन्य				
क	प्रजन्न प्रयोजनको लागी मानिसद्धारा धपाउदा	प्रतिगोटा प्राति कोष	११७।००	११७।००	११७।००
ख	प्रजन्न प्रयोजनको लागी गाडीमा राखि ढुवानि	प्रतिगोटा प्रति कि.मि.	७।००	७।००	७।००
५	बंगुरको पाठा पाठी				
क	बंगुरको पाठा पाठी मानिसद्धारा	प्रति गोटा प्रति कोष	१४७।००	१४७।००	१४७।००
ख	बंगुरको पाठा पाठी गाडी द्वारा	प्रति गोटा प्रति कि.मि.	७।००	७।००	७।००
६	रागो साडे तथा गाई भैसि				
क	प्रजन्न प्रयोजनको लागी मानिसद्धारा धपाउदा	प्रति गोटा प्रति कोष	१४७।००	१४७।००	१४७।००
ख	प्रजन्न प्रयोजनको लागी गाडिद्धारा ढुवानि (श्रोत केन्द्र देखी गाडी पुग्ने सेवा केन्द्र सम्मको लागी)	प्रति गोटा एक मुष्ट	५७५५।००	५७५५।००	५७५५।००
७	दाना ढुवानि				
क	दाना ढुवानि मानिसद्धारा	प्रति के.जी प्रति कोष	३।००	३।००	३।००
ख	दाना ढुवानि गाडी द्वारा	प्रति के.जी प्रति कि.मि.	०।१४	०।१४	०।१४
८	गोठाले (पशु हेर्न प्रयोजनको लागी)	प्रति दिन एक मुष्ठ	५४२।००	५४२।००	५४२।००
९	डालेघांसको बिरुवा खरिद				

रञ्जन कालाखेती
अध्यक्ष

HDPE Pipe Ex-Factory Rates

Unit rate Rs. 270 per kg

Pipe size Outside Diameter (mm)	Pipe size Outside Diameter (inch)	Working Pressure PN -6		Working Pressure PN -10		Working Pressure PN - 12.5		Working Pressure PN -16	
		Average Weight Kg/m	Price Rs./m	Average Weight Kg/m	Price Rs./m	Average Weight Kg/m	Price Rs./m	Average Weight Kg/m	Price Rs./m
20	1/2"		0.00		0.00	0.135	36.45	0.135	36.45
25	3/4"		0.00		0.00	0.173	46.71	0.208	56.16
32	1"		0.00	0.235	63.45	0.274	73.98	0.338	91.26
40	1*1/4"		0.00	0.36	97.20	0.434	117.18	0.523	141.21
50	1*1/2"	0.364	98.28	0.554	149.58	0.671	181.17	0.806	217.62
63	2"	0.567	153.09	0.88	237.60	1.044	281.88	1.266	341.82
75	2*1/2"	0.814	219.78	1.245	336.15	1.477	398.79	1.794	484.38
90	3"	1.144	308.88	1.78	480.60	2.136	576.72	2.58	696.60
110	4"	1.682	454.14	2.633	710.91	3.165	854.55	3.825	1032.75
125	4*1/2"	2.179	588.33	3.39	915.30	4.072	1099.44	4.94	1333.80
140	5"	2.739	739.53	4.243	1145.61	5.11	1379.70	6.182	1669.14
160	6"	3.565	962.55	5.535	1494.45	6.665	1799.55	8.097	2186.19
180	7"	4.499	1214.73	7.021	1895.67	8.426	2275.02	10.207	2755.89
200	8"	5.541	1496.07	8.659	2337.93	10.394	2806.38	12.608	3404.16
225	9"	7.035	1899.45	10.925	2949.75	13.156	3552.12	15.939	4303.53
250	10"	8.639	2332.53	13.455	3632.85	16.184	4369.68	19.659	5307.93
280		10.835	2925.45	16.853	4550.31	20.291	5478.57	24.646	6654.42
355		17.385	4693.95	27.152	7331.04	32.61	8804.70	39.514	10668.78
400		22.478	6069.06	35.164	9494.28	42.266	11411.82	51.204	13825.08

Note:- Above rates are calculated as per the weight chart specified in NS 40

The above prices are Ex-factory price excluding Value Added Tax

रञ्जन कोलाखेती
अध्यक्ष

मनहरी गाउँपालिका
गाउँ कार्यपालिकाको कार्यालय
रजैया, मकवानपुर
दररेट सम्बन्धी विवरण
आ.व.२०८३/०८४

सि.नं.	वस्तु तथा सामानको विवरण	इकाई	दर 2082/083	दर 2083/084	कैफियत
१	यूरिया	के.जि		20.00	
२	डी ए पि	के.जि		50.00	
३	पोटास	के.जि		40.00	

रमेश सुवेदी
प्रमुख प्रशासकीय अधिकृत

इन्द्रिन काफ्ले
अध्यक्ष

मनहरी गाउँपालिका
गाउँ कार्यपालिकाको कार्यालय
रजैया, मकवानपुर
बागमती प्रदेश, नेपाल

Scanned with CamScanner

मनहरी गाउँपालिका

गाउँ कार्यपालिकाको कार्यालय

रजैया, मकवानपुर

दररेट सम्बन्धी विवरण

आ.व.२०८३/०८४

सि.नं.	बस्तु तथा सामानको विवरण	इकाई	दर २०८२/०८३	दर २०८३/०८४	कैफियत
क	कार्यालय संचालन तथा स्टेशनरी				
१	पचिङ्ग सानो	थान	४५३.७५	४९९.१३	
२	पचिङ्ग मिडियम	थान	५५६.६०	६१२.२६	
३	मार्कर पेन	थान	१०८.९०	११९.७९	
४	बोर्डमार्कर	थान	११४.९५	१२६.४५	
५	टिपेक्स पेन	थान	१२७.०५	१३९.७६	
६	हाईलाईट पेन	थान	१०२.८५	११३.१४	
७	मास्कीङ्ग टेप	थान	२११.७५	२३२.९३	
८	सेलो टेप	थान	५४.४५	५९.९०	
९	माईकिल्यिर व्याग	थान	९०.७५	९९.८३	
१०	प्लाटिक कोब्रा फाइल	थान	१४५.२०	१५९.७२	
११	प्लाटिक रिङ्ग फाईल	थान	१६३.३५	१७९.६९	
१२	इण्डेक्स फाईल प्लास्टिक	थान	३८१.१५	४१९.२७	
१३	नेपाली फाईल	थान	४२.३५	४६.५९	
१४	बक्स फाईल	थान	२४२.००	२६६.२०	
१५	डटपेन सेलो	थान	३०.२५	३३.२८	
१६	पाईलट पेन	थान	१९३.६०	२१२.९६	
१७	पेन होल्डर	थान	६७७.६०	७४५.३६	
१८	स्टाप्लर (ठूलो) मिडियम	थान	२८५५.६०	३१४१.१६	
१९	स्टाप्लर सानो	थान	२१७.८०	२३९.५८	
२०	स्टिच पिन सानो	पाकेट	६६.५५	७३.२१	
२१	स्टिच पिन ठुलो, विभिन्न सा.	पाकेट	१५१.२५	१६६.३८	
२२	रजिस्टर २ नम्वर	थान	१९३.६०	२१२.९६	
२३	रजिस्टर ३ नम्वर	थान	३३२.७५	३६६.०३	
२४	रजिस्टर ४ नम्वर	थान	६६५.५०	७३२.०५	
२५	रजिस्टर ५ नम्वर	थान	९५५.९०	१०५१.४९	
२६	रजिस्टर ६ नम्वर	थान	१२८२.६०	१४१०.८६	
२७	साधारण डायरी	थान	८२८.८५	९११.७४	
२८	गम	बोतल	४८०.३७	५२८.४१	
२९	साबुन हात धुने	थान	१०२.८५	११३.१४	
३०	कोलिन स्प्रे	बोतल	३९३.२५	४३२.५८	
३१	फिनेल	लिटर	३४४.८५	३७९.३४	

रत्नजित कालाखेती
अध्यक्ष

सि.नं.	वस्तु तथा सामानको विवरण	इकाई	दर २०८२/०८३	दर २०८३/०८४	कैफियत
३२	हारपिक	लिटर	३५०.९०	३८५.९९	
३३	ओडिनल	पाकेट	१५१.२५	१६६.३८	
३४	सिसाको ग्लास	थान	९०.७५	९९.८३	
३५	कार्पेट	थान	५४४५.००	५९८९.५०	
३६	ग्लुस्टिक	थान	३१४.६०	३४६.०६	
३७	स्टयाम प्याड	थान	९०.७५	९९.८३	
३८	स्टयाम मसी ठुलो	थान	२७२.२५	२९९.४८	
३९	वाईण्डिङ्ग टेप २"	थान	१०८.९०	११९.७९	
४०	वाईण्डिङ्ग टेप ३"	थान	१६९.४०	१८६.३४	
४१	वेन्डीङ्ग क्लिप सानो	थान	९०.७५	९९.८३	
४२	प्रिन्ट पेपर	पाकेट	९०७.५०	९९८.२५	
४३	फोटोकपि पेपर	पाकेट	८८३.३०	९७१.६३	
४४	नेपालि कागज	रिम	२३५९.५०	२५९५.४५	
४५	खाम ६x४को	थान	१४.५२	१५.९७	
४६	खाम ९x४ को	थान	२१.७८	२३.९६	
४७	खाम फाईल साईज	थान	६०.५०	६६.५५	
४८	हाफ साईज खाम	थान	४२.३५	४६.५९	
४९	पेन्सील	थान	१२.१०	१३.३१	
५०	स्केल १२" को	थान	१३३.१०	१४६.४१	
५१	कार्वन पेपर	पाकेट	६७७.६०	७४५.३६	
५२	कैंचि	थान	३९३.२५	४३२.५८	
५३	A३ Paper	पाकेट	२२३८.५०	२४६२.३५	
५४	Servey Wheel	थान	९०७५.००	९९८२.५०	
५५	मल्टिपलग	थान	२८४३.५०	३१२७.८५	
५६	स्टिल टेप ५ मि.	थान	७५६.२५	८३१.८८	
५७	टेप ५० मि. को मेजरिङ	थान	२६१३.६०	२८७४.९६	
५८	टेप १०० मि. को मेजरिङ	थान	४२३५.००	४६५८.५०	
५९	GPS Alkaline Battery	थान	२०३२.८०	२२३६.०८	
६०	क्याल्कुलेटर	थान	२६७४.१०	२९४१.५१	
६१	भित्ते घडि	थान	२३७१.६०	२६०८.७६	
६२	टेप १०० मि.को	थान	४६७०.६०	५१३७.६६	
ख	कम्प्युटर सम्वन्धी				
१	कार्टिज टोनर	थान	४३४३.९०	४७७८.२९	
२	फोटोकपि कार्टिज	थान	४४५२.८०	४८९८.०८	
३	पेन ड्राइभ ३२ जि.बि.	थान	२२०२.२०	२४२२.४२	
४	क्यामरा	थान	३०६१३.००	३३६७४.३०	
५	कि बोर्ड	थान	१९९६.५०	२१९६.१५	

रञ्जन कालम्बिती
अध्यक्ष

सि.नं.	वस्तु तथा सामानको विवरण	इकाई	दर २०८२/०८३	दर २०८३/०८४	कैफियत
६	वायरलेस राउटर	थान	५०३३.६०	५५३६.९६	
७	माउस अप्टिकल	थान	४७१.९०	५१९.०९	
८	Network Video Recorder(NVR) ८ Channel	थान	९०७५.००	९९८२.५०	
९	Network Video Recorder(NVR) ३२ Channel	थान	५५६८१.४२	६१२४९.५६	
१०	एम्लीफायर	थान	५३५३८.८७	५८८९२.७६	
११	कन्फरेन्स माइक	थान	३४२६५.४८	३७६९२.०३	
१२	GPS Machine	थान	२९९४७.५०	३२९४२.२५	
१३	ट्याबलेट	थान	२९८८७.००	३२८७५.७०	
१४	डिजिटल डिस्प्ले बोर्ड	थान	९२९२८.००	१०२२२०.८०	
१५	डिजिटल तराजु	थान	२३५९५.००	२५९५४.५०	
१६	प्रोजक्टर	थान	८०४६५.००	८८५११.५०	
१७	प्रोजक्टर स्क्रीन	थान	१५९७२.००	१७५६९.२०	
१८	बारकोड प्रिन्टर	थान	४८१८५.८४	५३००४.४३	
१९	बारकोड स्क्यानर	थान	३२१२३.८९	३५३३६.२८	
२०	चार्जर	थान	७८६५.००	८६५१.५०	
२१	सि.सि.क्यामरा भिडियो रेकर्डर	थान	१०२८५.००	११३१३.५०	
२२	लाउड स्पीकर	थान	२९४४८.९८	३२३९३.८८	
२३	सिसिटिभी क्यामरा	थान	८४७०.००	९३१७.००	
२४	स्क्यानर मेशिन	थान	८०३०९.७३	८८३४०.७१	
२५	स्टेबिलाइजेर	थान	७१९९५.००	७९१९४.५०	
२६	हाजिर मेशिन	थान	३३४३०.४९	३६७७३.५३	
२७	हार्ड ड्राईभ	थान	१६४०७.६०	१८०४८.३६	
ग	छपाई सम्वन्धी				
१	घटना दर्ता लोगो भएको पेपर	रिम	२३७१.६०	२६०८.७६	
२	विदाको अभिलेख किताव	थान	२२३८.५०	२४६२.३५	
३	हाजिरी रजिस्टर १०० पाने	थान	२४२०.००	२६६२.००	
४	आवधिक का.स.मु.फारम	प्याड	१०४०.६०	११४४.६६	
५	सम्पत्ती विवरण फारम	प्याड	२६६२.००	२९२८.२०	
६	दर्ता किताव १०० पाने	थान	२४२०.००	२६६२.००	
७	चलानी किताव १०० पाने	थान	२४२०.००	२६६२.००	
८	शाखा दर्ता-चलानी किताव ५० पाने	थान	१४५२.००	१५९७.२०	
९	पियन बुक १०० पाने	थान	१८१५.००	१९९६.५०	
१०	भ्रमण बिल	प्याड	५४४.५०	५९८.९५	
११	माग फारम	प्याड	५४४.५०	५९८.९५	
१२	सवारी लगबुक	प्याड	५४४.५०	५९८.९५	
१३	अप्रेशन लगबुक	प्याड	५४४.५०	५९८.९५	
१४	डिटेल ईष्टिमेट	प्याड	५५६.६०	६१२.२६	

रञ्जन कलाखेती
अध्यक्ष

सि.नं.	वस्तु तथा सामानको विवरण	इकाई	दर २०८२/०८३	दर २०८३/०८४	कैफियत
१५	नापि विवरण सानो	थान	२८४.३५	३१२.७९	
१६	नापि विवरण ठुलो	थान	५२०.३०	५७२.३३	
१७	मुल्याङ्कन फारम	प्याड	५९२.९०	६५२.१९	
१८	नागरीकताको नया.फारम	प्याड	१९९६.५०	२१९६.१५	
१९	नागरीकताको लगत १०० पाने	थान	५१४२.५०	५६५६.७५	
२०	पर्तिलिपि फारम	प्याड	१९९६.५०	२१९६.१५	
२१	नाता प्रमाणित	प्याड	१९९६.५०	२१९६.१५	
२२	मृत्यु नाता प्रमाणित	प्याड	१९९६.५०	२१९६.१५	
२३	चारकिल्ला सिफारिस	प्याड	१०५२.७०	११५७.९७	
२४	व्यवसाय दर्ता	पाना	४८.४०	५३.२४	
२५	नेपालि लेटर प्याड ८० ग्राम	प्याड	५४४.५०	५९८.९५	
२६	अङग्रेजि लेटर प्याडर ८० ग्राम	प्याड	५४४.५०	५९८.९५	
२७	विदाको निवेदन	प्याड	४५३.७५	४९९.१३	
२८	घरबाटो सिफारिस	प्याड	५४४.५०	५९८.९५	
६२	जिन्सि किताब खर्च भएर जाने २०० पाने	थान	५१४२.५०	५६५६.७५	
६३	जिन्सि किताब खर्च भएर नजाने २०० पाने	थान	५१४२.५०	५६५६.७५	
६४	मालपोत रसिद	प्याड	६६५.५०	७३२.०५	
६५	नगदी रसिद	प्याड	४७७.९५	५२५.७५	
६६	राजश्व अनुसुचि फारम	प्याड	५४४.५०	५९८.९५	
घ	कार्यालय व्यवस्थापन				
१	छाता	थान	१३५५.२०	१४९०.७२	
२	रेन कोट	थान	५५४१.८०	६०९५.९८	
३	टेवुल सिसा	थान	२७२२.५०	२९९४.७५	
४	जुत्ता	थान	५१७८.८०	५६९६.६८	
५	कपडा	मिटर	१३३.१०	१४६.४१	
६	तौलिया	थान	२११७.५०	२३२९.२५	
७	फिल्ड व्याग	थान	५४४५.००	५९८९.५०	
८	कोरा कपडा	मिटर	१३३.१०	१४६.४१	
९	ह्इल (कुर्सिको)	थान	२४२.००	२६६.२०	
१०	पानी तताउने इ. जग	थान	१६४५.६०	१८१०.१६	
११	वाल्टिन	थान	१२७०.५०	१३९७.५५	
१२	डस्बिन	थान	१०६४.८०	११७१.२८	
१३	ईलेक्ट्रिक किल्ली	थान	३०२५.००	३३२७.५०	
१४	Fire Extruesher	थान	६९६०.१७	७६५६.१९	
१५	आइरन	थान	४५३७.५०	४९९१.२५	
१६	कोट हेंगर	थान	४२३५.००	४६५८.५०	
१७	गलैंचा	थान	५८०८.००	६३८८.८०	

रञ्जन कालामेती
अध्यक्ष

सि.नं.	वस्तु तथा सामानको विवरण	इकाई	दर २०८२/०८३	दर २०८३/०८४	कैफियत
१८	गिजर	थान	१७५४५.००	१९२९९.५०	
१९	टेबुल पंखा	थान	३१४६.००	३४६०.६०	
२०	पर्दा	जोर	२४२०.००	२६६२.००	
२१	ईन्भर्टर ब्याट्री	थान	३५६९५.००	३९२६४.५०	
२२	भ्याकुम क्लिनर	थान	१६९४०.००	१८६३४.००	
२३	मादल	थान	६६५५.००	७३२०.५०	
२४	मिक्स्चर	थान	४८७२.०७	५३५९.२७	
२५	बाल पंखा	थान	३३८८.००	३७२६.८०	
२६	सिलिङ पंखा	थान	३६३०.००	३९९३.००	
२७	सोलार प्यानल	थान	२४२००.००	२६६२०.००	
२८	बेड सेट	सेट	६६५५.००	७३२०.५०	
२९	हिटर	थान	२५४१.००	२७९५.१०	
ङ	पूजिगत सामानहरु				
१	स्टील दराज ६६ ईन्च	थान	२६६२०.००	२९२८२.००	
२	रिभोल्भीङ चेयर	थान	१९३६०.००	२१२९६.००	
३	स्टिल टेबुल सिंघल घर्रा	थान	१८१५०.००	१९९६५.००	
४	स्टिल टेबुल डबल घर्रा	थान	२४२००.००	२६६२०.००	
५	ओपेन रयाक	थान	११४९५.००	१२६४४.५०	
६	सादा कुर्ची	थान	६६५५.००	७३२०.५०	
७	कम्प्यूटर सेट	थान	१०२८५०.००	११३१३५.००	
८	लेजर प्रिन्टर	थान	४३०७६.००	४७३८३.६०	
९	कलर प्रिन्टर	थान	४५७९८.५०	५०३७८.३५	
१०	कम्प्यूटर टेबुल	थान	१०२८५.००	११३१३.५०	
११	डिजिटल क्यामरा	थान	३४४८५.००	३७९३३.५०	
१२	LCD Monitor २१"	थान	२९०४०.००	३१९४४.००	
१३	Laptop	थान	११९७९०.००	१३१७६९.००	
१४	Branded Computer	सेट	१०८९००.००	११९७९०.००	
१५	नेट रिभोल्विङ चियर	थान	८४७०.००	९३१७.००	
१६	फोटोकपि/प्रिन्ट मेसिन	थान	४५३७५.००	४९९१२.५०	
१७	जि.पि.एस.	थान	१५३६७.००	१६९०३.७०	
१८	सिलिङ-फ्यान	थान	४८४०.००	५३२४.००	
१९	स्टयाण्ड फ्यान	थान	६६५५.००	७३२०.५०	
२०	ईन्भटर	थान	५४४५०.००	५९८९५.००	
२१	एयर कुलर	थान	१७५४५.००	१९२९९.५०	
२२	एयर कण्डिसन १ टन	थान	११४९५०.००	१२६४४५.००	
२३	एयर कण्डिसन १.५ टन	थान	१३७९४०.००	१५१७३४.००	
२४	किचन सेट	थान	५४४५०.००	५९८९५.००	

रञ्जन कालाखेती
अध्यक्ष

सि.नं.	वस्तु तथा सामानको विवरण	इकाई	दर २०८२/०८३	दर २०८३/०८४	कैफियत
२५	टि टेबुल	थान	१०२८५.००	११३१३.५०	
२६	स्पिकर माईक	सेट	१५१२५.००	१६६३७.५०	
२७	स्टिल बेन्च सेवाग्राहि बस्ने	थान	२३५९५.००	२५९५४.५०	
२८	मोटरसाईकल १५० सि.सि. स्पेक अनुसार	थान	५१४२५०.००	५६५६७५.००	
२९	वाटर प्युरिफायर १६ लिटरवाला	थान	३८७२०.००	४२५९२.००	
३०	सोफासेट ७ सिटर हेभी स्टयाण्डर	सेट	७२६००.००	७९८६०.००	
३१	सोफासेट ५ सिटर	सेट	४८४००.००	५३२४०.००	
३२	टेलिभिजन ३२"	थान	२३५३४.५०	२५८८७.९५	
३३	टेलिभिजन ४३"	थान	५१३९८.२३	५६५३८.०६	
३४	टेलिभिजन ५५"	थान	१०२८५०.००	११३१३५.००	
३५	सुचना पार्टी	थान	४८४०.००	५३२४.००	
३६	Visitor Tool(भिजिटर टुल)	थान	९६०३.७१	१०५६४.०८	
३७	White Board(ह्वाइट बोर्ड)	थान	१०६४८.००	११७१२.८०	
३८	कोर कटर स्पेक अनुसार	थान	२४१८६६.९०	२६६०५३.५९	
३९	जेनेरेटर ५ KVA स्पेक अनुसार	थान	१३२८५८.००	१४६१४३.८०	
४०	जेनेरेटर ३० KVA स्पेक अनुसार	थान	१०४०६००.००	११४४६६०.००	
४१	टयुबेल धारा(हेन्ड पम्प)	थान	४८४०.००	५३२४.००	
४२	फ्रिज	थान	३२६५९.११	३५९२५.०२	
४३	रोष्टम	थान	१९२३९.००	२११६२.९०	
४४	लेभल मेशिन	थान	९५३३८.३२	१०४८७२.१५	
४५	वासिड मेसिन	थान	९३५९३.५०	१०२९५२.८५	
४६	स्कुटर स्पेक अनुसार	थान	२५५१८९.००	२८०७०७.९०	
च	विषयगत शाखा अन्तर्गत प्रयोग हुने				
१	Burdizzo castetar	थान	२०७५५.६१	२२८३१.१८	
२	Examination Bed	थान	१५१२५.००	१६६३७.५०	
३	Grain Moisture Meter	थान	१५६३३.२०	१७१९६.५२	
४	Incubator	थान	१९२३९.००	२११६२.९०	
५	Moisture Meter(मोइश्चर मिटर)	थान	१२१००.००	१३३१०.००	
६	Mother Container(पशुको कृतिम गर्भाधान मेशिन)	थान	१७१३३६.००	१८८४६९.६०	
७	Soil Auger(स्यावल अंगर)	थान	४३५६.००	४७९१.६०	
८	Soil Test Kit Box	थान	३०२५००.००	३३२७५०.००	
९	आइस बक्स	थान	३९१०.४८	४३०१.५३	
१०	ईन्टरलग मेशिन	थान	१२७०५.००	१३९७५.५०	
११	ए आइ गन	थान	१००९०.८०	११०९९.८७	
१२	ट्रलि	थान	८४७०.००	९३१७.००	
१३	तरल नाईट्रोजन भ्याट	थान	१४४९३३.८०	१५९४२७.१८	
१४	प्रिजम रड सेट	थान	२९२७४.७४	३२२०२.२१	

रन्जन कालाखेती
अध्यक्ष

सि.नं.	वस्तु तथा सामानको विवरण	इकाई	दर २०८२/०८३	दर २०८३/०८४	कैफियत
१५	माइक्रोस्कोप	थान	४८३८७.९०	५३२२६.६९	
१६	साइकल सामान्य	थान	८५६०.७५	९४१६.८३	
१७	सिलाई मेशिन	थान	१५००४.००	१६५०४.४०	
१८	स्ट्रेचर	थान	४०२६.७०	४४२९.३७	
१९	हार्मोनियम	थान	३५६९५.००	३९२६४.५०	
२०	चप्पल बनाउने मेसिन	थान	१७८०२०.००	१९७८००.००	
२१	आलु चिप्स मेसिन	थान	८४९१९.५०	९४३५५.००	
२२	Emergency Rescue Stretcher	थान	१८१०२.६०	२०११४.००	
२३	घाँस काट्ने मेशिन	थान	२९०९९.९९	३२३३३.३३	
२४	चेस्ट प्रेस	थान	१०१७०.००	११३००.००	
२५	हर्स राईडर	थान	५२२००.००	५८०००.००	
२६	Pully	थान	२००३४.९०	२२२६१.००	
२७	Full Body Harness	थान	१८१०२.६०	२०११४.००	
२८	Ring life buoys(rescue buoy) tube	थान	१२५८०.२९	१३९७८.१०	
२९	जिम साईकल	थान	४४१००.००	४९०००.००	
३०	एयर स्वीड	थान	६१०२०.००	६७८००.००	
३१	थाई ची स्पिनर/आर्म एन्ड सोल्डर हिवल	थान	६१०२०.००	६७८००.००	
३२	एयर स्विड/डवल सर्फ बोर्ड	थान	३८२५०.००	४२५००.००	
३३	वेट लिफ्टर	थान	५०८५०.००	५६५००.००	
३४	साइकल एक्सरसाइज	थान	५०८५०.००	५६५००.००	
३५	सिट अप स्टेशन डवल	थान	१०१७०.००	११३००.००	
३६	एअर वाल्कर	थान	५०८५०.००	५६५००.००	
३७	पुस एण्ड पुल चेयर	थान	१०१७०.००	११३००.००	
३८	मङ्गकी वार	थान	४९०५०.००	५४५००.००	
३९	रोइङ्ग मेसिन	थान	५८५४५.००	६५०५०.००	
४०	क्रस ट्रेनर	थान	१०१७०.००	११३००.००	
४१	manual treadmill	थान	३७२६०.००	४१४००.००	
४२	twister	थान	६१०२०.००	६७८००.००	
४३	Leg Press	थान	५०८५.००	५६५०.००	
४४	सोल्जर हिवल	थान	४९०५०.००	५४५००.००	
४५	ट्रली स्पीकर	थान	४४६४६.३०	४९६०७.००	
४६	लाउड स्पीकर	थान	३५५९५.००	३९५५०.००	
४७	Audio Mixer / Soundcraft	थान	१९७९९.९९	२१९९९.९९	

इन्जिन कालाखेती
अध्यक्ष

(ख) निर्माण सामांग्रीहरुको दर आ.व ०८३/०८४ को लागि

सि.नं		मालसामानको विवरण	इकाई	दररेट ०८१/०८२	दररेट ०८२/०८३	दररेट ०८३/०८४	कैफियत
		NPA Geocell (Novel Polymeric Alloy) Technology प्रयोग गरि Road Pavement Construction, Water Channel Protection, Slope Protection, Retanining Wall जस्ता Geotechnical काम गर्ने					
	1	Cell Opening Size -330mm Strength Category-B					
		Cell height - 75mm	ब.मि	१,१३४.००	१,१३४.००	१,१३४.००	
		Cell height - 100mm	ब.मि	१,५३९.००	१,५३९.००	१,५३९.००	
		Cell height - 120mm	ब.मि	१,९१९.००	१,९१९.००	१,९१९.००	
		Cell height - 150mm	ब.मि	२,२३५.००	२,२३५.००	२,२३५.००	
		Cell height - 200mm	ब.मि	३,०७८.००	३,०७८.००	३,०७८.००	
	2	Cell Opening Size -330mm Strength Category-C					
		Cell height - 75mm	ब.मि	१,१२८.००	१,१२८.००	१,१२८.००	
		Cell height - 100mm	ब.मि	१,४९०.००	१,४९०.००	१,४९०.००	
		Cell height - 120mm	ब.मि	२,००८.००	२,००८.००	२,००८.००	
		Cell height - 150mm	ब.मि	२,३४९.००	२,३४९.००	२,३४९.००	
		Cell height - 200mm	ब.मि	३,२४०.००	३,२४०.००	३,२४०.००	
	3	Cell Opening Size -330mm Strength Category-D					
		Cell height - 75mm	ब.मि	१,७१७.००	१,७१७.००	१,७१७.००	
		Cell height - 100mm	ब.मि	२,३४९.००	२,३४९.००	२,३४९.००	
		Cell height - 120mm	ब.मि	२,९१६.००	२,९१६.००	२,९१६.००	
		Cell height - 150mm	ब.मि	३,४०२.००	३,४०२.००	३,४०२.००	
		Cell height - 200mm	ब.मि	४,६६५.००	४,६६५.००	४,६६५.००	
	4	Cell Opening Size -330mm Strength Category-B					
		Cell height - 75mm	ब.मि	१,०८५.००	१,०८५.००	१,०८५.००	
		Cell height - 100mm	ब.मि	१,४५८.००	१,४५८.००	१,४५८.००	
		Cell height - 120mm	ब.मि	१,८६३.००	१,८६३.००	१,८६३.००	
		Cell height - 150mm	ब.मि	२,१२२.००	२,१२२.००	२,१२२.००	
		Cell height - 200mm	ब.मि	२,९३२.००	२,९३२.००	२,९३२.००	
	5	Cell Opening Size -330mm Strength Category-C					
		Cell height - 75mm	ब.मि	१,१३४.००	१,१३४.००	१,१३४.००	
		Cell height - 100mm	ब.मि	१,५३९.००	१,५३९.००	१,५३९.००	
		Cell height - 120mm	ब.मि	१,९२७.००	१,९२७.००	१,९२७.००	
		Cell height - 150mm	ब.मि	२,२१९.००	२,२१९.००	२,२१९.००	
		Cell height - 200mm	ब.मि	३,०६१.००	३,०६१.००	३,०६१.००	
	6	Cell Opening Size -330mm Strength Category-D					
		Cell height - 75mm	ब.मि	१,६५२.००	१,६५२.००	१,६५२.००	

रन्जन कालाखेती
अध्यक्ष

सि.नं		मालसामानको विवरण	इकाई	दररेट	दररेट	दररेट	कैफियत
				०८१/०८२	०८२/०८३	०८३/०८४	
		Cell height - 100mm	ब.मि	२,२३५.००	२,२३५.००	२,२३५.००	
		Cell height - 120mm	ब.मि	२,७८६.००	२,७८६.००	२,७८६.००	
		Cell height - 150mm	ब.मि	३,२२३.००	३,२२३.००	३,२२३.००	
		Cell height - 200mm	ब.मि	४,४५५.००	४,४५५.००	४,४५५.००	
	7	Cell Opening Size ~~[illegible]~~mm Strength Category-B					
		Cell height - 75mm	ब.मि	९७२.००	९७२.००	९७२.००	
		Cell height - 100mm	ब.मि	१,३१२.००	१,३१२.००	१,३१२.००	
		Cell height - 120mm	ब.मि	१,६२०.००	१,६२०.००	१,६२०.००	
		Cell height - 150mm	ब.मि	१,८९५.००	१,८९५.००	१,८९५.००	
		Cell height - 200mm	ब.मि	२,६०८.००	२,६०८.००	२,६०८.००	
	8	Cell Opening Size ~~[illegible]~~mm Strength Category-C					
		Cell height - 75mm	ब.मि	१,००४.००	१,००४.००	१,००४.००	
		Cell height - 100mm	ब.मि	१,३६०.००	१,३६०.००	१,३६०.००	
		Cell height - 120mm	ब.मि	१,७०८.००	१,७०८.००	१,७०८.००	
		Cell height - 150mm	ब.मि	१,९७६.००	१,९७६.००	१,९७६.००	
		Cell height - 200mm	ब.मि	२,७२१.००	२,७२१.००	२,७२१.००	
	9	Cell Opening Size ~~[illegible]~~mm Strength Category-D					
		Cell height - 75mm	ब.मि	१,४७४.००	१,४७४.००	१,४७४.००	
		Cell height - 100mm	ब.मि	१,९७६.००	१,९७६.००	१,९७६.००	
		Cell height - 120mm	ब.मि	२,४७८.००	२,४७८.००	२,४७८.००	
		Cell height - 150mm	ब.मि	२,८८३.००	२,८८३.००	२,८८३.००	
		Cell height - 200mm	ब.मि	३,९६९.००	३,९६९.००	३,९६९.००	

रञ्जन कालाखेती
अध्यक्ष

Scanned with CamScanner

(अ) निर्माण सामांग्रीहरुको दर आ.व ०८३/०८४ को लागि

S.N	Description of items	MRP Per Pcs (Ex VAT)	MRP per Cubic Meter (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per Cubic Meter (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per Cubic Meter (Ex VAT)	Remarks
		081/082	081/082	082/083	082/083	083/084	083/084	
1.0	Brick Grey Color With Compressive Strength M10 or above. (Specification ; Thickness 70mm, Dimesation 230*110*70,Tolerance/others Machine Made Precast Concrete Bricks)	23.1	13043.48	23.1	13043.48	23.1	13043.48	
2.0	Brick Single Color With Compressive Strength M10 or above. (Specification ; Thickness 70mm, Dimesation 230*110*70,Tolerance/others Machine Made Precast Concrete Bricks)	25.1	14172.79	25.1	14172.79	25.1	14172.79	
3.0	Brick Grey Color With Compressive Strength M10 or above. (Specification ; Thickness 55mm, Dimesation 230*110*55,Tolerance/others Machine Made Precast Concrete Bricks)	20.85	14983.83	20.85	14983.83	20.85	14983.83	
4.0	Brick single Color With Compressive Strength M10 or above. (Specification ; Thickness 55mm, Dimesation 230*110*55,Tolerance/others Machine Made Precast Concrete Bricks)	22.35	16061.81	22.35	16061.81	22.35	16061.81	

S.N	Description of items	MRP Per Pcs (Ex VAT)	MRP per SQM(Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per SQM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per SQM (Ex VAT)	Remarks
1.0	Hollocon Grey Color with compressive strength M7 or above. (specification; Thickness: 200mm, Dimension : 390*200*190,Tolerance/other ,Machine Made)	150.25	2027.62	150.25	2027.62	150.25	2027.62	
2.0	Holiocon single Color with compressive strength M7 or above. (specification; Thickness: 200mm, Dimension : 390*200*190,Tolerance/other ,Machine Made)	173.75	2344.76	173.75	2344.76	173.75	2344.76	

S.N	Description of items	MRP Per Pcs (Ex VAT)	MRP per SQM(Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per SQM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per SQM (Ex VAT)	Remarks
1.0	Hollocon Grey Color with compressive strength M7 or above. (specification; Thickness: 150mm, Dimension : 390*150*190,Tolerance/other ,Machine Made)	122.13	1648.08	122.13	1648.08	122.13	1648.08	
2.0	Hollocon Grey Color with compressive strength M7 or above. (specification; Thickness: 150mm, Dimension : 390*150*190,Tolerance/other ,Machine Made)	136.88	1847.13	136.88	1847.13	136.88	1847.13	

S.N	Description of items	MRP Per Pcs (Ex VAT)	MRP per SQM(Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per SQM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per SQM (Ex VAT)	Remarks
1.0	Hollocon Grey Color with compressive strength M7 or above. (specification; Thickness: 100mm, Dimension : 390*100*190,Tolerance/other ,Machine Made)	105.25	1420.35	105.25	1420.35	105.25	1420.35	
2.0	Holiocon single Color with compressive strength M7 or above. (specification; Thickness: 100mm, Dimension : 390*100*190,Tolerance/other ,Machine Made)	118.25	1595.78	118.25	1595.78	118.25	1595.78	

S.N	Description of items	MRP Per Pcs (Ex VAT)	MRP per SQM(Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per SQM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per SQM (Ex VAT)	Remarks

रञ्जन कालाम्ब्रेती
अध्यक्ष

S.N	Description of items	MRP Per Pcs (Ex VAT)	MRP per Cubic Meter (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per Cubic Meter (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per Cubic Meter (Ex VAT)	Remarks
1.0	Hexagon Interlock Pavers Grey Color with compressive strength M30 or above. Thickness 50mm, Dimension : 226*200*50, NS Standard	41	1217.6	41	1217.6	41	1217.6	
2.0	Hexagon Interlock Pavers single Color with compressive strength M30 or above. Thickness 50mm, Dimension : 226*200*50, NS Standard	48	1425.48	48	1425.48	48	1425.48	
3.0	Hexagon Interlock Pavers Blended Color with compressive strength M30 or above. Thickness 50mm, Dimension : 226*200*50, NS Standard	52.1	1547.24	52.1	1547.24	52.1	1547.24	
4.0	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension : 226*200*60, NS Standard	49	1455.18	49	1455.18	49	1455.18	
5.0	Hexagon Interlock Pavers single Color with compressive strength M35 or above. Thickness: 60mm, Dimension : 226*200*60, NS Standard	56	1663.07	56	1663.07	56	1663.07	
6.0	Hexagon Interlock Pavers Blanded Color with compressive strength M35 or above. Thickness: 60mm, Dimension : 226*200*60, NS Standard	59	1752.16	59	1752.16	59	1752.16	
7.0	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension : 226*200*70, NS Standard	59.3	1761.07	59.3	1761.07	59.3	1761.07	
8.0	Hexagon Interlock Pavers single Color with compressive strength M40 or above. Thickness: 70mm, Dimension : 226*200*70, NS Standard	64.3	1909.56	64.3	1909.56	64.3	1909.56	
9.0	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension : 226*200*70, NS Standard	69.3	2058.04	69.3	2058.04	69.3	2058.04	
10.0	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension : 226*200*70, NS Standard	68	2019.44	68	2019.44	68	2019.44	
11.0	Hexagon Interlock Pavers single Color with compressive strength M40 or above. Thickness: 80mm, Dimension : 226*200*80, NS Standard	76.6	2274.84	76.6	2274.84	76.6	2274.84	
12.0	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension : 226*200*80, NS Standard	78	2316.41	78	2316.41	78	2316.41	
S.N	Description of items	MRP Per Pcs (Ex VAT)	MRP per SQM(Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per SQM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per SQM (Ex VAT)	Remarks
1.0	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension : 200*100*60, NS Standard	40	2001.57	40	2001.57	40	2001.57	
2.0	Rectangular Interlock Pavers single Color with compressive strength M35 or above. Thickness: 60mm, Dimension : 200*100*60, NS Standard	46.06	2304.57	46.06	2304.57	46.06	2304.57	
3.0	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension : 200*100*60, NS Standard	54.06	2704.84	54.06	2704.84	54.06	2704.84	

रञ्जन कालाखेती
अध्यक्ष

S.N	Description of Items	MRP Per Pcs (Ex VAT)	MRP per Cubic Meter (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per Cubic Meter (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per Cubic Meter (Ex VAT)	Remarks
4.0	Rectangular Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension : 200*100*100, NS Standard	82.7	4137.81	82.7	4137.81	82.7	4137.81	
5.0	Rectangular Interlock Pavers single Color with compressive strength M50 or above. Thickness: 100mm, Dimension : 200*100*100, NS Standard	90.7	4538.08	90.7	4538.08	90.7	4538.08	
6.0	Rectangular Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension : 200*100*100, NS Standard	93.7	4688.19	93.7	4688.19	93.7	4688.19	

S.N	Description of Items	MRP Per Pcs (Ex VAT)	MRP per SQM(Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per SQM(Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per SQM (Ex VAT)	Remarks
1.0	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension : 200*165*50, NS Standard	42.6	1568.1	42.6	1568.1	42.6	1568.1	
2.0	Behaton Interlock I Pavers single Color with compressive strength M35 or above. Thickness: 50mm, Dimension : 200*165*50, NS Standard	50.38	1854.65	50.38	1854.65	50.38	1854.65	
3.0	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension : 200*165*50, NS Standard	53.92	1984.79	53.92	1984.79	53.92	1984.79	
4.0	Behaton Interlock I Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension : 200*165*80, NS Standard	67.58	2487.91	67.58	2487.91	67.58	2487.91	
5.0	Behaton Interlock I Pavers single Color with compressive strength M40 or above. Thickness: 80mm, Dimension : 200*165*80, NS Standard	75.58	2781.91	75.58	2781.91	75.58	2781.91	
6.0	Behaton Interlock I Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension : 200*165*80, NS Standard	80.79	2973.69	80.79	2973.69	80.79	2973.69	

S.N	Description of Items	MRP Per Pcs (Ex VAT)	MRP per SQM(Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per SQM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per SQM (Ex VAT)	Remarks
1.0	Uni Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension : 240*120*60, NS Standard	49	1697.71	49	1697.71	49	1697.71	
2.0	Uni Interlock Pavers single Color with compressive strength M35 or above. Thickness: 60mm, Dimension : 240*120*60, NS Standard	57	1974.89	57	1974.89	57	1974.89	
3.0	Uni Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension : 240*120*60, NS Standard	64.4	2231.28	64.4	2231.28	64.4	2231.28	
4.0	Zigzag Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension : 225*112.5*80, NS Standard	66.75	2636.62	66.75	2636.62	66.75	2636.62	
5.0	Zigzag Interlock Pavers single Color with compressive strength M40 or above. Thickness: 80mm, Dimension : 225*112.5*80, NS Standard	73.75	2913.12	73.75	2913.12	73.75	2913.12	
6.0	Zigzag Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension : 225*112.5*80, NS Standard	79.45	3138.27	79.45	3138.27	79.45	3138.27	

S.N	Description of Items	MRP Per Pcs (Ex VAT)	MRP per Cubic Meter (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per Cubic Meter (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per Cubic Meter (Ex VAT)	Remarks
7.0	Zigzag Interlock Pavers Grey Color with compressive strength M50 or above. Thickness 100mm, Dimension : 225*112.5*100, NS Standard	111.1	4388.45	111.1	4388.45	111.1	4388.45	
8.0	Zigzag Interlock Pavers single Color with compressive strength M50 or above. Thickness 100mm, Dimension : 225*112.5*100, NS Standard	126.1	4980.94	126.1	4980.94	126.1	4980.94	
9.0	Zigzag Interlock Pavers Blended Color with compressive strength M50 or above. Thickness 100mm, Dimension : 225*112.5*100, NS Standard	131.1	5178.44	131.1	5178.44	131.1	5178.44	
10.0	Zigzag Interlock Pavers Grey Color with compressive strength M55 or above. Thickness: 120mm, Dimension : 225*112.5*120, NS Standard	133.2	5261.38	133.2	5261.38	133.2	5261.38	
11.0	Zigzag Interlock Pavers single Color with compressive strength M55 or above. Thickness 120mm, Dimension : 225*112.5*120, NS Standard	143.2	5656.38	143.2	5656.38	143.2	5656.38	
12.0	Zigzag Interlock Pavers Blended Color with compressive strength M55 or above. Thickness: 120mm, Dimension : 225*112.5*120, NS Standard	154.2	6090.88	154.2	6090.88	154.2	6090.88	

रञ्जन कालाखेती
अध्यक्ष

Scanned with CamScanner

S.N	Description of Items	MRP Per Pcs (Ex VAT)	MRP per Cubic Meter (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per Cubic Meter (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per Cubic Meter (Ex VAT)	Remarks
S.N	Description of Items	MRP Per Pcs (Ex VAT)	MRP per SQM(Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per SQM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per SQM (Ex VAT)	Remarks
1.0	Romba 3D Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension : 200*173*60, NS Standard	63.75	1881.56	63.75	1881.56	63.75	1881.56	
2.0	Romba 3D Interlock Pavers single Color with compressive strength M35 or above. Thickness: 60mm, Dimension : 200*173*60, NS Standard	71.75	2117.68	71.75	2117.68	71.75	2117.68	
3.0	Romba 3D Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension : 200*173*60, NS Standard	75	2213.6	75	2213.6	75	2213.6	
S.N	Description of Items	MRP Per Pcs (Ex VAT)	MRP per SQM(Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per SQM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per SQM (Ex VAT)	Remarks
1.0	Square Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension : 200*200*50, NS Standard	70	1749.68	70	1749.68	70	1749.68	
2.0	Square Interlock Pavers single Color with compressive strength M30 or above. Thickness: 50mm, Dimension : 200*200*50, NS Standard	84.03	2100.46	84.03	2100.46	84.03	2100.46	
3.0	Square Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension : 200*200*50, NS Standard	106.03	2650.26	106.03	2650.26	106.03	2650.26	
4.0	Square Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension : 200*200*60, NS Standard	78.45	1960.9	78.45	1960.9	78.45	1960.9	
5.0	Square Interlock Pavers single Color with compressive strength M35 or above. Thickness: 60mm, Dimension : 200*200*60, NS Standard	93.45	2335.83	93.45	2335.83	93.45	2335.83	
6.0	Square Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension : 200*200*60, NS Standard	105.31	2632.27	105.31	2632.27	105.31	2632.27	
S.N	Description of items	MRP Per Pcs (Ex VAT)	MRP per SQM(Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per SQM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per SQM (Ex VAT)	Remarks
1.0	Cobble Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension : 100*100*60, NS Standard	19.05	1905.07	19.05	1905.07	19.05	1905.07	
2.0	Cobble Interlock Pavers single Color with compressive strength M35 or above. Thickness: 60mm, Dimension : 100*100*60, NS Standard	22.05	2205.08	22.05	2205.08	22.05	2205.08	
3.0	Cobble Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension : 100*100*60, NS Standard	26.35	2635.09	26.35	2635.09	26.35	2635.09	
S.N	Description of Items	MRP Per Pcs (Ex VAT)	MRP per SQM(Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per SQM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per SQM (Ex VAT)	Remarks
1.0	Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension : 200*200*60, NS Standard	78.6	2095.73	78.6	2095.73	78.6	2095.73	

रन्जन कालाखेती
अध्यक्ष

S.N	Description of items	MRP Per Pcs (Ex VAT)	MRP per Cubic Meter (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per Cubic Meter (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per Cubic Meter (Ex VAT)	Remarks
2.0	Interlock Pavers single Color with compressive strength M35 or above. Thickness 60mm, Dimension : 200*200*60, NS Standard	88.6	2362.37	88.6	2362.37	88.6	2362.37	
3.0	Interlock Pavers Blended Color with compressive strength M35 or above Thickness 60mm, Dimension : 200*200*60, NS Standard	93.6	2495.68	93.6	2495.68	93.6	2495.68	

S.N	Description of items	MRP Per Pcs (Ex VAT)	MRP per SQM(Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per SQM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per SQM (Ex VAT)	Remarks
1.0	Interlock with Cobble Pavers Grey Color with compressive strength M35 or above Thickness 60mm, Dimension : 200*200*60, NS Standard	84.6	2114.62	84.6	2114.62	84.6	2114.62	
2.0	Interlock with Cobble Pavers single Color with compressive strength M35 or above. Thickness 60mm, Dimension : 200*200*60, NS Standard	94.6	2364.57	94.6	2364.57	94.6	2364.57	
3.0	Interlock with Cobble Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension : 200*200*60, NS Standard	104.6	2614.53	104.6	2614.53	104.6	2614.53	

S.N	Description of items	MRP Per Pcs (Ex VAT)	MRP per SQM(Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per SQM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per SQM (Ex VAT)	Remarks
1.0	Mtrix Slab / Tiles Grey Color with Compressive strength M35 or above. (specification : Thickness; 40mm, Dimension : 400*400*40, Tolerance / other :1mm Variance in thickness proper interlock Grooves &	272	1700.42	272	1700.42	272	1700.42	
2.0	Mtrix Slab / Tiles single Color with Compressive strength M35 or above. (specification : Thickness; 40mm, Dimension : 400*400*40, Tolerance / other :1mm Variance in thickness proper interlock Grooves &	302	1887.97	302	1887.97	302	1887.97	
3.0	Mtrix Slab / Tiles Blended Color with Compressive strength M35 or above. (specification : Thickness; 40mm, Dimension : 400*400*40, Tolerance / other :1mm Variance in thickness proper interlock Grooves &	337	2106.78	337	2106.78	337	2106.78	
4.0	Mtrix Slab / Tiles Grey Color with Compressive strength M35 or above. (specification : Thickness; 60mm, Dimension : 400*400*60, Tolerance / other :1mm Variance in thickness proper interlock Grooves &	398.5	2491.25	398.5	2491.25	398.5	2491.25	
5.0	Mtrix Slab / Tiles single Color with Compressive strength M35 or above. (specification : Thickness; 60mm, Dimension : 400*400*60, Tolerance / other :1mm Variance in thickness proper interlock Grooves &	448.5	2903.82	448.5	2903.82	448.5	2903.82	
6.0	Mtrix Slab / Tiles Grey Color with Compressive strength M35 or above. (specification : Thickness; 60mm, Dimension : 400*400*60, Tolerance / other :1mm Variance in thickness proper interlock Grooves &	498.5	3116.4	498.5	3116.4	498.5	3116.4	
S.N	Description of items	MRP Per Pcs (Ex VAT)	MRP per SQM(Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per SQM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per SQM (Ex VAT)	Remarks

रञ्जन कालाखेती
अध्यक्ष

S.N	Description of items	MRP Per Pcs (Ex VAT)	MRP per Cubic Meter (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per Cubic Meter (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per Cubic Meter (Ex VAT)	Remarks
1.0	Mtrix Fusion Slab / Tiles Grey Color with Compressive strength M35 or above (specification : Thickness: 40mm, Dimension : 1200*800*40, Tolerance / other :1mm Variance in thickness proper interlock Grooves &	1856	1937.14	1856	1937.14	1856	1937.14	
2.0	Mtrix Fusion Slab / Tiles single Color with Compressive strength M35 or above. (specification : Thickness, 40mm, Dimension : 1200*800*40, Tolerance / other :1mm Variance in thickness proper interlock Grooves &	2143	2236.69	2143	2236.69	2143	2236.69	
3.0	Mtrix Fusion Slab / Tiles Blended Color with Compressive strength M35 or above (specification : Thickness, 40mm, Dimension : 1200*800*40, Tolerance / other 1mm Variance in thickness proper interlock Grooves &	2433	2539.37	2433	2539.37	2433	2539.37	

S.N	Description of items	MRP Per Pcs (Ex VAT)	MRP per SQM(Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per SQM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per SQM (Ex VAT)	Remarks
1.0	Nostalgic Pavers Grey Color with compressive strength M35 or above. Thickness 60mm, Dimension : 1140*960*60mm,/ Pallet NS Standard	3163.8	3029.78	3163.8	3029.78	3163.8	3029.78	
2.0	Nostalgic Pavers single Color with compressive strength M35 or above. Thickness 60mm, Dimension : 1140*960*60mm,/Pallet NS Standard	3383.8	3240.46	3383.8	3240.46	3383.8	3240.46	
3.0	Nostalgic Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension : 1140*960*60mm, /Pallet NS Standard	3530	3380.47	3530	3380.47	3530	3380.47	

S.N	Description of items	MRP Per Pcs (Ex VAT)	MRP per SQM(Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per SQM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per SQM (Ex VAT)	Remarks
1.0	Grass interlock Pavers Grey Color with compressive strength M40 or above. Thickness 80mm, Dimension : 400*600*80mm, NS Standard	496.8	2068.73	496.8	2068.73	496.8	2068.73	

S.N	Description of items	MRP Per Pcs (Ex VAT)	MRP per RM(Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per RM(Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per RM (Ex VAT)	Remarks
1.0	Half batterd Kerbstone Grey Color with compressive strength M20 or above. Thickness 200mm, Dimension : 300*200*350,(L*B*H) NS Standard	410	1365.3	410	1365.3	410	1365.3	
2.0	Half batterd Kerbstone single Color with compressive strength M25 or above. Thickness 200mm, Dimension :300*200*350mm,(L*B*H) NS Standard	435	1448.55	435	1448.55	435	1448.55	
3.0	Half batterd Kerbstone Grey Color with compressive strength M20 or above. Thickness/Breadth 165mm, Dimension : 300*165*325 (L*B*H) NS Standard	350	1165.5	350	1165.5	350	1165.5	
4.0	Half batterd Kerbstone Grey Color with compressive strength M25 or above. Thickness/Breadth 165mm, Dimension : 300*165*325 (L*B*H) NS Standard	370	1232.1	370	1232.1	370	1232.1	

S.N	Description of items	MRP Per Pcs (Ex VAT)	MRP per RM(Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per RM(Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per RM (Ex VAT)	Remarks

रञ्जन कालामोती
अध्यक्ष

S.N	Description of items	MRP Per Pcs (Ex VAT)	MRP per Cubic Meter (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per Cubic Meter (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per Cubic Meter (Ex VAT)	Remarks
1.0	Half battered Kerbstone Grey Color with compressive strength M20 or above Thickness 200mm, Dimension : 250*200*380 (L*B*H) NS Standard	400	1600	400	1600	400	1600	
2.0	Half battered Kerbstone Grey Color with compressive strength M25 or above Thickness 200mm, Dimension : 250*200*380 (L*B*H) NS Standard	420	1680	420	1680	420	1680	

S.N	Description of items	MRP Per Pcs (Ex VAT)	MRP per RM(Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per RM(Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per RM (Ex VAT)	Remarks
1.0	Bullnose Kerbstone Grey Color with compressive strength M20 or above. Thickness 200mm, Dimension : 300*200*350 (L*B*H) NS Standard	460	1531.8	460	1531.8	460	1531.8	
2.0	Bullnose Kerbstone Grey Color with compressive strength M25 or above. Thickness 200mm, Dimension : 300*200*350 (L*B*H) NS Standard	485	1615.05	485	1615.05	485	1615.05	

S.N	Description of items	MRP Per Pcs (Ex VAT)	MRP per RM(Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per RM(Ex VAT)	MRP Per Pcs (Ex VAT)	MRP per RM (Ex VAT)	Remarks
1.0	Y shape Drain Male & Female set with compressive strength M35 or above. Thickness 20mm, Dimension : 300*75*499.5 (L*B*H) NS Standard	673	2241.09	673	2241.09	673	2241.09	

S.N	Description of items	MRP Per Piece (Ex VAT)	MRP per CUM(Ex VAT)	MRP Per Piece (Ex VAT)	MRP per CUM(Ex VAT)	MRP Per Piece (Ex VAT)	MRP per CUM (Ex VAT)	Remarks
1.0	ACC block 600*200*100mm	157	13050.0	163	13050.0	163	13050.0	
2.0	ACC block 600*200*150mm	236	13050.0	246	13050.0	246	13050.0	
3.0	ACC block 600*200*200mm	314	13050.0	327	13050.0	327	13050.0	

S.N	Description of items		MRP per CUM(Ex VAT)		MRP per CUM(Ex VAT)		MRP per CUM (Ex VAT)	Remarks
1.0	Ready Mix Concrete (from factory upto 5 km)							
2.0	M15		11550.0		12057.0		12623.0	
3.0	M20		13200.0		13779.0		14426.0	
4.0	M25		14960.0		15616.0		16349.0	
5.0	M30		16115.0		16822.0		17612.0	
6.0	M35		17270.0		18028.0		18875.0	

रञ्जीत कालाखेती
अध्यक्ष

ञ्ख) निर्माण सामांग्रीहरुको दर आ.व ०८३/०८४ को लागि

S.N	Description of Items	एकाई	दर रेट	दर रेट	दर रेट	Remarks
			०८१/०८२	०८२/०८३	०८३/०८४	
1.0	हेड वर्क, हेड रेगुलेटरको गियर सिस्टम गेट	के.जि	३९९	४१६	४१६	
2.0	हेड रेगुलेटर, क्रस रेगुलेटरको लागि साधारण फलामे गेट गियर बाहेक	के.जि	३३२	३४६	३४६	
3.0	UPVC Profile Door and Window/ wall partition					
	Supplying and installation of UPVC profile sliding window frame 30*50mm					
	i) Single glazing	Sqm	९१२८	९५२८	९५२८	
	ii) Double glazing	Sqm	१०९५४	११४३४	११४३४	
4.0	Supplying and installation of UPVC profile sliding Door frame 80*50 nun White color, Sliding window sash 66*36mm with galvanized steel reinforcement of 1.5 mm, 5mm,thick clear glass, insect net.patented					
	i) Single glazing	Sqm	१०३५१	१०८०५	१०८०५	
	ii) Double glazing	Sqm	१२६१७	१३१७०	१३१७०	
5.0	Supplying and installation of UPVC profile Casement window frame 60*60mm , Casement window sash 78*60mm ,Casement window mullion 72*60mm,White color with galvanized steel reinforcement of 1.5 mm, 5mm,thick clear glass, insect net.patented standard					
	i) Single glazing	Sqm	१०९६६	११४४७	११४४७	
	ii) Double glazing	Sqm	१३२०५	१३७८४	१३७८४	
6.0	Supplying and installation of UPVC profile Casement Door frame 60*60mm , Casement Door sash 104*60mm ,Casement window mullion 72*60mm,Door panel 100*25mm,White color with galvanized steel reinforcement of 1.5 mm, 5mm,thick clear glass, insect net.patented standard					
	i) Single glazing	Sqm	११३२९	११८२६	११८२६	
	ii) Double glazing	Sqm	१४०२८	१४६४३	१४६४३	
7.0	Supplying and installation of UPVC profile Casement window frame 60*60mm , Casement window sash 78*60mm ,Sliding window sash 5h36mm,Comer connector 41*23mm White color with galvanized steel reinforcement of 1.5 mm, 5mm,thick clear glass, insect net.patented standard					
	i) Single glazing	Sqm	१०१७०	१०६१६	१०६१६	
	ii) Double glazing	Sqm	११६७२	१२१८४	१२१८४	

रुक्मिन कालाखेती
अध्यक्ष

ख) निर्माण सामांग्रीहरुको दर आ.व ०८३/०८४ को लागि

S.N	Description of Items	एकाई	दर रेट	दर रेट	दर रेट	Remarks
8.0	Supplying and installation of UPVC Partition frame 60*60mm with 5mm thick clear glass or with 9mm thick both side laminated . Particle board all complete with all accessories as per specification of korean standard					
	i) Single glazing	Sqm	७१३४	७४४७	७४४७	
9.0	UPVC Casement Window 60*60mm White color with 5mm Glass	Sqm	९३२६	९७३५	९७३५	
10.0	UPVC Double Glazing Casement Window 60*60mm Frame White color with 5mm Glass	Sqm	१२८११	१३३७३	१३३७३	
11.0	UPVC Sliding Window with 50*80mm White color and 5mm Glass	Sqm	८६८१	९०६२	९०६२	
12.0	UPVC Door 100*60mm White color with Top Glass 5mm and Bottom UPVC Panel	Sqm	८१७७	८५३५	८५३५	
13.0	UPVC Door 100*60mm White color with Top Glass 5mm and Bottom board	Sqm	८१२५	८४८१	८४८१	
14.0	UPVC Door 100*60mm White color with Too and bottom UPVC Panel	Sqm	८५१३	८८८६	८८८६	
15.0	UPVC Door 100*60mm Partition with Half board 9mm and other Half 5mm glass	Sqm	७३३२	७६५३	७६५३	
16.0	UPVC Door 100*60mm Swing Door With Top 5mm Glass and bottom	Sqm	१०४२२	१०८७९	१०८७९	